

AGENDA HUGHSON CITY COUNCIL

City of Hughson CITY COUNCIL MEETING Hughson City Hall – 7018 Pine Street Hughson, California MONDAY, APRIL 22, 2024 – 6:00 P.M.

How to participate in, or observe the Meeting:

- In person in the City Council Chambers and submit public comment when invited during the meeting.
- <u>Observe only</u> via YouTube live, by accessing this link: <u>https://www.youtube.com/channel/UC-PwkdIrKoMmOJDzBSodu6A?view_as=subscriber</u>

If a technical issue arises with any streaming option, the City Council meeting will continue unless the meeting is being held pursuant to the provisions of Assembly Bill 2449.

 In addition, recorded City Council meetings are posted on the City's website the second business day following the meeting. Recorded videos can be accessed with the following link: <u>Upcoming Meetings | Hughson CA</u>

AMERICANS WITH DISABILITIES ACT/CALIFORNIA BROWN ACT NOTIFICATION FOR THE CITY OF HUGHSON

This Agenda shall be made available upon request in alternative formats to persons with a disability as required by the Americans with Disabilities Act of 1990 (42 U.S.C. Section 12132) and the Ralph M. Brown Act (California Government Code Section 54954.2).

Disabled or Special needs Accommodation: In compliance with the Americans with Disabilities Act, persons requesting a disability related modification or accommodation in order to participate in the meeting and/or if you need assistance to attend or participate in a City Council meeting, please contact the City Clerk's office at (209) 883-4054. Notification at least 48-hours prior to the meeting will assist the City Clerk in assuring that reasonable accommodations are made to provide accessibility to the meeting.

<u>CALL TO ORDER:</u> Mayor George Carr

ROLL CALL:Mayor George CarrMayor Pro Tem Randy CrookerCouncilmember Samuel RushCouncilmember Julie Ann StrainCouncilmember Alan McFadon

FLAG SALUTE: Mayor George Carr

INVOCATION: Hughson Ministerial Association

1. PUBLIC BUSINESS FROM THE FLOOR (No Action Can Be Taken):

Please limit presentations to five minutes. If you wish to speak regarding an item on the agenda, you may be asked to defer your remarks until the Council addresses the matter. Pursuant to California Government Code Section 54954.2(a)(3), no action or discussion may be undertaken on any item not appearing on the posted agenda, except that the City Council, or its staff, may briefly respond to comments or questions from members of the public, provide a reference to staff or other resources for factual information, or direct staff to place the issue on a future agenda.

2. PRESENTATIONS:

- **2.1:** Proclaim the Month of May as Building Safety Month.
- **2.2:** Proclaim May 5-11, 2024, as the 55th Annual Professional Municipal Clerks Week.

3. CONSENT CALENDAR:

All items listed on the Consent Calendar are to be acted upon by a single action of the City Council unless otherwise requested by an audience member, or individual Councilmember for special consideration. Otherwise, the recommendation of staff will be accepted and acted upon by <u>roll call vote</u>.

- **3.1:** Approval of the Minutes of the Regular Meeting of April 8, 2024.
- **3.2:** Approval of the Warrants Register.
- **3.3:** Adoption of <u>Resolution No. 2024-11</u>, Calling and Giving Notice of the Holding of a General Municipal Election on Tuesday, November 5, 2024, for the Election of Certain Officers as Required by the Provisions of the Laws of the State of California Relating to General Law Cities and Requesting Consolidation of the Election with Stanislaus County.
- **3.4:** Adoption of <u>Resolution No. 2024-12</u>, Performing the Biennial Review of the City of Hughson's Conflict of Interest Code.
- **3.5:** Adoption of <u>Resolution No. 2024-13</u>, Supporting the Approval of the Fiscal Year 2024-2025 Community Development Block Grant (CDBG) and Home Investment Partnership Program (HOME) Annual Action Plan (AAP).

4. UNFINISHED BUSINESS: NONE.

5. PUBLIC HEARING: NONE.

6. NEW BUSINESS:

6.1: Authorize City Staff to Release Bid Documents for the Well 8 TCP Mitigation Project.

7. CORRESPONDENCE: NONE.

8. COMMENTS:

A brief report on notable attendance of a meeting, or conference, or other notable topics of City business shall be made. The Brown Act does not allow for discussion or action of items by the City Council during this time.

- 8.1: Staff Reports and Comments:
 - City Manager City Clerk Director of Finance Community Development Director Police Services City Attorney
- **8.2:** Council Comments:

9. CLOSED SESSION:

9.1: CONFERENCE WITH LEGAL COUNSEL – EXISTING LITIGATION
 (Paragraph (1) of subdivision (d) of Section 54956.9) Name of case: Souza et al. v.
 CalPERS; Court of Appeal Case No. C099861

10. ADJOURNMENT:

The next City Council meeting is scheduled for May 13, 2024, at 6:00 pm.

AFFIDAVIT OF POSTING				
Date: April 19, 2024	Time: 9:00 AM			
Name: Ashton Gose	Title: City Clerk			

In accordance with California Government Code Section 54957.5, any writing or document that is a public record, relates to an open session agenda item, and is distributed less than 72 hours prior to a regular meeting will be made available for public inspection in the office of the City Clerk at Hughson City Hall during normal business hours. If, however, the document or writing is not distributed until the regular meeting to which it relates, then the document or writing will be made available to the public at the location of the meeting, as listed on the agenda.

Notice Regarding Non-English Speakers:

Pursuant to California Constitution Article III, Section IV, establishing English as the official language for the State of California, and in accordance with California Code of Civil Procedures Section 185, which requires proceedings before any State Court to be in English, notice is hereby given that all proceedings before the City of Hughson City Council shall be in English and anyone wishing to address the Council is required to have a translator present who will take an oath to make an accurate translation from any language not English into the English language.

UPCOMING EVENTS:

April 27-28	 Hughson Fruit and Nut Festival, Downtown Hughson
May 4	 Hughson has Heart, Senior Community Center, 7:00AM
May 11	 Household Hazardous Waste Event, City Hall Parking Lot, 8:00AM
May 11	 Hughson Volunteer Fire Department Chicken BBQ, Hughson Fire Station, 4:00PM
May 13	 City/School/Fire Joint 2+2 Committee Meeting, HUSD Office, 4:30PM
May 13	City Council Meeting, City Council Chambers, 6:00PM
May 14	 Parks, Recreation and Entertainment Commission Meeting, City Council Chambers, 6:00PM
May 21	 Planning Commission Meeting, City Council Chambers, 6:00PM
May 27	Memorial Day – City Hall Closed
May 28	Special City Council Meeting, City Council Chambers, 6:00PM

= CITY OF HUGHSON



Building Safety Month May 2024

WHEREAS, our jurisdiction is committed to recognizing that our growth and strength depends on the safety and essential role our homes, buildings, and infrastructure play, both in everyday life and when disasters strike, and;

WHEREAS, our confidence in the resilience of these buildings that make up our community is achieved through the devotion of vigilant guardians – building safety and fire prevention officials, architects, engineers, builders, design professionals, laborers, and others in the construction industry – who work year-round to ensure the safe construction of buildings, and;

WHEREAS, Building Safety Month is sponsored by the International Code Council to remind the public about the critical role of our communities' largely unknown protectors of public safety – our local code officials – who assure us of safe, sustainable and affordable buildings that are essential to our prosperity, and;

WHEREAS, in observance of Building Safety Month, people all over the world are asked to consider the commitment to improve building safety, resilience and economic investment at home and in the community, and to acknowledge the essential service provided to all of us by local and state building departments, fire prevention bureaus and federal agencies in protecting lives and property.

NOW, THEREFORE BE IT PROCLAIMED that the Hughson City Council, do recognize the month of May 2024, as Building Safety Month, and further extend appreciation to our Building Safety Professionals, and to all Building Safety Professionals.

GEORGE CARR MAYOR OF THE CITY OF HUGHSON April 22, 2024



= CITY OF HUGHSON

oclamation

55th Annual Professional Municipal Clerks Week May 5 - 11, 2024

WHEREAS, The Office of the Professional Municipal Clerk, a time honored and vital part of local government exists throughout the world, and

WHEREAS, The Office of the Professional Municipal Clerk is the oldest among public servants, and

WHEREAS, The Office of the Professional Municipal Clerk provides the professional link between the citizens, the local governing bodies and agencies of government at other levels, and

WHEREAS, The Professional Municipal Clerk serves as the information center on functions of local government and community.

WHEREAS, Professional Municipal Clerks continually strive to improve the administration of the affairs of the Office of the Professional Municipal Clerk through participation in education programs, seminars, workshops and the annual meetings of their state, provincial, county and international professional organizations.

WHEREAS, it is most appropriate that we recognize the accomplishments of the Office of the Professional Municipal Clerk.

NOW, THEREFORE BE IT PROCLAIMED that the Hughson City Council, do recognize the week of May 5 through 11, 2024, as Professional Municipal Clerks Week, and further extend appreciation to our Professional Municipal Clerk, and to all Professional Municipal Clerks for the vital services they perform and their exemplary dedication to the communities they represent.

GEORGE CARR MAYOR OF THE CITY OF HUGHSON April 22, 2024





CITY COUNCIL AGENDA ITEM NO. 3.1 SECTION 3: CONSENT CALENDAR

Meeting Date:	April 22, 2024
Subject:	Approval of the City Council Minutes
Presented By:	Ashton Gose, City Clerk

Staff Recommendation:

Approve the Minutes of the regular Meeting of April 8, 2024.



HUGHSON CITY COUNCIL

MINUTES

City of Hughson REGULAR CITY COUNCIL MEETING Hughson City Hall – 7018 Pine Street Hughson, California MONDAY, APRIL 8, 2024 – 6:00 P.M.

CALL TO ORDER:	Mayor Pro Tem Randy Crooker

ROLL CALL:

Present:	Mayor Pro Tem Randy Crooker
	Councilmember Julie Ann Strain
	Councilmember Alan McFadon
	Councilmember Samuel Rush

- Absent: Mayor George Carr
- Staff Present: Ashton Gose, City Clerk Tom Terpstra, Deputy City Attorney Carla Jauregui, Community Development Director Kim Weimer, Director of Finance and Admin Services Jose Vasquez, Public Works Superintendent Sarah Chavarin, Accounting Manager Danielle Perez, Accounting Technician Andraya Plascencia, Customer Service Clerk

1. <u>PUBLIC BUSINESS FROM THE FLOOR (No Action Taken)</u>:

Hughson resident Mohamed Rashid introduced himself to the City Council.

Marie Alvarado-Gil Senior District Representative Narinder Bahia provided a legislative update for the City Council.

2. <u>PRESENTATIONS</u>:

2.1: Proclaim April 21-27, 2024, as Administrative Professionals Week.

No reportable action.

3. <u>CONSENT CALENDAR</u>:

- **3.1:** Approval of the Minutes of the Regular Meeting of March 25, 2024.
- **3.2:** Approval of the Warrants Register.

CROOKER/STRAIN 4-0-0-1 motion passes to approve the Consent Calendar as presented, with the following roll call vote:

CROOKER	RUSH	STRAIN	McFADON	CARR
AYE	AYE	AYE	AYE	ABSENT

4. <u>UNFINISHED BUSINESS</u>: NONE.

5. <u>PUBLIC HEARING</u>: NONE.

6. **NEW BUSINESS**:

6.1: Adopt <u>Ordinance No. 2024-01</u>, an Urgency Ordinance of the City of Hughson Imposing a Moratorium on All New Smoking Lounges and Smoke Shops Within the City of Hughson.

Deputy City Attorney Terpstra presented the staff report on this item.

Mayor Pro Tem Crooker opened public comment at 6:13pm. There was no public comment. Mayor Pro Tem Crooker closed public comment at 6:13pm.

STRAIN/McFADON4-0-0-1motion passes to adopt Ordinance No. 2024-01, anUrgency Ordinance of the City of Hughson Imposing a Moratorium on All New Smoking Loungesand Smoke Shops Within the City of Hughson, with the following roll call vote:

CROOKER	RUSH	STRAIN	McFADON	CARR
AYE	AYE	AYE	AYE	ABSENT

6.2: Adopt <u>Resolution No. 2024-10</u>, Approving a Professional Services Agreement with Willdan Financial Services for the Development of a Comprehensive User Fee Study, Cost Allocation Plan, and Development Impact Fee Study.

Director Weimer presented the staff report on this item.

Mayor Pro Tem Crooker opened public comment at 6:18pm. There was no public comment. Mayor Pro Tem Crooker closed public comment at 6:18pm.

McFADON/STRAIN 4-0-0-1 motion passes to adopt <u>Resolution No. 2024-10</u>, Approving a Professional Services Agreement with Willdan Financial Services for the Development of a Comprehensive User Fee Study, Cost Allocation Plan, and Development Impact Fee Study, and authorize the City Manager to execute an agreement with Willdan Financial Services inclusive of any final edits by the City Attorney, with the following roll call vote:

CROOKER	RUSH	STRAIN	McFADON	CARR
AYE	AYE	AYE	AYE	ABSENT

7. <u>CORRESPONDENCE</u>:

7.1: Annual Air Toxics Report for 2023.

No reportable action.

8. <u>COMMENTS</u>:

8.1: Staff Reports and/or Comments:

City Clerk Gose provided a reminder regarding two upcoming Hughson has Heart planning meetings, and the Hughson has Heart event.

Director Jauregui informed the City Council that a draft Housing Element has been prepared, that a shade structure installation is complete at Euclid Park, and that utilities staff had been diligently working on deferred utility maintenance.

8.2: Council Member Comments:

Councilmember McFadon attended the Hughson Youth Baseball and Softball Opening Day Ceremony on March 30, 2024.

Councilmember Strain thanked staff for their continued hard work.

Mayor Pro Tem Crooker attended a Stanislaus County Economic Development Action Committee meeting on March 27, 2024. He attended the Hughson Youth Baseball and Softball

Opening Day Ceremony on March 30, 2024. He thanked Hughson Police Services for their continued hard work.

9. <u>CLOSED SESSION TO DISCUSS THE FOLLOWING</u>: NONE.

10. <u>ADJOURNMENT</u>:

Motion passes to adjourn the April 8, 2024, regular meeting at 6:33PM, with the following roll call vote:

CROOKER	RUSH	STRAIN	McFADON	CARR
AYE	AYE	AYE	AYE	ABSENT

APPROVED:

GEORGE CARR, Mayor

ATTEST:

ASHTON GOSE, City Clerk



CITY COUNCIL AGENDA ITEM NO. 3.2 SECTION 3: CONSENT CALENDAR

Meeting Date:	April 22, 2024
Subject:	Approval of Warrants Register
Presented By:	Kim Weimer, Director of Finance

Staff Recommendation:

Approve the Warrants Register as presented.

Background and Overview:

The warrants register presented to the City Council is a listing of all expenditures paid from April 4, 2024, through April 15, 2024.

Fiscal Impact:

There are reductions in various funds for payment of expenses.

Hughson

Check Report

By Check Number Date Range: 04/04/2024 - 04/15/2024

Vendor Number Payable # Bank Cada: Bayable Ba	Vendor Name Payable Type	Post Date	Payment Date Payable Descriptio		Discount Am Discount Amount		Payment Amount able Amount	Number
Bank Code: Payable Ba 01257	-	<u> </u>	04/04/2024	Pogular		0.00	149.85	E 7002
<u>0236516</u>	1ST SECURITY & SOUND IN Invoice	04/01/2024	MONITORING	Regular	0.00	0.00	149.85	57695
00016	ABS PRESORT		04/04/2024	Regular		0.00	1,681.86	57894
<u>135114</u>	Invoice	03/11/2024	BILL PRINTING- FEE	6	0.00		1,681.86	
00032			04/04/2024	Regular		0.00	322.45	57895
277277	AFLAC Invoice	04/01/2024	AFLAC	Negulai	0.00	0.00	322.45	57855
	IIIVOICE	0.1,01,101.			0.00		012110	
01603	Amazon Capital Services, In		04/04/2024	Regular		0.00		57896
<u>11NQ-MH9R-M3</u>	Invoice	04/03/2024	camera brackets		0.00		96.74	
00109	BADGER METER, INC		04/04/2024	Regular		0.00	2,338.49	57897
<u>80151111</u>	Invoice	04/02/2024	badger january ser	vice	0.00		4.68	
80151747	Invoice	04/02/2024	February services		0.00		2,333.81	
00123	BAY ALARM CO		04/04/2024	Regular		0.00	450.00	57898
21278679	Invoice	04/03/2024	monitoring fire fee		0.00		450.00	
01017			-					
01817 INV-0867	Black Castle Construction	04/03/2024	04/04/2024	Regular ary (christian church)	0.00	0.00	4,230.00 4,230.00	57899
<u>INV-0807</u>	Invoice	04/03/2024	tollet relitais Frebu	ary (christian church)	0.00		4,230.00	
00183	C.H. WILLIAMS & SONS INC	2.	04/04/2024	Regular		0.00	140.00	57900
<u>171385</u>	Invoice	04/02/2024	gas cylinder rentals	i	0.00		140.00	
00210	California Building Standar	ds Commission	04/04/2024	Regular		0.00	344.70	57901
INV0010956	Invoice	04/01/2024	Green Building Fee	's 1st QTR 2024	0.00		344.70	
00259			04/04/2024	Degular		0.00	2 177 02	F7002
00258 8715670	CENTRAL SANITARY SUPPL	Y 04/02/2024	04/04/2024 cleaning supplies	Regular	0.00	0.00	2,177.92 2,177.92	57902
0/100/0	Invoice	01/02/2021			0.00		2,177.52	
00288	CHOICE LIGHTING SUPPLY		04/04/2024	Regular		0.00	123.79	57903
<u>351589</u>	Invoice	03/15/2024	supplies - building	blanket PO)	0.00		123.79	
00310	CLARK'S PEST CONTROL		04/04/2024	Regular		0.00	219.00	57904
<u>35132575</u>	Invoice	04/02/2024	PEST CONTROL		0.00		137.00	
<u>35133336</u>	Invoice	04/02/2024	PEST CONTROL		0.00		82.00	
01538	Colonial Life		04/04/2024	Regular		0.00	298.75	57905
54059070301605	Invoice	03/01/2024	Colonial Life	перии	0.00	0.00	298.75	57505
00.105			0.4/0.4/0.004				1 0 1 0 0 0	
00406	Department of Conservatio	on 04/01/2024	04/04/2024	Regular I due to state 1st QTR 2	0.00	0.00	1,010.33 1,010.33	57906
<u>INV0010955</u>	Invoice	04/01/2024	Sivily lees collected	Tuue to state 1st QTK 2	0.00		1,010.55	
01948	Ernest Beltran		04/04/2024	Regular		0.00	464.00	57907
INV0010954	Invoice	04/02/2024	Damge Deposit - Be	eltran	0.00		464.00	
00462	EWING IRRIGATION PRODU	ICTS	04/04/2024	Regular		0.00	880.32	57908
012472638	Invoice	03/20/2024	landscape parts/su	-	0.00		410.51	
<u>21748718</u>	Invoice	03/15/2024	landscape parts/su	pplies (blanket PO)	0.00		265.56	
<u>21748775</u>	Invoice	03/15/2024	landscape parts/su	pplies (blanket PO)	0.00		204.25	
00464	EZ NETWORK SYSTEMS, IN	C	04/04/2024	Regular		0.00	7,530.85	57909
43945	Invoice	04/01/2024	IT SERVICES	U	0.00		600.00	
43954	Invoice	04/02/2024	IT SERVICES		0.00		1,195.45	
<u>TS43898</u>	Invoice	04/01/2024	IT SERVICES		0.00		5,735.40	
00522		ODIE	04/04/2024	Regular		0.00	6,378.80	57910
55522	GEOANALYTICAL LABORAT		07/07/2024	negulai		5.00	0,578.80	57510

Check Report

Date Range: 04/04/2024 - 04/15/2024

спеск керогі						Date Kange: 04/04	4/202	24 - 04/15/
Vendor Number	Vendor Name		Payment Date	Payment Type	Discount Am	ount Payment Amo	ount	Number
Payable #	Payable Type	Post Date	Payable Descriptio	n	Discount Amount	Payable Amount		
<u>J3K2804</u>	Invoice	04/02/2024	water blanket Geoa	analytical	0.00	212.00		
<u>J3L0507</u>	Invoice	04/02/2024	WW Blanket Geoar	alytical	0.00	65.00		
<u>K4A0212</u>	Invoice	04/02/2024	WW Blanket Geoar	alytical	0.00	65.00		
K4A0213	Invoice	04/02/2024	water blanket Geoa	analytical	0.00	1,182.00		
K4A1605	Invoice	04/02/2024	water blanket Geoa	analytical	0.00	167.00		
K4A2304	Invoice	04/02/2024	WW Blanket Geoar	•	0.00	65.00		
K4A2305	Invoice	04/02/2024	water blanket Geoa	•	0.00	220.00		
K4A3006	Invoice	04/02/2024	water blanket Geoa	,	0.00	254.40		
K4A3007	Invoice	04/02/2024	WW Blanket Geoar	1	0.00	65.00		
K4B0600		04/02/2024	water blanket Geoa		0.00	110.00		
K4B2909	Invoice	04/02/2024	water blanket Geor	1	0.00	118.00		
<u>K4C0413</u>	Invoice	04/02/2024	water blanket Geoa	•	0.00	1,332.00		
K4C0414	Invoice	04/02/2024	WW Blanket Geoar	•	0.00	219.00		
K4C0523	Invoice	04/02/2024	WW Blanket Geoar	-	0.00	65.00		
K4C0524	Invoice	04/02/2024	water blanket Geoa		0.00	541.00		
	Invoice	04/02/2024		•				
<u>K4C0619</u>	Invoice		water blanket Geoa	•	0.00	284.00		
<u>K4C0711</u>	Invoice	04/02/2024	water blanket Geor	•	0.00	191.00		
<u>K4C1815</u>	Invoice	04/02/2024	WW Blanket Geoar	-	0.00	249.00		
<u>K4C1916</u>	Invoice	04/02/2024	water blanket Geoa		0.00	292.80		
<u>K4C1917</u>	Invoice	04/02/2024	water blanket Geoa	•	0.00	273.00		
<u>K4C2039</u>	Invoice	04/02/2024	water blanket Geoa	analytical	0.00	408.60		
00528			04/04/2024	Regular		0.00 1,89	5 07	57911
HUGHSS-092	GILTON SOLID WASTE MAN	04/02/2024	STREET SWEEPING	-	0.00	1,895.07	5.07	57511
1001133-092	Invoice	04/02/2024	STREET SWELFING	- MARCH	0.00	1,895.07		
00668	JIMENEZ TRUCK AND TIRE	RE	04/04/2024	Regular		0.00 64	7.09	57912
103123-4	Invoice	04/03/2024	tires for UT1	0	0.00	647.09		
00879	PG & E		04/04/2024	Regular		0.00 88	7.98	57913
INV0010953	Invoice	03/26/2024	UTILITIES		0.00	887.98		
04005			04/04/2024	Dec. la c		0.00	2 00	57044
01885	RecruitGigs		04/04/2024	Regular	0.00	-	2.00	57914
<u>68815</u>	Invoice	03/22/2024	Extra Help - PW		0.00	792.00		
<u>68879</u>	Invoice	03/29/2024	Extra Help - PW		0.00	990.00		
01633	Robert Delarm		04/04/2024	Regular		0.00 9	8.00	57915
INV0010994	Invoice	04/03/2024		Class B required for e	0.00	98.00	0.00	0,010
	IIIVOICE	01/03/2021	nembur sement for	cluss b required for e	0.00	50.00		
01599	SMILE BUSINESS PRODUCT	S, INC	04/04/2024	Regular		0.00 9	3.68	57916
<u>1187260</u>	Invoice	03/22/2024	COPIES		0.00	93.68		
01709	The Lincoln National Life In		04/04/2024	Regular			4.68	57917
<u>4678693779</u>	Invoice	04/01/2024	Life Insurance		0.00	534.68		
01820	The second state of the		04/04/2024	Regular		0.00 2,79	5 00	57918
	Thompson Woolley Builder			-	0.00		5.00	57910
<u>I-24-767</u>	Invoice	04/02/2024	Playground cover a		0.00	2,795.00		
01176	USA BLUE BOOK		04/04/2024	Regular		0.00 13	0.04	57919
INV00289280	Invoice	04/02/2024	lab supplies	Ū.	0.00	130.04		
	involce							
01264	VERIZON WIRELESS		04/04/2024	Regular		0.00 38	0.10	57920
<u>9960007332</u>	Invoice	04/03/2024	MIFI DEVICES/ CAN	1ERAS	0.00	152.04		
<u>9960007333</u>	Invoice	04/03/2024	MIFI DEVICES/ CAN	1ERAS	0.00	228.06		
			/ /					
01192	VISION SERVICE PLAN		04/04/2024	Regular			4.17	57921
<u>820111286</u>	Invoice	04/01/2024	MEDICAL INSURAN	CE WITHHELD- APRIL	0.00	514.17		
01206			04/04/2024	Regular		0.00 2	9 11	57922
010965-00	WARDEN'S OFFICE	03/26/2024	MISC OFFICE SUPPL	-	0.00	29.11		57522
010303-00	Invoice	03/20/2024	WIGC OFFICE SUPPL		0.00	29.11		
01220	WESTURF INC.		04/04/2024	Regular		0.00 44	5.16	57923
0001000093176	Invoice	03/28/2024	mower blades and	-	0.00	445.16		
	. = . = =							
01420	CALIFORNIA STATE DISBUR	SEMENT UNIT	04/10/2024	Regular		0.00 4	0.12	57930

Check Report

Date Range: 04/04/2024 - 04/15/2024

Vendor Number	Vendor Name		Payment Date Payment Type	Discount Amou	nt Payment Amount	Number
Payable #	Payable Type	Post Date	Payable Description		Payable Amount	
<u>INV0011027</u>	Invoice	04/10/2024	INCOME WITHHOLDING FOR CHILD SUPP		40.12	
00049	ALLIED ADMINISTRATOR	s	04/11/2024 Regular	0.0	1,824.66	57931
INV0011078	Invoice	05/01/2024	DELTA DENTAL	0.00	1,824.66	
01585	Bay City Equipment Indu	stries Inc	04/11/2024 Regular	0.0	13,659.09	57932
W290937	Invoice	04/09/2024	Preventative well8 generator	0.00	1,303.39	
W290939	Invoice	04/09/2024	preventative Well3 genarator	0.00	557.00	
W290941	Invoice	04/09/2024	preventative WWTP generator	0.00	514.15	
W292447	Invoice	04/09/2024	major prev well3 gen	0.00	2,168.16	
W292449	Invoice	04/09/2024	major prev well4 gen	0.00	1,683.17	
W292641	Invoice	04/09/2024	Major prev well8 gen	0.00	1,985.25	
W292671		04/09/2024	Major prev hatch gen	0.00	1,362.30	
<u>W292937</u>	Invoice Invoice	04/09/2024	major prev WWTP gen	0.00	4,085.67	
01280	CHRISTINE AGUIAR		04/11/2024 Regular	0.0	00 100.00	57933
<u>INV0010996</u>	Invoice	04/05/2024	Damage Deposit - Aguiar	0.00	100.00	57555
00305	CITY OF HUGHSON		04/11/2024 Regular	0.0	00 2,054.83	57934
<u>INV0010997</u>	Invoice	04/08/2024	LLDS & STARN PARK	0.00	2,054.83	07001
01340	DIVISION OF THE STATE	ARCHITECT	04/11/2024 Regular	0.0	00 38.80	57935
INV0010995	Invoice	04/08/2024	Disability Access & Education Fee 1st Qtr	0.00	38.80	
00527	GIBBS MAINTENANCE CC)	04/11/2024 Regular	0.0	00 175.00	57936
<u>14625</u>	Invoice	03/31/2024	JANITOR SERVICES	0.00	175.00	
00528	GILTON SOLID WASTE M	ANAGE	04/11/2024 Regular	0.0	0 215,609.67	57937
February 2024	Invoice	02/29/2024	GARBAGE SERVICE- Feb 2024	0.00	73,304.69	
January 2024	Invoice	01/31/2024	GARBAGE SERVICE Jan 2024	0.00	76,918.84	
March 2024	Invoice	03/31/2024	GARBAGE SERVICE- MARCH 2024	0.00	65,386.14	
00614	HUGHSON FARM SUPPLY	1	04/11/2024 Regular	0.0	00 1,389.93	57938
<u>H485147</u>	Invoice	04/10/2024	farm supply blanket	0.00	50.06	
<u>H485230`</u>	Invoice	04/10/2024	farm supply blanket	0.00	20.33	
H485269	Invoice	04/10/2024	farm supply blanket	0.00	58.82	
<u>H485283</u>	Invoice	03/08/2024	Farm supply blanket PO	0.00	12.92	
<u>H485477</u>	Invoice	03/08/2024	Farm supply blanket PO	0.00	17.25	
<u>H485479</u>	Invoice	03/11/2024	Water Supplies (Blanket)	0.00	112.10	
<u>H485487</u>	Invoice	04/10/2024	farm supply blanket	0.00	58.22	
<u>H485501</u>	Invoice	03/07/2024	Farm supply blanket PO	0.00	33.81	
H485512	Invoice	03/11/2024	Water Supplies (Blanket)	0.00	8.61	
H485526	Invoice	03/11/2024	Water Supplies (Blanket)	0.00	34.70	
<u>H485559</u>	Invoice	04/10/2024	farm supply blanket	0.00	7.10	
H485630	Invoice	03/07/2024	Farm supply blanket PO	0.00	24.36	
H485745	Invoice	03/13/2024	Water Supplies (Blanket)	0.00	32.43	
H485750	Invoice	04/10/2024	farm supply blanket	0.00	60.49	
H485872	Invoice	03/07/2024	Farm supply blanket PO	0.00	17.25	
H485920	Invoice	04/10/2024	farm supply blanket	0.00	100.62	
H485988	Invoice	03/07/2024	Farm supply blanket PO	0.00	34.51	
H486116	Invoice	03/07/2024	Farm supply blanket PO	0.00	48.53	
H486218	Invoice	04/10/2024	farm supply blanket	0.00	94.46	
H486302	Invoice	04/10/2024	farm supply blanket	0.00	208.90	
H486334	Invoice	03/08/2024	Farm supply blanket PO	0.00	32.31	
H486430		03/07/2024	Farm supply blanket PO	0.00	44.18	
H486476	Invoice	03/08/2024	Farm supply blanket PO	0.00	39.16	
H486679	Invoice	03/07/2024	Farm supply blanket PO	0.00	0.87	
	Invoice					
H486691	Invoice	03/21/2024	Water Supplies (Blanket)	0.00	14.00	
H486729	Credit Memo	03/21/2024	WATER SUPPLIES	0.00	-14.00	
H486792	Invoice	04/09/2024	cleaning supplies	0.00	214.50	
<u>H486830</u>	Invoice	03/06/2024	Farm supply blanket PO	0.00	1.55	
<u>H487389</u>	Invoice	03/06/2024	Farm supply blanket PO	0.00	21.89	

Check Report

Check Report						Da	ite Range: 04/04/202	24 - 04/15/2
Vendor Number	Vendor Name		Payment Date	Payment Type	Discount Am	ount	Payment Amount	Number
Payable #	Payable Type	Post Date	Payable Descriptio	'n	Discount Amount	Pay	able Amount	
00627	HUGHSON NAPA AUTO &	TRUCK	04/11/2024	Regular		0.00	479.70	57939
<u>380239</u>	Invoice	03/07/2024	parts and supplies	(blanket PO)	0.00		7.28	
<u>380305</u>	Invoice	03/08/2024	parts and supplies	(blanket PO)	0.00		16.79	
<u>380443</u>	Invoice	03/11/2024	parts and supplies	(blanket PO)	0.00		2.36	
<u>380670</u>	Invoice	03/14/2024	parts and supplies	(blanket PO)	0.00		26.91	
<u>380747</u>	Invoice	03/15/2024	parts and supplies	(blanket PO)	0.00		22.64	
<u>380860</u>	Invoice	03/18/2024	parts and supplies	(blanket PO)	0.00		13.92	
<u>380876</u>	Invoice	03/18/2024	parts and supplies	(blanket PO)	0.00		4.08	
<u>380881</u>	Invoice	03/18/2024	parts and supplies	(blanket PO)	0.00		35.77	
<u>380888</u>	Invoice	03/18/2024	parts and supplies	(blanket PO)	0.00		4.39	
<u>380899</u>	Invoice	03/18/2024	parts and supplies	(blanket PO)	0.00		15.47	
<u>380908</u>	Invoice	03/18/2024	parts and supplies	(blanket PO)	0.00		22.37	
<u>380914</u>	Invoice	03/18/2024	parts and supplies	(blanket PO)	0.00		7.51	
<u>381002</u>	Invoice	03/19/2024	parts and supplies	(blanket PO)	0.00		7.62	
<u>381035</u>	Invoice	03/20/2024	fleet maintenance	(blanket PO)	0.00		106.79	
<u>381055</u>	Invoice	03/20/2024	parts and supplies	(blanket PO)	0.00		149.26	
<u>381219</u>	Invoice	03/22/2024	parts and supplies	(blanket PO)	0.00		3.65	
<u>381334</u>	Invoice	03/25/2024	parts and supplies	(blanket PO)	0.00		32.89	
00659	J.B. Anderson Land Use Pl	anning	04/11/2024	Regular		0.00	13,089.58	57940
020124HUGH	Invoice	02/01/2024	General Planning S	ervices	0.00		5,049.58	
<u>030124HUGH</u>	Invoice	03/01/2024	General Planning S	ervices	0.00		2,665.50	
<u>040124HUGH</u>	Invoice	04/01/2024	General Planning S	ervices	0.00		5,374.50	
00682	KAISER FOUNDATION HEA	ALTH	04/11/2024	Regular		0.00	7,749.65	57941
<u>691534614623</u>	Invoice	05/01/2024	MEDICAL SERVICES	5- MAY	0.00		7,749.65	
00824	NEUMILLER & BEARDSLEE	E	04/11/2024	Regular		0.00	6,922.96	57942
<u>347371</u>	Invoice	03/27/2024	LEGAL SERVICES		0.00		1,600.00	
<u>347548</u>	Invoice	03/28/2024	General Administra	ation	0.00		4,497.96	
<u>347549</u>	Invoice	03/28/2024	Personnel Matters		0.00		825.00	
01884	PACIFIC STORAGE COMPA	ANY	04/11/2024	Regular		0.00	71.99	57943
2217699	Invoice	03/31/2024	RECORDS STORAGE	E	0.00		71.99	
01950	Premier Pools & Spas		04/11/2024	Regular		0.00	500.00	57944
<u>INV0011079</u>	Invoice	04/10/2024	Refund of ENCR23-	1305 for 1597 Lantern	0.00		500.00	
01943	Quality Service, Inc.		04/11/2024	Regular		0.00	44,632.25	57945
<u>34539</u>	Invoice	02/28/2024	Progress inovice #2	for the T&M estimate	0.00		25,230.75	
<u>34685</u>	Invoice	03/22/2024	Progress inovice #3	B for the T&M estimate	0.00		19,401.50	
01885	RecruitGigs		04/11/2024	Regular		0.00	990.00	57946
<u>68940</u>	Invoice	04/05/2024	Extra Help - PW		0.00		990.00	
01048	STANISLAUS COUNTY		04/11/2024	Regular		0.00	347.00	57947
<u>471589</u>	Invoice	04/09/2024	corp yard HM perm	nit	0.00		347.00	
01048	STANISLAUS COUNTY		04/11/2024	Regular		0.00	161.00	57948
<u>472655</u>	Invoice	04/08/2024	WWTP HM permit		0.00		161.00	
01066	STATE WATER RESOURCE	S CONTROL BOARD	04/11/2024	Regular		0.00	591,136.15	57949

Check Re	eport
----------	-------

Vendor Number	Vendor Name		Payment Date Payment Type	Discount Amo	ount Payment Amount Number
Payable #	Payable Type	Post Date	Payable Description	Discount Amount	Payable Amount
INV0011077	Invoice	04/10/2024	Contract # 08838; Project # 5139-110	0.00	591,136.15

Bank Code Payable Bank Summary

Payment Type	Payable Count	Payment Count	Discount	Payment
Regular Checks	137	51	0.00	940,042.31
Manual Checks	0	0	0.00	0.00
Voided Checks	0	0	0.00	0.00
Bank Drafts	0	0	0.00	0.00
EFT's	0	0	0.00	0.00
-	137	51	0.00	940,042.31

All Bank Codes Check Summary

Payment Type	Payable Count	Payment Count	Discount	Payment
Regular Checks	137	51	0.00	940,042.31
Manual Checks	0	0	0.00	0.00
Voided Checks	0	0	0.00	0.00
Bank Drafts	0	0	0.00	0.00
EFT's	0	0	0.00	0.00
	137	51	0.00	940,042.31

Fund Summary

Fund	Name	Period	Amount
999	POOLED CASH/CONSOLIDATED CASH	4/2024	940,042.31
			940,042.31



UBPKT03576 - Refunds 01 UBPKT03574 Regular

Account	Name	Date	Check #	Amount	Code	Receipt	Amount	Туре
12-0890-005	Lincecum, Becky	4/8/2024	57924	104.15			104.15	Generated From Billing
12-1450-001	BECKER, GLORIA	4/8/2024	57925	114.51			114.51	Deposit
14-1500-002	Durham, Megan	4/8/2024	57926	220.95			220.95	Generated From Billing
14-1780-003	HERNANDEZ, CHUCK & DANIELL	4/8/2024	57927	109.66			109.66	Deposit
15-3190-003	ODOM, DAVID & JENNIFER	4/8/2024	57928	41.83			41.83	Deposit
Total Refunds: 5			Total Refunded Amount:	591.10				

Revenue Code Summary

Revenue Code		Amount
996 - UNAPPLIED CREDITS		591.10
	Revenue Total:	591.10

General Ledger Distribution

Posting Date: 04/08/2024

		Account Number	Account Name	Posting Amount	IFT
Fund:	510 - WATER	SEWER DEPOSIT			
		510-10001	CLAIM ON CASH-WATER/SEWER DEPOSIT	-591.10	Yes
		510-11040	CUSTOMER CREDITS	591.10	
			510 Total:	0.00	
Fund:	999 - POOLED	CASH/CONSOLIDA	ATED CASH		
		999-10010	CASH IN BANK-MONEY MARKET	-591.10	
		999-20000	DUE TO OTHER FUNDS (POOLED CASH)	591.10	Yes
			999 Total:	0.00	
			Distribution Total:	0.00	



UBPKT03591 - Bill Refund - Fox Road

Account	Name	Date	Check #	Amount	Code	Receipt	Amount	Туре
12-0300-001	FOX ROAD SCHOOL	4/8/2024	57929	9,583.92			9583.92	Deposit
Total Refunds: 1			Total Refunded Amount:	9,583.92				
							_	
							Revenue	Code Summary
			ue Code		Amount			
		996 - L	NAPPLIED CREDITS	_	9583.92			
				Revenue Total:	9583.92			
							Conoral Lod	aar Distribution
							General Led	ger Distribution
								Posting Date: 04/08/2024
		Account Number	Account Name		Posting Amount	IFT		
	Fund: 510 -	WATER/SEWER DEPOSIT						
		510-10001	CLAIM ON CASH-WATER/SEW	/ER DEPOSIT	-9,583.92	Yes		
		510-11040	CUSTOMER CREDITS		9,583.92			
				510 Total:	0.00			
	Fund: 999 -	POOLED CASH/CONSOLID	ATED CASH					
		999-10010	CASH IN BANK-MONEY MARK	ΈT	-9,583.92			
		999-20000	DUE TO OTHER FUNDS (POOL	ED CASH)	9,583.92	Yes		
				999 Total:	0.00			
			Dist	ribution Total:	0.00			



CITY COUNCIL AGENDA ITEM NO. 3.3 SECTION 3: CONSENT CALENDAR

Meeting Date:	April 22, 2024
Subject:	Adoption of Resolution No. 2024-11, Calling and Giving Notice of
	the Holding of a General Municipal Election on Tuesday, November
	5, 2024, for the Election of Certain Officers as Required by the
	Provisions of the Laws of the State of California Relating to General
	Law Cities and Requesting Consolidation of the Election with
	Stanislaus County.
Enclosures:	General Election Cost Estimate
	Notice of Election
Presented By:	Ashton Gose, City Clerk

Staff Recommendations:

- Adopt <u>Resolution No. 2024-11</u>, calling and giving notice of the holding of a General Municipal Election on Tuesday, November 5, 2024, for the election of certain officers as required by the provisions of the laws of the State of California relating to General Law Cities and requesting consolidation of the election with Stanislaus County.
- 2. Direct the City Clerk to file a certified copy of the Resolution with the Board of Supervisors and the County Election Division of the County of Stanislaus.

Discussion:

The California Elections Code requires the City Council to order the General Municipal Election and request the Stanislaus County Board of Supervisors to approve the consolidation of the City's Election with the Statewide General Election being held on Tuesday, November 5, 2024.

The City of Hughson's General Municipal Elections are required to be held in November on even numbered years. California Election Code §10403 sets forth the procedures for cities to request that the Board of Supervisors approve the consolidation of the Municipal Election with the Statewide Election. California Elections Code §10403.5 requires the Board of Supervisors to approve the request for consolidation of the election.

A notice announcing the 2024 General Municipal Election and the Offices to be filled will be published in the Hughson Chronicle on July 9, 2024. The Candidate Nomination Period will begin July 15, 2024, and will close on August 9, 2024. During this time, candidate

packets will be available for any interested party seeking to run for an office. Candidates must be a registered voter in Stanislaus County and live within the city limits to be eligible to run for office. If an eligible incumbent does not file for his/her office, the nomination period for that specific office will be extended to Wednesday, August 14, 2024, at 5:00 pm for anyone other than the incumbent.

The Offices scheduled for the November 5, 2024, General Municipal Election are as follows:

Office	Incumbent	Compensation	Term
Council Member	Samuel Rush	\$250.00/mo.	4-year term
Council Member	Alan McFadon	\$250.00/mo.	4-year term

Fiscal Impact:

For Fiscal Year 2024-2025, the estimated cost for election services and publication notice is \$19,100. This anticipated expense will be included in the City's Fiscal Year 2024-2025 Proposed Budget.

OFFICE OF COUNTY CLERK-RECORDER

DONNA LINDER County Clerk-Recorder, Registrar of Voters & Commissioner of Civil Marriage

ADMINISTRATION: 1021 "I" Street, Suite 101, Modesto, CA 95354 Telephone: 209.525.5211 Facsimile: 209.525.5800

City of Hughson Election Cost Estimate In consolidation with the November 5, 2024 Statewide Presidential Election

Estimates may include costs associated with:

Printing Publications Drop Boxes / Vote Centers Personnel Information Technology Support Mailings Miscellaneous

Council Member

Number of Voters

4,362-4,462

Cost to conduct a consolidated election for Council Member. (Costs can increase based on the number of candidate/measure statement pages, vote centers, election participation by other agencies, & additional drop boxes)

1. Stanislaus County ROV services to conduct a consolidated election for Council Member.

\$1.35 - \$2.12 per voter

Donna Linder, County Clerk / Recorder / Registrar of Voters March 4, 2024



CITY OF HUGHSON CITY COUNCIL RESOLUTION NO. 2024-11

A RESOLUTION OF THE CITY COUNCIL OF THE CITY OF HUGHSON CALLING AND GIVING NOTICE OF THE HOLDING OF A GENERAL MUNICIPAL ELECTION ON TUESDAY, NOVEMBER 5, 2024, FOR THE ELECTION OF CERTAIN OFFICERS AS REQUIRED BY THE PROVISIONS OF THE LAWS OF THE STATE OF CALIFORNIA RELATING TO GENERAL LAW CITIES AND REQUESTING CONSOLIDATION OF THIS ELECTION WITH STANISLAUS COUNTY

WHEREAS, Under the provisions of the laws relating to General Law cities in the State of California, a General Municipal Election shall be held on Tuesday, November 5, 2024, for the Election of Municipal Officers; and

WHEREAS, the California Statewide General Election will be held on Tuesday, November 5, 2024; and

WHEREAS, in accordance with section 10403 of the California Elections Code, it is desirable that the Election of Municipal Officers be consolidated with the California Statewide General Election and held on the same date and that within the City the precincts, polling places, and election officers of the two elections be the same, and that the County Election Department canvas the returns of the Election of Municipal Officers and that the election be held in all respects as if there were only one election.

NOW, THEREFORE, BE IT RESOLVED that the City Council of the City of Hughson does hereby declare, determine, and order as follows:

- 1. That pursuant to the requirements of the laws of the State of California relating to General Law cities, there is called and ordered to be held in the City of Hughson, Stanislaus County, California, on Tuesday, November 5, 2024, a General Municipal Election for the following purpose of:
 - a. Electing two (2) Council members each for a term of four (4) years; and
- 2. That pursuant to the requirements of section 10403 of the California Elections Code, the Board of Supervisors of the County of Stanislaus is hereby requested to consent and agree to the consolidation of an Election of Municipal Officers with the Statewide General Election on Tuesday, November 5, 2024, for the purpose of electing two (2) Council members each for a term of four (4) years; and
- 3. That pursuant to section 10002 of the California Elections Code the Board of Supervisors of the County of Stanislaus is requested to issue instructions to the County Election Official to take any and all steps necessary for the holding of the consolidated election; and
- 4. Pursuant to section 14018 of the Elections Code that the consolidated election shall be held and conducted, election boards appointed, voting precincts designated, candidates nominated, ballots printed, polls opened and closed, voter challenges determined, ballots

counted and returned, returns canvassed, results declared, certificates of election issued, recounts conducted, election contests presented, and all other proceedings incidental to and connected with the election shall be regulated and done in accordance with the provisions of law regulating the statewide election; and

- 5. That the City of Hughson recognizes that additional costs will be incurred by the County by reason of this consolidation and agrees to reimburse the County for such costs; and
- 6. That the vote centers for the election shall open at seven o'clock am (7:00 a.m.) of the day of the election and shall remain open continuously from that time until eight o'clock pm (8:00 p.m.), except as provided in §14401 of the Elections Code of the State of California; and
- 7. Pursuant to §13307(c) of the Elections Code of the State of California, candidates shall be required to pay, in advance, for the pro rata cost of printing the candidate statement in the voter pamphlet; and
- 8. Candidate statements will be limited to no more than 200 words; and
- 9. A \$750.00 deposit shall be required at the time of filing of the nomination paper of those candidates who wish to submit a statement for printing in the voter pamphlet; and
- 10. The amount of the deposit is based upon an estimated cost and candidates will be required to pay the actual cost of printing, and the City Clerk is directed to bill candidates for additional actual expenses or refund any excess amount paid depending upon the actual cost of printing of the candidate statement in the voter pamphlet; and
- 11. That in all particulars not recited in this Resolution, the Election shall be held and conducted as provided by law for holding Municipal Elections; and
- 12. That Notice of the time and place of holding the election is given and the City Clerk is authorized, instructed, and directed to give further or additional notice of the election, in time, form, and manner as required by law; and
- 13. That the City Clerk is hereby directed to file a certified copy of this Resolution with the Board of Supervisors and the County Election Division of the County of Stanislaus.

PASSED AND ADOPTED by the City Council of the City of Hughson at a regular meeting held on this 22nd day of April 2024, by the following roll call vote:

AYES:

NOES:

ABSTENTIONS:

ABSENT:

APPROVED:

GEORGE CARR, Mayor

ATTEST:

ASHTON GOSE, City Clerk

NOTICE OF ELECTION

CITY OF HUGHSON

NOTICE IS HEREBY GIVEN that a General Municipal Election will be held in the City of Hughson on Tuesday, the 5th day of November 2024, for the following Officers:

Two (2) Members of the City Council (Full term of four years)

<u>The Nomination Period for these offices begins on Monday, July 15, 2024, and closes</u> <u>on Friday, August 9, 2024.</u>

If nomination papers for an incumbent officer of the City are not filed by 5:00 p.m. on Friday, August 9, 2024 (the 88th day before the Election), the voters shall have until the 83rd day before the election, Wednesday, August 14, 2024, to nominate candidates for that incumbent's elective office.

If no one or only one person is nominated for an elective office, appointment to the elective office may be made as prescribed by §10229, Elections Code of the State of California.

Vote centers will be open between the hours of 7:00 a.m. and 8:00 p.m.

Nomination papers can be secured from the City Clerk's Office. Please call City Hall at 209-883-4054 or visit the City of Hughson website at <u>www.hughson.org</u>.

ATTEST:

Ashton Gose City Clerk April 22, 2024



CITY COUNCIL AGENDA ITEM NO. 3.4 SECTION 3: CONSENT CALENDAR

Enclosure: Exhibit "A" Conflict of Interest Code Presented By: Ashton Gose, City Clerk	Meeting Date: Subject:	April 22, 2024 Adoption of <u>Resolution No. 2024-12,</u> Performing the Biennial Review of the City of Hughson's Conflict of Interest Code
	Enclosure: Presented By:	Exhibit "A" Conflict of Interest Code Ashton Gose, City Clerk

Staff Recommendation:

Adopt <u>Resolution No. 2024-12</u>, amending the City of Hughson Conflict of Interest Code.

Discussion:

The Political Reform Act (Government Code Sections 81000-91014) requires every local governmental agency to review its Conflict-of-Interest Code biennially. A notice must be submitted to the reviewing body indicating whether an amendment is necessary. The code reviewing body for the City of Hughson is the City Council. The Political Reform Act requires governmental officials and certain employees to publicly disclose their personal assets and income. They are also restricted from participating in decisions which may affect their personal economic interests. The Fair Political Practices Commission (FPPC) is the state agency responsible for issuing the State of Economic Interest, Form 700, and for interpreting the law's provisions. Form 700 is the document those subject to the Conflict-of-Interest Code are required to fill out annually and identify their financial interests.

Persons holding the position of Mayor, City Councilmember, Planning Commissioner, City Manager, City Attorney, and City Treasurer are required to annually file a Form 700 pursuant to Government Code §87200 directly with the FPPC. In addition, local government agencies must adopt a local Conflict of Interest Code (Code). This Code must designate positions that make or participate in the making of decisions which may foreseeably have a material effect on any financial interest. The Code must be reviewed biennially to determine if amendments are required.

The Hughson City Council last amended the Conflict-of-Interest Code on April 11, 2022, with the adoption of <u>Resolution No. 2022-14</u>. Staff recommend performing the biennial review of the City of Hughson's Conflict of Interest Code and reporting that the Conflict-of-Interest Code is in need of amendment. The City Clerk is responsible for ensuring the proper annual filing of the Form 700 by appropriate City officials as required and per the specified deadline.

Fiscal Impact:

There is no fiscal impact to the City associated with approval of this item.

CITY OF HUGHSON CITY COUNCIL RESOLUTION NO. 2024-12

A RESOLUTION OF THE CITY COUNCIL OF THE CITY OF HUGHSON AMENDING THE CITY OF HUGHSON CONFLICT OF INTEREST CODE

WHEREAS, the Hughson City Council adopted a Conflict of Interest Code pursuant to the Political Reform Act of 1974, Government Code Section 81000, et seq; and

WHEREAS, the Hughson City Council last amended the Conflict of Interest Code on April 11, 2022, by adopting Resolution 2022-14; and

WHEREAS, pursuant to Government Code Section 87306.5, each local government agency must review its Conflict-of-Interest Code on a biennial basis and either amend the code, or report that the Code is not in need of amendment; and

WHEREAS, the City Council desires to amend the Conflict of Interest Code to update Appendix "A" to remove, change, and include the current designated positions; and

WHEREAS, the City of Hughson will continue to incorporate by reference Title 2, California Administrative Code Section 18730 and amendments to it, adopted by the Fair Political Practices Commission (FPPC), which will save time and money by minimizing the actions required of the Council to keep its code in conformity with the Reform Act.

NOW THEREFORE BE IT RESOLVED by the City Council of the City of Hughson as follows:

- 1. The City of Hughson hereby adopts the City of Hughson Conflict of Interest Code attached hereto as *Exhibit A*.
- 2. Persons holding designated positions shall file Statements of Economic Interest, Form 700, pursuant to the Code with the City Clerk, who shall be deemed the Filing Officer and who shall make the statements available to the public for inspection and reproduction.

PASSED AND ADOPTED by the City Council of the City of Hughson at its regular meeting held on this 22nd day of April 2024 by the following roll call votes:

AYES: NOES: ABSTENTIONS: ABSENT:

» » »

APPROVED:

GEORGE CARR, Mayor

ATTEST:

ASHTON GOSE, City Clerk

APPENDIX A

CITY OF HUGHSON CONFLICT OF INTEREST CODE

DESIGNATED POSITIONS REQUIRING DISCLOSURE

Positions Designated to Report	Disclosure Category
Department	
ADMINISTRATION Executive Assistant/City Clerk City Clerk/Assistant to the City Manager Management Analyst	2 2
BOARDS/COMMISSIONS/COMMITTEES	
Administrative Appeals Board Budget and Finance Subcommittee Members Parks, Recreation and Entertainment Commission Successor Agency to the RDA Committee Membe	
COMMUNITY DEVELOPMENT DEPARTMENT	
Director of Community Development	1
CITY ATTORNEY'S OFFICE	
City Attorney Deputy City Attorney	1 1
FINANCE DEPARTMENT	
Director of Finance & Administrative Services Accounting Manager	1 4
PUBLIC WORKS	
Parks and Recreation Manager Public Works Superintendent Utilities Superintendent	4 4 4

** Consultants and Contractual Consultants **

This disclosure category reads:

Consultants shall be included in the list of designated employees and shall disclose pursuant to the broadest disclosure category in the code subject to the following limitations:

The City Manager may determine in writing that a particular consultant, although a "designated positions." is hired to perform a range of duties that are limited in scope and thus is not required to comply with the disclosure requirements described in these categories. Such determination shall include a description of the Consultant's duties and based upon that description, a statement of the extent of disclosure requirements. The City Manager shall forward a copy of this determination to the City Council. Nothing herein excuses any such consultant from any other provision of the Conflict of Interest Code.

APPENDIX B

CITY OF HUGHSON CONFLICT OF INTEREST CODE

DISCLOSURE CATEGORIES FOR DESIGNATED POSITIONS

DEFINITION

"Unit" as used in this text means the department, board, committee, commission, office or other entity using the disclosure category.

DISCLOSURE CATEGORY

1. All investments and business positions in business, entities, sources of income and interests in real property.

2. Investments and business positions in business entities, and all sources of income.

3. Interests in real property.

4. Investments and business positions in business entities, and sources of income from "entities providing bids, supplies, services, vehicles, equipment or machinery, or engaged in construction, development, acquisition or sale of real property, or public works or other City-related projects, of the type used by the designated employee's unit."

APPENDIX C

CITY OF HUGHSON CONFLICT OF INTEREST CODE

PLACE OF FILING

PART I – DESIGNATED EMPLOYEES

Each employee filing a Form 700 – Annual Statement of Economic Interests shall file it with the City Clerk.

Where: City Clerk City of Hughson 7018 Pine Street Hughson, CA 95326

PART II – BOARDS, COMMITTEES AND COMMISSIONS

The City of Hughson City Clerk shall furnish to each designated member, upon their appointment and termination, a Form 700 – Annual Statement of Economic Interest and each completed form shall be filed with the City Clerk.

Where: City Clerk City of Hughson 7018 Pine Street Hughson, CA 95326

PART III - OFFICIALS LISTED IN GOVERNMENT CODE SECTION 87200

The City of Hughson City Clerk shall furnish the following public officials, upon their appointment and termination, a Form 700 – Annual Statement of Economic Interests: City Council Members, Mayor, Planning Commissioners, City Manager, City Attorney, City Treasurer or Finance Director. The Clerk will retain a copy and originals will be forwarded to the FPPC.

Where: City Clerk City of Hughson 7018 Pine Street Hughson, CA 95326

These statements will be forwarded to the Fair Political Practices Commission (FPPC), 1102 Q Street, Ste 3000, Sacramento Ca 95811.



CITY COUNCIL AGENDA ITEM NO. 3.5 SECTION 3: CONSENT CALENDAR

Meeting Date:	April 22, 2024		
Subject:	Approval to Adopt <u>Resolution No. 2024-13</u> , Supporting the		
	Approval of the Fiscal Year 2024-2025 Community Development		
	Block Grant (CDBG) and Home Investment Partnership Program		
	(HOME) Annual Action Plan (AAP)		
Presented By:	Carla C. Jauregui, Community Development Director		

Staff Recommendation:

Adopt <u>Resolution No. 2024-13</u>, supporting the approval of the Fiscal Year 2024-2025 Community Development Block Grant (CDBG) and Home Investment Partnership Program (HOME) Annual Action Plan (AAP).

Background:

In 2002, Stanislaus County was designated an Urban County by the Federal Housing and Urban Development Department (HUD) and receives an annual allocation to be shared among Stanislaus County and the cities of Ceres, Hughson, Newman, Oakdale, Patterson, Riverbank and Waterford. With this designation, Stanislaus County qualifies as an "entitlement" jurisdiction which means that the County receives Community Development Block Grant (CDBG) and Home Investment Partnership (HOME) Program funds from HUD without participating in the competitive application process. The County together with these cities form what is known as the Stanislaus County Community Development Block Grant (CDBG) Consortium (hereafter referred to as the Urban County).

Discussion:

During Fiscal Year 2024-2025, Stanislaus Urban County (hereinafter Urban County) expects to receive 2,543,347 in Community Development Block Grant (CDBG) program funding and \$208,317 in ESG funding. These estimated funding allocations in the Draft AAP are based on Fiscal Year 2023-2024 HUD funding and are only used as projections per HUD guidelines. Additionally, the County's administration amount includes the cost of a consultant that will prepare the upcoming Fiscal Year 2025-2029 Consolidated Plan (5 Year Plan), Analysis of Impediments to Fair Housing and the Limited English Proficiency Plan (LEP) starting in July 2024.

The CDBG funds and the ESG funds are to be used for the following activities.

- Infrastructure Improvements
- Economic Development Programs
- Affordable Housing
- Fair Housing Services
- Public Services
- Homeless Shelter Services
- Homeless Prevention
- Homeless Services Data Collection

Hughson's estimated CDBG allocation is approximately \$163,003 which includes \$5,000 for administration costs. Staff recommends the use of the funds for the completion of part 2 of the Second Street Infrastructure Improvement Project, which includes curb, gutter, sidewalk, ADA improvements and the environmental work associated with the project. The 2024-2025 2nd Street Sidewalk Infill Project will complete the remainder of the sidewalks on 2nd Street that were started in the 2017-2018 Fiscal Year and completed in the 2018-2019 Fiscal Year. This project installed curb, gutter and sidewalk, and pedestrian improvements on 2nd Street between Fox Road and Walker Lane. The 2024-2025 project goal is to complete the public improvements on 2nd Street sidewalks and improve connectivity, mobility, and access for pedestrians.

Additionally, the Urban County is anticipated to receive approximately \$1,708,364 in Home Investment Partnership Program (HOME) funding of which Hughson's allocation for Fiscal Year 2024-2025 is anticipated to be approximately \$127,110. The goals of the Consortium as established under the federal HOME program guidelines is to further affordable housing activities benefiting low-income households.

Community meetings for the purpose of gathering public comments and review of the draft Annual Action Plan were held on March 25, 2024, April 8, 2024, and a third meeting is scheduled at 5pm prior to the City Council meeting on April 22, 2024. The Draft AAP has been available for public review in the Stanislaus County Planning and Community Development Department, and various locations throughout the County. No public comments have been received to date.

Fiscal Impact:

The City currently has approximately \$620,000 in CDBG funds available as of Fiscal Year 2023-2024 and is estimated to receive an additional estimated \$163,003 in Fiscal Year 2024-2025 to use towards the 2024-2025 2nd Street Sidewalk Infill Project. Any remaining funds will be allocated to secondary projects identified as part of the Consolidated Plan. Staff will continue to look for other funding sources to be able to complete the construction of all projects identified to improve safety and the quality of life for the residents of Hughson.

CITY OF HUGHSON CITY COUNCIL RESOLUTION 2024-13

A RESOLUTION OF THE CITY COUNCIL OF THE CITY OF HUGHSON SUPPORTING THE APPROVAL OF THE FISCAL YEAR 2024-2025 COMMUNITY DEVELOPMENT BLOCK GRANT (CDBG) AND HOME INVESTMENT PARTNERSHIP PROGRAM (HOME) ANNUAL ACTION PLAN (AAP)

WHEREAS, Stanislaus County in partnership with the cities of Ceres, Hughson, Newman, Oakdale, Patterson and Waterford form the Stanislaus Urban County for purposes of developing the AAP and receiving federal Housing and Urban Development (HUD), Community Development Block Grant (CDBG) and Emergency Solutions Grant (ESG) Program funding in total of \$2,543,347.00 and \$1,708,364 In Home Investment Partnership Program funding; and

WHEREAS, the City of Hughson chooses to participate in the entitlement process thereby receiving a portion of the CDBG and HOME entitlement grants to Stanislaus County and participating jurisdictions; and,

WHEREAS, the City of Hughson's allocation of CDBG funds is \$ 163,003.00 (\$158,003.00 for CDBG project activities and \$5,000 to administer) for 2024-2025 Fiscal Year and an allocation of HOME funds in the amount of \$127,110.00; and,

WHEREAS, the development process of the AAP included several public meetings held at various locations and times throughout the urban county jurisdictions; and,

WHEREAS, the preparation of the AAP utilized consultation and coordination among various government agencies, private groups (for- and non-profit) and individuals; and,

WHEREAS, the following projects listed below have been selected as CDBG projects according to low to moderate income eligibility and existing health and safety issues in the project area(s): Second Street Infrastructure Project (part 1), Walker Lane Infrastructure Project, Second Street Infrastructure Project (part 2), Tully Road Infrastructure Project, Charles Street Infrastructure Project, Elm Street Infrastructure Project, and Seventh Street Infrastructure Project.

WHEREAS, the City of Hughson staff held local community meetings on March 25, 2024, April 06, 2024, and April 22, 2024, and no public comments or input was received; and,

WHEREAS, the April 22nd, 2024, City Council meeting was open to the public as an opportunity to provide comments; and,

WHEREAS, the City of Hughson, as shown in the 2024-2025 AAP, will utilize the City's CDBG allocations for the 2nd Street Infrastructure Improvement Project as well as future CDBG funding projected in the 2020-2025 Consolidated Plan (CP). As funding becomes available the City of Hughson will work within the CDBG income eligible areas of the City as indicated in the CP for additional projects that will be reported in future Annual Action Plans.

NOW, THEREFORE, BE IT RESOLVED, that the City Council of the City of Hughson hereby approves the Draft Fiscal Year 2024-2025 Annual Action Plan and authorizes the City Manager to execute the CDBG Subrecipient Agreement and HOME Agreement for FY 2024-2025.

PASSED AND ADOPTED by the City Council of the City of Hughson at its regularly scheduled meeting on this 22nd day of April 2024, by the following vote:

AYES:

NOES:

ABSTENTIONS:

ABSENT:

APPROVED:

GEORGE CARR, Mayor

ATTEST:

ASHTON GOSE, City Clerk



CITY COUNCIL AGENDA ITEM NO. 6.1 SECTION 6: NEW BUSINESS

Meeting Date:	April 22, 2024
Subject:	Approval to Authorize City Staff to Release Bid Documents for the Well 8
	TCP Mitigation Project
Enclosures:	Well 8 TCP Mitigation Project Plan Set
	Bid Documents
Presented By:	Carla C. Jauregui, Community Development Director

Staff Recommendation:

Authorize City Staff to release Bid Documents for the Well 8 TCP Mitigation Project.

Background:

In 2017, the State of California Water Board adopted a new standard to the California Code of Regulations for the previously unregulated contaminant 1,2,3-Trichloropropane (1,2,3-TCP). The new standard sets the Maximum Contaminant Level (MCL) for 1,2,3-TCP at 5 parts per trillion (5 ppt) in public drinking water. The contaminant is a man-made chemical commonly found in groundwater throughout the Central Valley from use in industrial and agricultural activities. Testing of local groundwater wells has shown 1,2,3-TCP is present and of sufficient concentrations to require removal. Currently, Wells 3, 4, and 8 have 1,2,3-TCP concentrations exceeding the new MCL.

In 2018, a study titled "City of Hughson 1,2,3-TCP Mitigation Feasibility Study" was completed to provide recommendations to address 1,2,3-TCP in City water wells. The study found that granular activated carbon (GAC) was the best treatment technology for 1,2,3-TCP removal.

Discussion:


On July 27, 2020, the Council approved the Professional Services Agreement with the engineering firm of Provost & Pritchard to prepare plans and specifications to add 1,2,3-TCP treatment to the City's Well 8 Facility. Since then, the staff has worked with Provost & Pritchard to finalize the design and prepare bid documents for construction.


Additionally, since this project will alter the appearance and footprint of the well site, City staff has conducted a public outreach to City residents located within 300' of the Well 8 facility,

explaining the project work, purpose, and construction timeframe. To date, the City has received no comments or concerns from residents related to this project.

Fiscal Impact:

The City received funding for the project through a legal settlement in 2022. The engineer's estimate of probable cost is \$2.45 million, which is less than the available amount received from the settlement.







Know what's below. Call before you dig.

COP The Othe othe othe othe othe plane the the the the the Prite	enfo
	DATE
	ВΥ
BID SET 1/31/2024	REVISION
	No.
REGISTERED PROFESSION REGISTERED PROFESSION NO. 75,865 W37MM NO. 75,875 W37MM NO. 75,975 W3	DATE SIGNED: 1/31/2024
WELL 8 TCP MITIGATION PROJECT CITY OF HUGHSON HUGHSON, CA GENERAL	COVER SHEEI
EST. 1968 PROVOST& PROVOST& PRICHARD CONSULTING GROUP An Employee Owned Company 455 W FIR AVENUE CLOVIS, CALIFORNIA 39611 559(449-270) FAX 559(449-2715	https://provostandpritchard.com/
DESIGN ENGINEER: KMM LICENSE NO: 75865 DRAFTED BY: CHECKED E JB RKB	3Y:
DATE: 1/31/2024 JOB NO: 265421001	
PROJECT NO:	
PHASE: 01" ORIGINAL SCALE SHOWN IS	
	DR NS.
1 OF 35	
	-

		SHEET INDEX
SHEET NO.	SEQ. SHEET NO.	DESCRIPTION
GENERAL		
G-1	1	COVER SHEET
G-2	2	LEGEND & ABBREVIATIONS
G-3	3	GENERAL NOTES
G-4	4	GENERAL NOTES
G-5	5	DESIGN CRITERIA
G-6	6	PROCESS FLOW DIAGRAMS
G-7	7	HYDRAULIC PROFILE
WELL 8 G	AC TREAT	MENT
C-1	8	HORIZONTAL CONTROL PLAN
C-2	9	DEMOLITION PLAN
C-3	10	SITE PLAN
C-4	11	GRADING PLAN
C-5	12	PIPING PLAN
C-6	13	SITE COORDINATES
C-7	14	STORM DRAIN PIPING PLAN
C-8	15	VESSEL SLAB PLAN
C-9	16	PIPING SECTIONS AND DETAILS
C-10	17	PIPING SECTIONS AND DETAILS
DETAILS		
D-1	18	GAC VESSELS
D-2	19	MISC DETAILS
D-3	20	MISC DETAILS
D-4	21	MISC DETAILS
D-5	22	MISC DETAILS
D-6	23	MISC DETAILS
D-7	24	MISC DETAILS
D-8	25	MISC DETAILS
D-9	26	MISC DETAILS
D-10	27	MISC DETAILS
D-11	28	MISC DETAILS
D-12	29	MISC DETAILS
D-13	30	CITY DETAILS
ELECTRIC	4L	
E1.0	31	ELECTRICAL LEGEND, ABBREV, GENERAL, NOTES & OVERALL SITE PLAN
E1.1	32	ELECTRICAL PLAN
E2.0	33	ELECTRICAL DETAIL CONDUIT & CABLE SCHEDULE
10.00	34	INSTRUMENTATION COVER SHEET
10.10	35	GAC AND MOTORIZED VALVES P&ID

3	AGGREGATE BASE	HDR	HEADER	TB	TOP OF BANK
	ASPHALT CONCRETE ALUMINUM DISK	HDW HGL	HEADWALL HYDRAULIC GRADE LINE	TBM TC	TEMPORARY BENCHMAR TOP OF CURB
€G I	AGGREGATE AHEAD	horiz Hp	HORIZONTAL HINGE POINT, HIGH POINT, HORSEPOWER	TCE TDI	TEMPORARY CONSTRUC TENSILE DUCTILE IRON
T	ALTERNATE ANGLE POINT	HP GAS HPS	HIGH PRESSURE GAS HIGH PRESSURE SWITCH	TELE TF	TELEPHONE TOP OF FOOTING
PROX	APPROXIMATE	HR	HANDRAIL	TFC	TOP FACE OF CURB
PN RV	ASSESSOR'S PARCEL NUMBER AIR RELIEF VALVE	HWL HYDRO	HIGH WATER LEVEL HYDROPNEUMATIC	TG TH	TOP OF GRATE THREAD
бТМ /	AMERICAN SOCIETY FOR TESTING AND MATERIALS AIR VENT	ID IN	INSIDE DIAMETER INCH	TL TOE	TOP OF LINING TOE OF SLOPE
Æ	AVENUE	INF	INFLUENT	TOP	TOP OF SLOPE
VWA ;	AMERICAN WATER WORKS ASSOCIATION BEGIN CURVE	INV IP	INVERT IRON PIPE	TP TP	TOP OF PIPE VALVE TELEPHONE POLE
) 'P	BRASS DISK BACKFLOW PREVENTOR	IRR JP	IRRIGATION JUNCTION POLE	TR TRANS	TELEPHONE RISER TRANSFORMER
-V	BLOCK FLOW VALVE	LBS LC	POUNDS LENGTH OF CURVE	TRFC TS	TRAFFIC TOP OF STRUCTURE
(.DG	BACK BUILDING	LCW	LONG CRESTED WEIR	TSB	TELEPHONE SPLICE BOX
.F 1	WELL BLOWOFF BENCHMARK	LF LG	LINEAR FEET LONG	TTW TYP	TREATMENT TO WASTE
) ?	BOLLARD BACKWASH RETURN	LT MAX	LEFT MAXIMUM	TWL UG	TOP OF WALL UNDERGROUND
М	BOTTOM	MB MCC	MAILBOX MOTOR CONTROL CENTER	UNO UP	UNLESS NOTED OTHER
/C V	BEGIN VERTICAL CURVATURE BACKWASH	MFR	MANUFACTURER	U/S	UPSTREAM
Ľ	BACK OF WALK BACK OF WALL	MH MIN	MANHOLE MINIMUM	UT UW	UTILITY UNDERGROUND WATER
CONC	CONCRETE CALIFORNIA	MISC MJ	MISCELLANEOUS MECHANICAL JOINT	VB VERT	VALVE BOX VERTICAL
B	CABINET	MN	MAG NAIL	VG	VALLEY GUTTER
} }L	CATCH BASIN CABLE	MP MPT	MEDIUM PRESSURE GAS LINE MALE PIPE THREAD	VLT VLV	VAULT VALVE
S K	CUBIC FEET PER SECOND CHECK	MRKR MS	MARKER MILD STEEL	W WH	WATER WHARF HEAD HYDRANT
_K	CHAIN LINK	(N) NAVD	NORTH NORTH AMERICAN VERTICAL DATUM	WL WM	WATER LINE WATER METER
	CAST IRON CAST IRON PIPE	NC	NORMALLY CLOSED	WS	WATER SERVICE
CP	CAST-IN-PLACE CONCRETE PIPE CLASS	NG NGVD	NATURAL GROUND NATIONAL GEODETIC VERTICAL DATUM	WSP WV	WELDED STEEL PIPE WATER VALVE
-	CENTERLINE CHAIN LINK FENCE	NIC NO	NOT IN CONTRACT NORMALLY OPEN	ww W/	WASTE WATER WITH
R	CLEAR, CLEARANCE	NPT	NATIONAL PIPE THREAD	₩/ ₩/0	WITHOUT
LC P	CEMENT MORTAR LINED & COATED CORRUGATED METAL PIPE	NTS OC	NOT TO SCALE ON CENTER		
S	CONCRETE NAIL COMPACTED NATIVE SOIL	OD OH	OUTSIDE DIAMETER OVERHEAD		
NT	SEWER CLEAN OUT CONTINUOUS	OP OPP	OPERATING OPPOSITE		
NST	CONSTRUCT/CONSTRUCTION	ORP	OXIDATION REDUCTION POTENTIAL		
r RP	CORNER CORPORATION	OSHA O&M	OCCUPATIONAL SAFETY & HEALTH ADMINISTRATION OPERATIONS & MAINTENANCE		
UP	COUPLING CONTROL POINT	P (P)	PAVEMENT PROPOSED		
	CROWN	PB PC	PULL BOX POINT OF CURVATURE		
, ,	CUBIC CUBIC YARDS	PCC	PORTLAND CEMENT CONCRETE		
MO	DRIVE APPROACH DEMOLISH/DEMOLITION	PE Pl	POLYETHYLENE TUBING POINT OF INTERSECTION		
	DROP INLÉT	PIP PLC	PLASTIC IRRIGATION PIPE PROGRAMMABLE LOGIC CONTROLLER		
1, Ø	DIAMETER DIMENSION	ዊ	PROPERTY LINE		
S	DUCTILE IRON PIPE DOWNSTREAM	PNL POC	PANEL POINT ON CURVE		
G	DRIVEWAY DRAWING	POL POT	POINT ON LINE POINT ON TANGENT		
	EXISTING	PP PRV	POWER POLE PRESSURE REDUCING VALVE		
	EACH END CURVE	PSF	POUNDS PER SQUARE FOOT		
)	ECCENTRIC EACH FACE	PSI PT	POUNDS PER SQUARE INCH POINT OF TANGENCY		
.	EFFLUENT EXISTING GRADE	PVC PVC-G	POLYVINYL CHLORIDE PVC-GRAVITY		
ELEV	ELEVATION	PVMT PVI	PAVEMENT POINT OF VERTICAL INTERSECTION		
) IC	EPOXY LINED & COATED ELECTRIC	R	RADIUS		
	ELBOW ELECTRIC METER	RBR RC	REBAR RADIUS OF CURVE		
-	END OF LINE EDGE OF PAVEMENT	RCL RCP	RECLAIM REINFORCED CONCRETE PIPE		
3	ELECTRIC PULL BOX	RD RE	RELATIVE DENSITY, ROAD REFERENCE		
JIV MT	EQUIVALENT EASEMENT	REQD	REQUIRED		
)	END VERTICAL CURVE EACH WAY	RET REV	RETURN REVISION		
D	EXPOSED	RGRCP RGS	RUBBER GASKETED REINFORCED CONCRETE PIPE RIGID GALVANIZED STEEL		
l	FUTURE FURNISH & INSTALL	RP RR	RADIUS POINT RAILROAD		
2	FOUND FIRE DEPARTMENT CONNECTION	RT	RIGHT		
5	FINISHED FLOOR FINISHED GRADE	RTU RW	REMOTE TERMINAL UNIT RAW WATER		
	FIRE HYDRANT	R/W	RIGHT OF WAY		
FL ;	FLOW LINE FLANGE	(S) S	SOUTH, SOLVENT WELD SLIP		
, D	FLANGED FORCE MAIN	S= SCH	SLOPE SCHEDULE		
2	FENCE	SCP SD	STANDARD CONCRETE PIPE STORM DRAIN		
כ	FIBER REINFORCED POLYESTER PIPE FINISH SURFACE	SDMH	STORM DRAIN MANHOLE		
	FOOT/FEET FRONT OF WALK	SEC SERV	SECTION SERVICE		
L	FACE OF WALL	SF SP	SQUARE FEET SERVICE POLE		
0	GAGE/GAUGE GRANULAR ACTIVATED CARBON	SPEC	SPECIFICATION SPINDLE		
L LV	GALLON GALVANIZED	SPNDL SQ	SQUARE		
	GRADE BREAK	SS SS OR STS	SANITARY SEWER STAINLESS STEEL		
м	GAS METER GALLONS PER MINUTE	STA STD	STATION STANDARD		
/L	GRAVEL GAS	STL	STEEL		
1	GAS VALVE	STP SWL	STANDPIPE SWALE		
(GUY WIRE GATE VALVE	STWL	STILLING WELL THREADED		
	HOSE BIBB HEAD	(T) T	THREAD		
۶F	HIGH DENSITY POLYETHYLENE	T&B	TOP & BOTTOM		

LINETYPES

TOP OF BANK TEMPORARY BENCHMARK TOP OF CURB TEMPORARY CONSTRUCTION EASEMENT TENSILE DUCTILE IRON TELEPHONE TOP OF FOOTING TOP FACE OF CURB TOP OF GRATE THREAD -----____ _____ TOP OF GRATE THREAD TOP OF LINING TOE OF SLOPE TOP OF SLOPE TOP OF PIPE VALVE TELEPHONE POLE TELEPHONE RISER TRANSFORMER TRAFFIC TOP OF STRUCTURE TELEPHONE SPLICE BOX TREATMENT TO WASTE TYPICAL _____ _____ _____ -----_____ _____ _____ TYPICAL TOP OF WALL UNDERGROUND UNLESS NOTED OTHERWISE UTILITY POLE UPSTREAM _____ _____ _____ UTILITY UNDERGROUND WATER _____ UNDERGROUND WATER VALVE BOX VERTICAL VALLEY GUTTER VAULT VALVE WATER WHARF HEAD HYDRANT WATER LINE WATER METER WATER SERVICE WELDED STEEL PIPE WATER VALVE WASTE WATER WITH _____ _____ ____ _____ _____ _____ _____ _____ _____

EXISTING	
123	123
· ·	
_ · · · ·	
_ · · · ·	
00000	OO
0	OO
XX	xx
C/C	c/c
E	
E	E
F0	F0
FM	FM
G	GG
IRR	IRR
00	
S	
SD	SD
T	— — — — T——
T	TT
TV	
TV	
W	
\ &&&&&&&&&&&&&&&&&&&&&&&&&&&&&&&&&&&&	
*** *********************************	

DESCRIPTION
WATER LEVEL
BARRICADE
CONTOUR (DEPRESSION)
CONTOUR (MAJOR)
CONTOUR (MINOR)
EMBANKMENT TOE
FENCE (BLOCK WALL)
FENCE (CHAIN LINK) FENCE (WOOD)
FENCE (WIRE)
FENCE (SILT) GATE SWING
GRADE BREAK
GUARDRAIL
RAILROAD
RETAINING WALL
SWALE CENTERLINE
SWALE W/FLOW ARROWS
WATER (LAKE/POND)
WATER (MARSH/SWAMP)
COMPUTER/COMM. (BURIED)
ELECTRIC (AERIAL)
ELECTRIC (BURIED)
FIBER-OPTIC
FORCE MAIN
GAS IRRIGATION
OIL
SANITARY SEWER
SIGNAL INTERCONNECT (BURIED)
STORM DRAINAGE
TELEPHONE (AERIAL)
TELEPHONE (BURIED)
TELEVISION (AERIAL LINE)
TELEVISION (BURIED LINE)
WATER
WASTE WATER
CENTERLINE
EASEMENT MEANDER LINE
PROPERTY LINE
RANGE/TOWNSHIP LINE
RESERVATION/PARK/FOREST
RIGHT-OF-WAY
RIGHT-OF-WAY (LIMITED ACCESS)
RELINQUISH ACCESS LINE
SECTION LINE
QUARTER SECTION LINE
SIXTEENTH SECTION LINE
STATE/COUNTY/CORPORATE LIMIT
REVISION CLOUD

HATCHES

EXISTING
9. 4 9. 4

NEW

HATCH TYPE

DESCRIPTION AGGREGATE BASE AGGREGATE BASE (PLAN VIEW) AC PAVING CONCRETE CONCRETE (PLAN VIEW) EARTH RIP RAP GRATING EXPANDED METAL

SAND

SYMBOLS			WARNING 	Know what's below.	ROVOST & PRITCHARD NC. ALL RIGHTS RESERVED NC. ALL RIGHTS RESERVED its common law copyright of rty rights in these plans. The eproduced, changed, or copie ar whotsoever, nor are they the party without first obtaining and consent of Provost & Group, Inc. In the event of these plans by a third party old the firm of Provost &	Group, Inc. harmless, and shall ost & Pritchard Engineering s associated with defending and
	MBOL	DESCRIPTION	L	Call before you dig.	4 by P 4 by P 2009. 1 2009.	eering (of Provi gal fees
EXISTING ⊛	PROPOSED	ELECTRIC METER			HT 202 of Prc essly r essly r end to per Engin perty	Engine cost o c.s lec
\bigtriangleup		PAD MOUNTED TRANSFORMER			PYRIGH PYRIGH Firm Firm approventic writte writte third	ir the up, In
E	Ē	ELECTRIC VAULT			COF The COF In The Str COF Print of the COF Free COF The COF The COF The COF	Groi
ں ا		UTILITY POLE				_L
<u> </u>	<u> </u>	UTILITY POLE ANCHOR				
Ē	Ē	ELECTRIC MANHOLE				
Ø	٥	GAS METER	PIPE FITTINGS			
Ð		GAS VALVE				
0	•	SAN. SEWER CLEAN OUT		FLANGED JOINT		
(\mathbb{S})		SAN. SEWER MANHOLE				
\bigcirc		SSMH (ECCENTRIC CONE)	res M-J L-M		BID SET 1/31/2024	
		STORM DRAIN CATCH BASIN	║╢	MECHANICAL JOINT		
		STORM DRAIN INLET		ABOVE GRADE PIPE	BID 1/31/	
		STORM DRAIN INLET				DF VIO
Ň		STORM DRAIN COLVERT		BELOW GRADE PIPE		
		MAIL BOX				
ц Д	-	SIGN				
		YARD LIGHT				
X O	×	GUARD POST				
∆	•	CONTROL POINT				
<u>-</u> ф-	<u>↔</u>	BENCH MARK			NFER TO	70
	¥	IRON PIPE			REGISTER AND	1/31/2024
0	•				NUC NUCLAR	
0	•	BLOCK CORNER MONUMENT			No. 71 No. 71	
	۲	(SURFACE)				
		OWNERSHIP TIE			KEOLO	
(NO.)	(NO.)	LOT NUMBER				
		TELEPHONE RISER				
Τ	T	TELEPHONE VAULT				
Q	A	2-NOZZLE HYDRANT			PROJECT	(r
- Ò -		3-NOZZLE HYDRANT			INO	TIONS
FD	(FD)	FIRE DEPT. CONNECTION			РК	
F	F	FIRE VAULT				\triangleleft
⊞		WATER METER			MITIGATION OF HUGHSON JGHSON, CA GENERAL	۲ ۲
Φ	•	CANAL GATE			י ר ו	ARRR
(W)	8	WELL			MITIGA ⁻ TY OF HUG HUGHSON, GENERAL	A D
\otimes	•	WATER VALVE			MIT JGHS GEN	২
ζ	7	BLOW-OFF			CITY CITY HU	_
, Со С	, (AIR RELIEF VALVE				GFND
BFP	BFP	BACK FLOW PREVENTOR			∞	يا ن
\otimes	8	GATE VALVE HANDLE				
\bigcirc	\bigcirc	STILLING WELL			MEL	
0	0	FENCE POST				
		FENCE GATE				
	\underline{x}	REVISION				
	$\langle x \rangle$	CONSTRUCTION CALLOUT				11 715 m/
	DETAIL NUMBER SHEET NUMBER	DETAIL CALLOUT			EST. 196 DVOST TCHARI ULTING GROU	CALIFORNIA 93611 00 FAX 559/449-2715 costandoritchard com/
	/	LINE BREAK				, CALIF 700 FA
	2	PIPE END (SCHEMATIC)				CLOVIS, CALIFO 559/449-2700 FAX https://nrovostandr
	8	PIPE END				225 555
\bigtriangledown	▼ ▼				DESIGN ENGINEER:	
		EMBANKMENT ARROW			KMM LICENSE NO:	
	I				75865 DRAFTED BY: CHECK	
<u> </u>	= <u>XXX.XX</u>	HIGH WATER LINE			JB Rk DATE: 1/31/202	
<u>X±FG</u> SI CH(E)DI	POT ELEVATION ESCRIPTION	SPOT ELEVATION			JOB NO: 26542100 PROJECT NO:	1
		SECTION VIEW			PHASE: 0 1	"
					ORIGINAL SCALE SHOW ONE INCH. ADJUST SCAL	_E FOR
					REDUCED OR ENLARGED	PLANS
					SHEET G-2	

<u>CITY</u>	GENERAL NOTES	<u>GEN</u>	ERAL
1.	ALL WORK AND MATERIAL SHALL BE CONSTRUCTED TO THESE CONTRACT DOCUMENTS AND CITY OF HUGHSON STANDARD SPECIFICATIONS. THESE CONTRACT DOCUMENTS TAKE PRECEDENCE. ANY WORK CONSTRUCTED WITHOUT PROPER INSPECTION MAY BE SUBJECT TO REJECTION AND RECONSTRUCTION. FINAL ACCEPTANCE OF THE WORK SHALL BE BY THE CITY OF HUGHSON.	1.	BEFORE COMMENCING EXCAVATION, UTILITY COMPANIES HAVING INTERES PROXIMATE TO EXISTING FACILITIES SIZE OF ALL UTILITIES IN THE WORK CONTRACTOR HAS FIRST BEEN PROV INSTALLATIONS AS SPECIFIED IN SEC
	CONTRACTOR MAY OBTAIN COPIES OF APPROVED CITY STANDARD SPECIFICATIONS FROM THE CITY OF HUGHSON FOR A NOMINAL FEE. CONTRACTOR SHALL CONSTRUCT FRONTAGE IMPROVEMENTS IN ACCORDANCE WITH ALL	2.	CONTRACTOR SHALL NOTIFY AND CO 1. CITY OF HUGHSON PUBLIC WOR 2. CITY OF HUGHSON
	APPLICABLE REQUIREMENTS OF THE AMERICANS WITH DISABILITIES ACT. CONSTRUCTION CONTRACTOR AGREES THAT IN ACCORDANCE WITH GENERALLY ACCEPTED		3. COUNTY OF STANISLAUS PUBL 4. PG&E
	CONSTRUCTION PRACTICES, CONSTRUCTION CONTRACTOR SHALL BE REQUIRED TO ASSUME SOLE AND COMPLETE RESPONSIBILITY FOR JOB SITE CONDITIONS DURING THE COURSE OF CONSTRUCTION OF THE PROJECT, INCLUDING SAFETY OF ALL PERSONS AND PROPERTY. THIS REQUIREMENT SHALL APPLY CONTINUOUSLY AND FURTHER AGREES TO DEFEND, INDEMNIFY	3.	ALL WATER DISTRIBUTION SYSTEM M SERVICE DURING THE WORK. ALL P THAN ONE WEEK SCHEDULED SHUT-
	AND HOLD THE CITY AND ITS DESIGN PROFESSIONAL HARMLESS FROM ANY AND ALL LIABILITY, REAL OR ALLEGED, IN CONNECTION WITH THE PERFORMANCE OF WORK ON THIS	4.	THE CONTRACTOR SHALL PROVIDE F
5	PROJECT, EXCEPTING LIABILITY ARISING FROM THE SOLE NEGLIGENCE OF THE CITY OR ITS DESIGN PROFESSIONAL. CONSTRUCTION CONTRACTOR SHALL ASSUME SOLE RESPONSIBILITY FOR SAFETY PRECAUTIONS	5.	DETAILS AND NOTES ON TYPICAL SH DETAILS OF CONSTRUCTION NOT FUI SIMILAR CONDITIONS.
J.	AND THE MEANS, METHODS, TECHNIQUES, SEQUENCES OR PROCEDURES REQUIRED OF THE CONTRACTOR TO PERFORM HIS WORK, INCLUDING, BUT NOT LIMITED TO, THE DESIGN AND CONSTRUCTION OF SHORING, SCAFFOLDING, AND UNDERPINNING; TEMPORARY RETAINMENT OF EXCAVATIONS OR STRUCTURES; ERECTION METHODS; OR TEMPORARY BRACING.	6.	ALL DIMENSIONS ARE TO BE FIELD FABRICATION. IF ANY CONDITION EXI SHALL BE NOTIFIED IMMEDIATELY.
6.	THE UNDERGROUND UTILITIES SHOWN HAVE BEEN LOCATED FROM FIELD SURVEY INFORMATION	7.	DO NOT SCALE DRAWINGS. WRITTEN
	AND EXISTING RECORDS OF UTILITY COMPANIES. THE CITY AND ITS DESIGN PROFESSIONAL MAKE NO GUARANTEES THAT THE UNDERGROUND UTILITIES SHOWN COMPRISE ALL SUCH UTILITIES IN THE AREA, EITHER IN SERVICE OR ABANDONED. NEITHER THE CITY NOR ITS DESIGN PROFESSIONAL WARRANT THAT THE UNDERGROUND UTILITIES SHOWN ARE IN THE	8.	ALL WORK SHALL BE PERFORMED B ACCORDANCE WITH APPLICABLE SEC CODES AND ORDINANCES.
	EXACT LOCATION INDICATED, ALTHOUGH THE CITY AND THE DESIGN PROFESSIONAL CERTIFY THAT THEY ARE LOCATED AS ACCURATELY AS POSSIBLE FROM INFORMATION AVAILABLE. NEITHER THE CITY NOR THE DESIGN PROFESSIONAL HAS PHYSICALLY LOCATED THE UNDERGROUND UTILITIES, AND THE CONSTRUCTION CONTRACTOR IS ADVISED TO UTILIZE HAND	9.	ANY CHANGES TO THE APPROVED S CHANGES ABSOLVES SAID ENGINEER LIABILITY, DAMAGE OR EXTRA WORK
_	DIGGING METHODS TO VERIFY THE EXISTENCE AND LOCATIONS OF EXISTING UTILITIES.	10.	BUILDING PERMITS MUST BE OBTAIN
7.	THE WORK EMBRACED HEREIN SHALL BE DONE IN ACCORDANCE WITH THE APPROPRIATE PROVISIONS OF THE CITY OF HUGHSON STANDARD SPECIFICATIONS WHICH HEREINAFTER ARE REFERRED TO AS THE STANDARD SPECIFICATIONS.		ALL WORK SHALL CONFORM TO THE OSHA AND ANY OTHER GOVERNMEN
	PERMITS MUST BE OBTAINED AND FEES PAID IN ACCORDANCE WITH THE CITY OF HUGHSON. TRAFFIC REQUIREMENTS:	12.	THE DUTY OF THE ENGINEER TO CO PERFORMANCE IS NOT INTENDED TO SAFETY MEASURES IN, ON, OR NEAF
0.	 A) ALL SIGNING, DETOURING, AND BARRICADING SHALL CONFORM TO THE MANUAL TRAFFIC CONTROLS AND AMENDMENTS ISSUED BY THE STATE OF CALIFORNIA, DEPARTMENT OF TRANSPORTATION. 	13.	ANY SUPPORT SERVICES PERFORMED CONSTRUCTION SHALL BE DISTINGUIS WHICH ARE FURNISHED BY OTHERS. WHETHER PERFORMED PRIOR TO, DU
	B) ALL SIGNS SHALL BE REFLECTORIZED FOR NIGHT TIME VISIBILITY.		SOLELY FOR THE PURPOSE OF ASSI WITH CONTRACT DRAWINGS AND SPE
	C) HIGH LEVEL WARNING DEVICES SHALL BE USED ON ALL APPROACHES TO THE CONSTRUCTION AREA.	PIP	PERFORMANCE AND SHALL NOT BE
	D) ONE TWELVE FOOT DRIVING LANE MUST BE MAINTAINED IN EACH DIRECTION AT ALL	1.	PIPE MATERIALS
	TIMES. E) NO PUBLIC STREET SHALL BE CLOSED WITHOUT PRIOR APPROVAL FROM THE CITY ENGINEER. F) STREET WORK PERMITS ISSUED TO ALLOW WORK IN THE PUBLIC RIGHT-OF-WAY SHALL BE REVOKED IF THE ABOVE REQUIREMENTS OF SUB-PARAGRAPHS A THROUGH E ARE		 a) ALL BURIED PRESSURE PIPING W CONFORMING TO SPECIFICATION b) ALL ABOVE GRADE PIPING 4 INC WITH FLANGED OR GROOVED CON OTHERWISE NOTED
	NOT STRINGENTLY COMPLIED WITH BY THE CONTRACTOR'S FORCES DURING OFF-SITE STREET IMPROVEMENT CONSTRUCTION OPERATIONS. REVOKED PERMITS SHALL NOT BE RE-ISSUED UNTIL SUCH TIME AS THE PUBLIC WORKS DIRECTOR IS SATISFIED THAT THE CONTRACTORS WILL PERFORM THEIR OPERATIONS IN COMPLIANCE WITH THE ABOVE REQUIREMENTS, INCLUDING THE CONDITIONS OF THE STREET WORK PERMIT.		 c) ALL STORM DRAIN PIPING WITHIN RUBBER GASKETED PIPE UNLESS d) ALL SODIUM HYPOCHLORITE PIPI CONDUIT CONFORMING TO SPECI e) DRAIN PIPING 4 INCHES AND SM OTHERWISE.
10.	EXISTING PAVEMENT SHALL NOT BE REMOVED UNTIL SUCH TIME AS ALL UTILITIES ARE COMPLETE AND PAVING CONTRACTOR IS READY TO REPAIR.	2.	RESTRAIN ALL ON-SITE PRESSURE
11.	THE CONTRACTOR SHALL OBTAIN WRITTEN AUTHORIZATION FROM ANY ADJACENT PROPERTY OWNER		PARAGRAPH 3.5. THRUST BLOCKS
	GIVING HIM PERMISSION TO ENTER HIS PROPERTY FOR PURPOSES OF CONSTRUCTING THE IMPROVEMENTS DELINEATED ON THESE PLANS AND TRANSITIONS THERETO. THE CONTRACTOR SHALL PROVIDE THE CITY WITH A COPY PRIOR TO START OF WORK.	3.	ALL VALVES WHICH IN THE OPEN F EXISTING TREATMENT PROCESS SHA a)BURIED GATE VALVES SHALL BE DEBRIS CAP OR EQUAL.
12.	TWO WORKING DAYS PRIOR TO COMMENCING EXCAVATION, THE CONTRACTOR SHALL NOTIFY UNDERGROUND SERVICE ALERT (U.S.A.). CALL TOLL FREE AT 811.		b)ABOVE-GRADE VALVE HANDWHE
13.	CONTRACTOR SHALL OBTAIN A STREET ENCROACHMENT PERMIT PRIOR TO COMMENCING ANY WORK WITHIN THE PUBLIC RIGHT OF WAY. SAID ENCROACHMENT PERMIT MAY REQUIRE THE CONTRACTOR TO		LOCKING COVER OR EQUAL. c)LOCKOUT DEVICE LABELS SHALL TO OPENING THIS VALVE".
	PUT UP A BOND TO GUARANTEE THE IMPROVEMENTS AND TO ADHERE TO STRICT TIME SCHEDULES FOR THE COMPLETION OF THE WORK.	4.	THE WORK CONTAINED HEREIN SHA CODE OF REGULATIONS. REFER TO
14.	CONTRACTOR SHALL REPAIR OR REPLACE ANY CONCRETE IMPROVEMENTS THAT ARE BROKEN OR DAMAGED IN ANY MANNER BY HIS OPERATIONS.	5.	ALL ABOVE GRADE PIPE SHALL BE 00 OF THE SPECIFICATIONS. PIPE
AN	DSCAPING	6.	ALL HARDWARE FOR BURIED PIPE
	THE CONTRACTOR SHALL REPLACE ALL LANDSCAPE IRRIGATION COMPONENTS (E.G. IRRIGATION PIPE, VALVES, CONTROLS, CONTROL WIRING, SPRAY HEADS, ETC.) DISTURBED DURING CONSTRUCTION.	0. 7.	(RESTRAINED MJ, FLANGE, ETC.).
2.	REPLACEMENT SPRAY HEADS SHALL BE OF A TYPE SUITABLE FOR PROVIDING FULL COVERAGE OF LANDSCAPING ACCOUNTING FOR CHANGES IN SPRAY HEAD AND PLANT LOCATIONS IF REQUIRED.	/.	TESTED IN ACCORDANCE WITH THE
)FM	DLITION		
	UNLESS NOTED OTHERWISE ON THE PLANS, ALL DEMOLISHED MATERIALS AND DEBRIS SHALL BE		
	DISPOSED OF BY THE CONTRACTOR.		

, THE CONTRACTOR SHALL NOTIFY ALL UTILITY AUTHORITIES OR REST IN THE WORK OF THE CONTRACTOR'S INTENTION TO EXCAVATE S AND THE CONTRACTOR SHALL VERIFY THE LOCATION, DEPTH, AND ORK AREA. THE WORK SHALL NOT BE COMMENCED UNTIL THE ROVIDED AN INQUIRY IDNTIFICATION NUMBER FOR SUB-SURFACE SECTION 4216 OF THE GOVERNMENT CODE.

COORDINATE ALL RELATED WORK WITH THE FOLLOWING AGENCIES: WORKS DEPARTMENT

UBLIC WORKS DEPARTMENT

MAINS AND SERVICE CONNECTIONS SHALL BE KEPT IN CONSTANT PROJECT WELLS SHALL REMAIN IN SERVICE EXCEPT FOR LESS T-DOWNS COORDINATED WITH THE OWNER.

RECORD DRAWINGS FOR ALL PROJECT IMPROVEMENTS.

- SHEETS SHALL APPLY UNLESS SPECIFICALLY SHOWN OTHERWISE. FULLY SHOWN SHALL BE OF THE SAME NATURE AS SHOWN FOR
- VERIFIED BY THE CONTRACTOR PRIOR TO COMMENCING WORK OR EXISTS THAT IS NOT AS SHOWN ON THE DRAWINGS THE ENGINEER
- EN DIMENSIONS SHALL HAVE PRECEDENCE OVER SCALED DRAWINGS. BY LICENSED CONTRACTOR(S) USING MATERIALS AND METHODS IN SECTIONS OF THE 2022 CALIFÓRNIA BUILDING CODE (CBC), LOCAL
- SET OF PLANS WITHOUT NOTIFYING THE ENGINEER PRIOR TO SUCH ER FROM ANY AND ALL RESPONSIBILITY WITH RESPECT TO THE ORK RESULTING FROM SAID CHANGES.
- AINED BEFORE STARTING CONSTRUCTION.
- THE LATEST APPLICABLE CONSTRUCTION SAFETY REQUIREMENTS OF IENTAL ENTITY HAVING JURISDICTION.
- CONDUCT CONSTRUCTION REVIEW OF THE CONTRACTOR'S TO INCLUDE REVIEW OF THE ADEQUACY OF THE CONTRACTOR'S IEAR THE CONSTRUCTION SITE.

MED BY THE ENGINEER OR FIELD REPRESENTATIVES DURING GUISHED FROM CONTINUOUS AND DETAILED INSPECTION SERVICES RS. THESE SUPPORT SERVICES PERFORMED BY THE ENGINEER DURING, OR AFTER COMPLETION OF CONSTRUCTION ARE PERFORMED SSISTING IN QUALITY CONTROL AND IN ACHIEVING CONFORMANCE SPECIFICATIONS. BUT THEY DO NOT GUARANTEE CONTRACTOR'S E CONSTRUED AS SUPERVISION OF CONSTRUCTION.

- WITHIN THE SITE PROPERTY LINES SHALL BE DUCTILE IRON PIPE ON 40 05 00 UNLESS OTHERWISE NOTED. INCHES AND LARGER SHALL BE DUCTILE IRON OR WELDED STEEL PIPE
- CONNECTIONS CONFORMING TO SPECIFICATION 40 05 00 UNLESS
- THIN THE PUBLIC RIGHT OF WAY SHALL BE ASTM C76 CLASS 3 ESS OTHERWISE NOTED. PIPING SHALL BE 1/2-INCH POLYETHYLENE TUBING INSIDE OF EPVC ECIFICATION 40 05 00 UNLESS OTHERWISE NOTED. SMALLER SHALL BE ASTM D 3034, SDR 35, UNLESS NOTED
- RE PIPING IN ACCORDANCE WITH SPECIFICATION 40 05 00, CKS WILL NOT BE ACCEPTABLE.
- POSITION WOULD ALLOW UNTREATED WATER TO BYPASS THE SHALL BE EQUIPPED WITH A LOCKOUT DEVICE: BE EQUIPPED WITH A LOCKING DEBRIS CAP. SW SERVICES LOCKING
- WHEELS SHALL BE EQUIPPED WITH A LOCKOUT DEVICE. ULINE, BRADY
- ALL STATE "CONTACT THE CITY OF HUGHSON WATER DIVISION PRIOR
- HALL COMPLY WITH TITLE 22 SECTION 64572 OF THE CALIFORNIA TO WATER MAIN SEPARATION REQUIREMENTS DETAIL.
- BE PAINTED WITH THE COATING SYSTEM SPECIFIED IN SECTION 09 90 PE COLOR SHALL BE AS SELECTED BY THE OWNER.
- CONNECTIONS SHALL BE STAINLESS STEEL REGARDLESS OF TYPE
- . TANKS. AND TREATMENT EQUIPMENT SHALL BE DISINFECTED AND HE SPECIFICATIONS PRIOR TO BEING PLACED INTO SERVICE.

GRADING												<u>)</u> oup, nt and	These by to arty, arty,	shall shall ng and
1. THE WORK	EMBRACED HEREIN SHA R 33 OF 2022 CALIFOR				APPROPRIATE PROVISIONS	5				G		<u>CHARD</u> <u>RESERVE</u> neering Gr	se plans. ged, or co or are the first obtai f Provost e event o	rrovost a iless, and Engineerir h defendir
THE CONTR	EMBRACED HEREIN SHA ACTOR HAS FIRST BEEN ACE INSTALLATIONS AS	N PROVIDED	AN INQUIRY IDEN	TIFICATION N		R						VOST & PRITC ALL RIGHTS ritchard Engin s common lav	rights in the oduced, chan, whatsoever, no arty without 1 nd consent of up, Inc. In th ese plans by	up, Inc. harm & Pritchard ssociated with
	PERMIT OR VOUCHER S			IE CITY OF H	IUGHSON PRIOR TO ANY				OVERHE#		Know what's below. Call before you dig.	L by PRO OUP, INC. vost & Pl serves it:	property be repr manner v a third p nission ar ering Gro	ering Gro ering Gro f Provost al fees a rights.
PERMISSION	ACTOR SHALL OBTAIN I TO ENTER HIS PROPE O ON THE PLANS AND	RTY FOR TH	E PURPOSES OF		ERTY OWNER GIVING HIM IG THE IMPROVEMENTS	<u>CONCRETE</u>	NOTES					YRIGHT 2024 SINEERING GRU firm of Provexsly re	er applicable is are not to any form or i assigned to written perm chard Engine uthorized reu	uning party chard Engine chard Engine r the cost or up, Inc.'s leg prcing these
	DR DEBRIS TRACKED ON E END OF EACH WORKII				ECT SHALL BE CLEANED TY.				WEIGHT CONSISTING AGGREGATE, AND			The COF	oth in oth the Prit	Prit Prit Gro
COMPANIES EXCAVATE OF ANY UT	HAVING POSSIBLE INTE PROXIMATE TO EXISTING	EREST IN TH G FACILITIES	E WORK OF THE AND THE CONTRA	CONTRACTOR ACTOR SHALI	AUTHORITIES OR UTILITY 'S INTENTION TO _ VERIFY THE LOCATION S.A. TWO (2) DAYS PRIOF	EXCEED ONE-H MINIMUI) 4 INCHES ±1 ALF HOURS FR(INCH). THE C DM THE TIME STRENGTH N	CONCRETE SHALL BE WATER IS INTRODUC WITH AN EXPOSURE	E PLACED W	/ITHIN ONE AND _D AT 28 DAYS A			Y DATE
	HE CITY OF HUGHSON V	WITH "AS BL	IILT" PLANS UPON	COMPLETION	N OF GRADING		, EXTERIOR SLA LKS EXPOSED 1				SO, W1, C1 (W/C			
	CAL CUT OR FILL DIFFER						, EXTERIOR SLA URAL FOOTINGS		EWALKS 2,50	(0.55))0 PSI, F0,)0 PSI, F0,	SO, W1, C1 SO, W1, C1		-	
9. DIFFERENTIA	ALS LESS THAN TWELVE O TWO (2) HORIZONTAL	E (12) INCH	ES ARE TO HAVE	A MAXIMUM	SLOPE OF ONE (1)	ALL OT	HER STRUCTUR	AL CONCRETE	4,00	00 PSI, FO,	SO, WO, CO	SET		
10. GRADING C		IOVE ALL OF			OTHER DELETERIOUS OR ATION.	 CONCRE SUBMIT 	ETE MIXING SHA CONCRETE LIF	LL COMPLY N T DRAWINGS		TION OF CO	NSTRUCTION JOINTS	BID	_	VISION
	TY MONUMENTS WITHIN AND SURVEYOR.	THE AREA (DF WORK SHALL B	e preserve	D OR RESET BY A	FOR FA REINFO	VORABLE REVIE RCING STEEL O	W BY THE ENRICED THE ENRICED THE PLACING CO	NGINEER BEFORE ST ONCRETE. ANY ADDI	ART OF WO TIONAL VER	TICAL OR			RE
THE WORK.	ACTOR SHALL MAKE AD DUST CONTROL MEASU WEEKENDS AND HOLID	IRES SHALL	BE FULLY AND A	DEQUATELY		BE REV FOR AE G AMPLIT	/IEWED BY THE DDITIONAL INFOF UDE.	ENGINEER. RE RMATION. CON	S SHALL HAVE A ST EFER TO SPECIFICAT ISTRUCTION JOINTS S, INSERTS, AND OT	IONS AND ⁻ SHALL BE F	TYPICAL DETAILS ROUGHENED TO 1/4"			
	THE LAYING OF THE SU IAT THE SUB GRADE EL				CITY'S ENGINEER SHALL IE APPROVED PLANS.	BE IN F - RESPON	PLACE BEFORE NSIBILITY TO CO	CONCRETE IS ORDINATE AR	PLACED. IT IS THE RCHITECTURAL, CIVIL STRUMENTATION, AN	CONTRACT MECHANIC	OR'S AL, ELECTRICAL,			No.
TO GRADE	AS NECESSARY BY THE	CONTRACT	OR AND INCLUDED	IN THIS WO	JECT SHALL BE ADJUSTE DRK. ALL WATER MAIN THE CONTRACTOR AND	D REQUIR D SHOWN STRUCI	ING SLEEVES A ON STRUCTUR IURAL MEMBERS	ND EMBEDMEN AL DRAWINGS 5 UNLESS SHO	NTS IN CONCRETE W . NO PIPES OR SLEI OWN ON STRUCTURA	HICH ARE NEVES SHALL	NOT INDICATED OR . PASS THROUGH S. COORDINATE WITH		SINEER A	2024
INCLUDED I	N THIS WORK.					6. CONCRE _ OF AT	ETE SHALL BE LEAST SEVEN I	PREVENTED F DAYS AFTER		RYING FOR A	A CURING PERIOD CES SHALL BE KEPT	SSIONAL C	NSEN OF THE	AL IFU
BY THE CO	NTRACTOR.				SHALL BE FULLY BORN	CONCRE	ETE SHALL BE	PROTECTED B	TIRE PERIOD. IN LIEU BY SPRAYING WITH A BE KEPT MOIST UN	[NSF] APF		DPROFES		signed:
	T TRENCH RESURFACING				AILED.	7. CONTRO NOR 20	DL JOINTS SHAL D FEET APART	L BE PLACED IN BOTH DIRE	O NO GREATER THAI CCTIONS WITHIN 8 H	N 3X SLAB OURS OF TH	THICKNESS IN FEET HE CONCRETE	1383	ATTER REGIS	DATE \$
	ITS IN EXISTING STREET				OR OVERLAID SHALL S AFTER INITIAL STREET	SLABS 8. ALL EX	PER PCA GUIDI TERIOR SLABS	ELINES.	OPED TO ALLOW DR					
CUT.	IANENT INENGIT NEGON				S AFTER INTIAL STREET	9. UNLESS		•	POSED EDGES AND OORS AND EXTERIO					
DIVISION OF D	RINKING WATER NO	TES				TOOLED 10. ALL SL) 3/8 INCH RAI	DIUS CONSTRU	UCTION JOINTS. ED FINISH WITH A F			OJEC.		
	CALS USED IN THE WAT STANDARD 60.	ER SYSTEM,	INCLUDING CHLO	RINE, SHALL	BE CERTIFIED UNDER	UNO.						PRO		
STANDARD	61 TO DEMONSTRATE T				D-FREE UNDER NSF/AN TAMINANTS INTO THE	SI						TION	SON)TES
DRINKING W	VATER.											\triangleleft	TY OF HUGHSC HUGHSON, CA GENERAL	
					PIPING SCI	HEDULE						MITIG,	OF HUG GHSON, GENERAI	RAL.
PROCESS ABBREVIATIONS	SERVICE	LOCATION	CLASSIFICATION	PIPE MATERIAL	THICKNESS/ PRESSURE CLASS	RESTRAINED JOINTS	JOINTS/ FITTINGS	TEST PRESSURE	TEST METHOD	LINING	COATING	TCP	CITY HU	GENERAL NOTES
INF	GAC INFLUENT	EXPOSED BURIED	PRESSURE PRESSURE	WSP DIP	PER §40 05 00 PER §40 05 00	RESTRAINED RESTRAINED	FLG or GE PO or MJ	100 PSI 100 PSI	PER \$40 05 00 PER \$40 05 00	FBE CM	FBE BSC, PEE	8		м
EFF	GAC EFFLUENT	EXPOSED BURIED	PRESSURE PRESSURE	WSP DIP	PER \$40 05 00 PER \$40 05 00	RESTRAINED RESTRAINED	FLG or GE PO or MJ	100 PSI 100 PSI	PER \$40 05 00 PER \$40 05 00	FBE CM	FBE BSC, PEE			Sate\01 General\G-
WW	WASHWATER	EXPOSED	PRESSURE	WSP	PER \$40 05 00	RESTRAINED	FLG or GE	100 PSI	PER \$40 05 00	FBE	FBE	WEL		01 Ge
BW	BACKWASH SUPPLY STORM DRAIN	BURIED BURIED	PRESSURE GRAVITY	DIP HDPE	PER \$40 05 00 PER \$40 05 00	RESTRAINED	PO or MJ PO or MJ	100 PSI 3 PSI	PER \$40 05 00 PER \$40 05 00	CM _	BSC, PEE			pot Sots
PW	POTABLE WATER	BURIED	PRESSURE PRESSURE	DIP C900	PER §40 05 00 PER §40 05 00 PER §40 05 00	RESTRAINED	PO or MJ PO or MJ PO or MJ	100 PSI	PER \$40 05 00 PER \$40 05 00 PER \$40 05 00	 CM 	BSC, PEE			40 Ch
		DONIED	TRESSORE	0300	1 EK 310 00 00				1 EK 340 00 00			1. 196		E 93611 49-2715 rd.com/
	C900 AWWA CS	900 STANDAF	D FLG	FLANGE			IOUS SEAL COATED	FBE	FUSION BONDED EF	OXY				R AVENU FORNIA AX 559/4. hdpritcha
	DIP DUCTILE	IRON PIPE	GE	GROOVE	D END		WA C105 MORTAR PER AW	NA PEE	§09 97 61 POLYETHYLENE ENC	ASEMENT				55 W FIR / IS, CALIFC 9-2700 FAX provostand
		YL CHLORIDE				C104			\$40 05 00 PER AV					45 CLOVI 559/449- https://p
	WSP WELDED	steel pipe	PO	PUSH O	N JOINT		POLYURETHANE 00 SYSTEM 2							⊢ ⊢
												KN		65421001 – TCP
													5865	\sim
												DRAFTI JI		RKED BY: A
													DATE: 1/31/20 B NO: 2654210)24
												PROJEC		
												Pl	IASE:	
												ONE IN	INAL SCALE SH	ALE FOR
													ED OR ENLARGE	D PLANS.


3 OF 35

C900	AWWA C900 STANDARD	FLG	FLANGE
DIP	DUCTILE IRON PIPE	GE	GROOVED END
PVCG	POLYVINYL CHLORIDE GRAVITY	MJ	MECHANICAL JOINT
WSP	WELDED STEEL PIPE	PO	PUSH ON JOINT

•		D INSPECTION OF CONCRETE CBC TABLE 1705.3)		RI		AND INSPECTION OF STEEL RUCTION	
VERIFICATION AND INSPECTION C	CONTINUOUS P	PERIODIC COMMENTS	REFERENCES	TYPE	CONTINUOUS PERIODIC	REFERENCED STANDARD	CBC REFERENCE [®]
1. INSPECTION OF REINFORCING STEEL, INCLUDING PRESTRESSING TENDONS AND		x	ACI 318 CH. 20, 25.2, 25.3, 26.6.1,	1. MATERIAL IDENTIFICATION AND TESTING OF HIG A. IDENTIFICATION MARKINGS TO CONFORM	H-STRENGTH BOLTS, NUTS		
PLACEMENT B. REINFORCING STEEL			26.6.3 TABLE 1705A.3, ITEM 2	TO ASTM STANDARDS SPECIFIED IN THE APPROVED CONSTRUCTION DOCUMENTS	X	RCSC: 1.5, AISC 360: A3.3, J3.1 AND APPLICABLE ASTM MATERIAL STANDARDS	2202A.1, [DSA-SS/ CC] 2202.
1) VERIFICATION OF WELDABILITY OF			TABLE 1703A.3, TIEM 2	B. MANUFACTURER'S CERTIFICATE OF COMPLIANCE REQUIRED	X	RCSC: 1.5 & 2.1, AISC 360: A3.3 & N3.2	
REINFORCING STEEL OTHER THAN ASTM		X		C. TESTING OF HIGH-STRENGTH BOLTS,		RCSC: 7.2, APPLICABLE ASTM MATERIAL	1705A.2.6, [OSHPD 1 & 4]
2) REINFORCING STEEL RESISTING FLEXURAL AND AXIAL FORCES IN INTERMEDIATE AND		SPECIAL INSPECTIONS IN THIS SECTION ARE WAIVED WHERE		NUTS AND WASHERS 2. INSPECTION OF HIGH-STRENGTH BOLTING		STANDARDS	2213A.1
SPECIAL MOMENT FRAMES, AND BOUNDARY	x	FABRICATION IS PERFORMED ON THE PREMISES OF A FABRICATO	DR ACI 318, SECTION 3.5.2	A. SNUG-TIGHT JOINTS B. PRETENSIONED AND SLIP-CRITICAL	X	-	
ELEMENTS OF SPECIAL STRUCTURAL		REGISTERED AND APPROVED IN ACCORDANCE WITH CBC SECTION		JOINTS USING TURN-OF-NUT WITH MATCHMARKING, TWIST-OFF BOLT OR	v		
OF CONCRETE AND SHEER REINFORCEMENT		1704.2		DIRECT TENSION INDICATOR METHODS OF	^	RCSC: 7-9, AISC 360: J3.1, J3.2, M2.5 & N5.6	1705A.2.6, 2204A.2, [DSA-SS CC] 2204.2
3) SHEAR REINFORCEMENT 4) OTHER REINFORCING STEEL	X	X		C. PRETENSIONED AND SLIP-CRITICAL		& N3.0	
3. INSPECTION OF ANCHORS CAST IN CONCRETE WHERE ALLOWABLE LOADS				JOINTS USING TURN-OF-NUT WITHOUT MATCHMARKING OR CALIBRATED WRENCH METHODS OF INSTALLATION	X		
HAVE BEEN INCREASED OR WHERE STRENGTH DESIGN IS USED		X	ACI 318, 17.8.2	3. MATERIAL VERIFICATION OF STRUCTURAL STEE	L AND COLD-FORMED STEEL	_ DECK	
4. POST-INSTALLED ANCHORS 4.1 CONFORMANCE WITH CONSTRUCTION				A. FOR STRUCTURAL STEEL, IDENTIFICATION MARKINGS TO CONFORM TO AISC 360	X	AISC 360: A3.1	2202A.1, [DSA-SS/ CC] 2202
DOCS AND MANUFACTURER'S INSTALLATION INSTRUCTIONS				B. FOR OTHER STEEL, IDENTIFICATION MARKINGS TO CONFORM TO ASTM			
4.2 HOLE DRILLING METHOD 4.3 ANCHOR EDGE DISTANCE AND SPACING	*	*ADHESIVE ANCHORS IN VERHEAD OR HORIZONTAL	ACI 318, 17.8.2.4	STANDARDS SPECIFIED IN THE APPROVED CONSTRUCTION DOCUMENTS	X	APPLICABLE ASTM MATERIAL STANDARDS	2202A.1, [DSA-SS/ CC] 2202
4.4 HOLE DIAMETER AND DEPTH 4.5 HOLE CLEANING		CONDITION SHALL BE CONTINUOUS INSPECTION	ACI 318, 17.8.2	C. MANUFACTURER'S CERTIFIED TEST REPORTS	X	AISC 360: A3.1 & N3.2	
4.6 ANCHOR TYPE, MATERIAL, DIAMETER AND LENGTH				D. TESTING OF UNIDENTIFIED STEEL		APPLICABLE ASTM MATERIAL STANDARDS	2202A.1, [DSA-SS/ CC] 2202
4.7 ADHESIVE TYPE AND EXPIRATION DATE				4. MATERIAL IDENTIFICATION OF WELDING CONSUM	ABLES AND TESTING OF WE		
4a. PROOF LOADING IN OVERHEAD ORIENTATION	X		ALL TYPES AND 10% OF ANCHORS	A. IDENTIFICATION MARKINGS TO CONFORM TO AWS SPECIFICATION IN THE	v	AISC 360: A3.5 & N3.2 AND APPLICABLE	
5. VERIFYING USE OF REQUIRED DESIGN MIX		x	ACI 318, CH. 19, 26.4.3, 26.4.4	APPROVED CONSTRUCTION DOCUMENTS	×	AWS A5 DOCUMENTS	
6. AT THE TIME FRESH CONCRETE IS			CBC 1904.1, 1904.2	B. MANUFACTURER'S CERTIFICATE OF COMPLIANCE REQUIRED	X	AISC 360: N3.2	
SAMPLED TO FABRICATE SPECIMENS FOR STRENGTH TESTS, PERFORM SLUMP AND	x		ASTM C172 ASTM C81	C. NONDESTRUCTIVE TESTING OF WELDED JOINTS		AISC 360: N5.5	
AIR CONTENT TESTS, AND DETERMINE THE TEMPERATURE OF THE CONCRETE	^		ACI 318, 26.12, 26.5	5. INSPECTION OF WELDING A. STRUCTURAL STEEL AND COLD-FORMED STE			
7. INSPECTION OF CONCRETE AND				1) COMPLETE AND PARTIAL JOINT			
SHOTCRETE PLACEMENT FOR PROPER APPLICATION TECHNIQUES	X		ACI 318, 26.5	2) MULTIPASS FILLET WELDS	X		
8. INSPECTION FOR MAINTENANCE OF SPECIFIED CURING TEMPERATURE AND		x	ACI 318, 26.5.3-26.5.5	 3) SINGLE-PASS FILLET WELDS > 5/16" 4) PLUG AND SLOT WELDS 	X X	D1.8	1705A.2.1, 1705A2.5
TECHNIQUES				5) SINGLE-PASS FILLET WELDS <= 5/16"	X		
9. INSPECT FORMWORK FOR SHAPE, LOCATION AND DIMENSIONS OF THE		x	ACI 318, 26.11.2	6) FLOOR AND ROOF DECK WELDS	X	AWS D1.3, SDI QA/QC	1705A.2.1, 1705A2.2 & 1705A2.5
CONCRETE MEMBER BEING FORMED				7) END-WELDED STUDS	X	AWS D1.1	1705A2.5, [DSA-SS/ CC] 2216.2
		INSPECTION OF SOILS		8) WELDED SHEET STEEL FOR COLD-FORMED FRAMING MEMBERS	X	AWS D1.3	1705A.2.5 & 1705A2.4.1
· · · · · · · · · · · · · · · · · · ·	(CBC TABLE 1	,		B. REINFORCING STEEL 6. INSPECTION OF STEEL FRAME JOINT DETAILS F			TABLE 1705A.3, ITEM 2
		CONTINUOUS PERIODIC COMMENTS	REFERENCES	A. DETAILS SUCH AS BRACING AND STIFFENERS	X		
1. VERIFY MATERIALS BELOW SHALLOW FOUNDATIONS A ADEQUATE TO ACHIEVE THE DESIGN BEARING CAPACITY		X		B. MEMBER LOCATIONS	X	AISC 360: N5.8	1705A.2.1
2. VERIFY EXCAVATIONS ARE EXTENDED TO PROPER DE HAVE REACHED PROPER MATERIAL	PTH AND	X		C. APPLICATION OF JOINT DETAILS AT EACH CONNECTION	X		
3. PERFORM CLASSIFICATION AND TESTING OF COMPAC	TED FILL			a. WHERE APPLICABLE, SEE ALSO SECTION 1705A	A.13, SPECIAL INSPECTIONS	FOR SEISMIC RESISTANCE	
MATERIALS		X Z	CBC 1705.6				
4. VERIFY USE OF PROPER MATERIALS, DENSITIES AND THICKNESSES DURING PLACEMENT AND COMPACTION OF		x		REINFORCING STEEL NOTES			
COMPACTED FILL 5. PRIOR TO PLACEMENT OF COMPACTED FILL, OBSERVI	/F			1. ALL REBAR SHALL BE ASTM A615–GRAD	E 60. (EXCEPT FOR MAS	ONRY WHICH SHALL	<u>NOTES</u>
SUBGRADE AND VERIFY THAT SITE HAS BEEN PREPARE		X		BE GRADE 40) 2. WELDED WIRE FABRIC SHALL CONFORM 1		1. A 2. S	ALL EXPOSED STEEL SHALL BI STRUCTURAL STEEL SHALL CO
				 ALL BARS SHALL BE FREE OF EXCESSIV ARRANGEMENT AND DETAILING OF REINF 	E RUST, MUD, OIL, AND (BAR SUPPORTS)THERWISE: I. STRUCTURAL SHAPES M, S,
SOIL AND FOUNDATION NOTES				AND SPACERS, SHALL BE IN ACCORDAN MANUAL.		315 DETAILING C	COMPLY WITH ASTM A36 (Fy= . STRUCTURAL SHAPES W, AI
1. ALL CONCRETE FOOTINGS AND SLABS SHALL BEA INTO PROPERLY COMPACTED FILL WHICH SHALL F				5. REINFORCING SHALL LAP A MINIMUM OF SHOWN, WHERE Ld IS THE TENSION DEVI		BARS OF DIFFERENT	Fy=50 ksi) UNLESS NOTED 0 ⁻ . STRUCTURAL STEEL TUBING
DENSITY OF 90% OF MAXIMUM DENSITY AT OPTIN	MUM MOISTURE C	CONTENT AT		SIZE LAP TO EACH OTHER, SPLICE LENG DOWELS SHALL HAVE THE SAME SIZE AT	ND SPACING AS THAT OF	THE REINFORCING d	ASTM A500 GRADE B (Fy=46 I. STRUCTURAL STEEL PIPE, A
				STEEL THEY ARE SPLICING AND SHALL F SPLICES SHALL BE STAGGERED.	HAVE A MINIMUM LAP AS		STM A53 GRADE B (Fy=35 ANY MATERIAL REQUEST WITH
THE PROJECT SITE. IN CASE OF EXPANSIVE CLAN MUST CONSULT WITH A GEOTECHNICAL ENGINEER				6. HOOK BARS AT OPENINGS.	RENIDS	А	O BE DIRECTED TO THE DESI
THE PROJECT SITE. IN CASE OF EXPANSIVE CLAY MUST CONSULT WITH A GEOTECHNICAL ENGINEER MUST BE APPROVED BY THE GEOTECHNICAL ENG 2. FOUNDATION WORK TO BE DONE PER 2019 CBC,	GINEER. CHAPTER 18.			7. TERMINATE ALL BARS IN LAPS OR 90° E			VITHOUT SPECIFIC PRIOR WRIT
 THE PROJECT SITE. IN CASE OF EXPANSIVE CLAY MUST CONSULT WITH A GEOTECHNICAL ENGINEER MUST BE APPROVED BY THE GEOTECHNICAL ENG 2. FOUNDATION WORK TO BE DONE PER 2019 CBC, 3. THE SOILS IN HUGHSON ARE GENERALLY CLASSIF 4. ENGINEERING DESIGN OF FOUNDATION IS BASED 	GINEER. CHAPTER 18. FED AS "D". ON:			 TERMINATE ALL BARS IN LAPS OR 90° E ALL REINFORCING MAY LAP WITH COUPLI GREATER. SUBMIT AN ICC REPORT FOR 	ERS WHICH ARE 125% OF COUPLERS.	F	
 THE PROJECT SITE. IN CASE OF EXPANSIVE CLAY MUST CONSULT WITH A GEOTECHNICAL ENGINEER MUST BE APPROVED BY THE GEOTECHNICAL ENG FOUNDATION WORK TO BE DONE PER 2019 CBC, THE SOILS IN HUGHSON ARE GENERALLY CLASSIF ENGINEERING DESIGN OF FOUNDATION IS BASED GEOTECHNICAL INVESTIGATION REPORT TITLED: ENGINEERING INVESTIGATION REPORT PROPOSED 	GINEER. CHAPTER 18. FED AS "D". ON: GEOTECHNI TCP TREATMENT	T FACILITY		 TERMINATE ALL BARS IN LAPS OR 90° E ALL REINFORCING MAY LAP WITH COUPLI GREATER. SUBMIT AN ICC REPORT FOR IF ONE LAYER OF REINFORCING STEEL IS CENTER OF THE SECTION UNLESS NOTED 	ERS WHICH ARE 125% OF COUPLERS. 5 SHOWN, IT IS TO BE LC 9 OTHERWISE.	CATED IN THE E	NGINEERING REQUIREMENTS NEEVISION TO ITEMS INSTALLED
 THE PROJECT SITE. IN CASE OF EXPANSIVE CLAY MUST CONSULT WITH A GEOTECHNICAL ENGINEER MUST BE APPROVED BY THE GEOTECHNICAL ENG FOUNDATION WORK TO BE DONE PER 2019 CBC, THE SOILS IN HUGHSON ARE GENERALLY CLASSIF ENGINEERING DESIGN OF FOUNDATION IS BASED GEOTECHNICAL INVESTIGATION REPORT TITLED: ENGINEERING INVESTIGATION REPORT PROPOSED DATE WHEN GEOTECHNICAL REPORT WAS PREPAR NAME OF GEOTECHNICAL ENGINEERING COMPANY: 	GINEER. CHAPTER 18. FED AS "D". ON: GEOTECHNI TCP TREATMENT RED: MARCH 22, S BSK ASSOU	T FACILITY 2, 2022 DCIATES		 TERMINATE ALL BARS IN LAPS OR 90° E ALL REINFORCING MAY LAP WITH COUPLI GREATER. SUBMIT AN ICC REPORT FOR IF ONE LAYER OF REINFORCING STEEL IS CENTER OF THE SECTION UNLESS NOTED DIMENSIONS TO REINFORCING ARE TO BA BAR COVER IS CLEAR DISTANCE BETWEE 	ERS WHICH ARE 125% OF COUPLERS. S SHOWN, IT IS TO BE LC OTHERWISE. AR CENTERLINES, UNLESS N THE BAR AND THE CO	CATED IN THE E NOTED OTHERWISE. 4. S NCRETE SURFACE. C	NGINEERING REQUIREMENTS N EVISION TO ITEMS INSTALLED TRUCTURAL STEEL DETAILING CCORDANCE WITH THE 13th OF STRUCTURAL STEEL DETAIL
 THE PROJECT SITE. IN CASE OF EXPANSIVE CLAY MUST CONSULT WITH A GEOTECHNICAL ENGINEER MUST BE APPROVED BY THE GEOTECHNICAL ENG FOUNDATION WORK TO BE DONE PER 2019 CBC, THE SOILS IN HUGHSON ARE GENERALLY CLASSIF ENGINEERING DESIGN OF FOUNDATION IS BASED GEOTECHNICAL INVESTIGATION REPORT TITLED: ENGINEERING INVESTIGATION REPORT PROPOSED DATE WHEN GEOTECHNICAL REPORT WAS PREPAR NAME OF GEOTECHNICAL ENGINEERING COMPANY: PHONE NUMBER OF GEOTECHNICAL ENGINEER: ENGINEERING DESIGN OF FOUNDATION IS BASED 	GINEER. CHAPTER 18. FED AS "D". ON: GEOTECHNI TCP TREATMENT RED: MARCH 22, : BSK ASSOC (559) 497- ON:	T FACILITY 2, 2022 DCIATES 7–2880		 TERMINATE ALL BARS IN LAPS OR 90° E ALL REINFORCING MAY LAP WITH COUPLI GREATER. SUBMIT AN ICC REPORT FOR IF ONE LAYER OF REINFORCING STEEL IS CENTER OF THE SECTION UNLESS NOTED DIMENSIONS TO REINFORCING ARE TO BAR 	ERS WHICH ARE 125% OF COUPLERS. S SHOWN, IT IS TO BE LC OTHERWISE. AR CENTERLINES, UNLESS N THE BAR AND THE CO	CATED IN THE E NOTED OTHERWISE. 4. S NCRETE SURFACE. C CING STEEL SHALL 5. A	NGINEERING REQUIREMENTS N REVISION TO ITEMS INSTALLED TRUCTURAL STEEL DETAILING ACCORDANCE WITH THE 13th OF STRUCTURAL STEEL DETAIL A STEEL BUILDING IS STRUCTU SHOWN ON THESE DRAWINGS
 THE PROJECT SITE. IN CASE OF EXPANSIVE CLAY MUST CONSULT WITH A GEOTECHNICAL ENGINEER MUST BE APPROVED BY THE GEOTECHNICAL ENG 2. FOUNDATION WORK TO BE DONE PER 2019 CBC, 3. THE SOILS IN HUGHSON ARE GENERALLY CLASSIF 4. ENGINEERING DESIGN OF FOUNDATION IS BASED GEOTECHNICAL INVESTIGATION REPORT TITLED: ENGINEERING INVESTIGATION REPORT PROPOSED DATE WHEN GEOTECHNICAL REPORT WAS PREPAR NAME OF GEOTECHNICAL ENGINEERING COMPANY: PHONE NUMBER OF GEOTECHNICAL ENGINEER: 5. ENGINEERING DESIGN OF FOUNDATION IS BASED (a) ASSUMED ALLOWABLE SOIL BEARING CAPA(AND LIVE LOADS AND 4,920 PSF FOR WINE 	GINEER. CHAPTER 18. FED AS "D". ON: GEOTECHNI TCP TREATMENT RED: MARCH 22, : BSK ASSO (559) 497- ON: CITY OF 3,700 F	T FACILITY 2, 2022 DCIATES 7–2880 PSF FOR DEAD		 TERMINATE ALL BARS IN LAPS OR 90° E ALL REINFORCING MAY LAP WITH COUPLI GREATER. SUBMIT AN ICC REPORT FOR IF ONE LAYER OF REINFORCING STEEL IS CENTER OF THE SECTION UNLESS NOTED DIMENSIONS TO REINFORCING ARE TO BA BAR COVER IS CLEAR DISTANCE BETWEE UNLESS NOTED OR SHOWN OTHERWISE, I BE AS FOLLOWS: 	ERS WHICH ARE 125% OF COUPLERS. S SHOWN, IT IS TO BE LC O OTHERWISE. AR CENTERLINES, UNLESS N THE BAR AND THE CO BAR COVER FOR REINFOR	CATED IN THE E NOTED OTHERWISE. 4. S NCRETE SURFACE. C CING STEEL SHALL 5. 4 S U M M M M M M M M M M M M M M M M M M	NGINEERING REQUIREMENTS N REVISION TO ITEMS INSTALLED TRUCTURAL STEEL DETAILING ACCORDANCE WITH THE 13th OF STRUCTURAL STEEL DETAIL STEEL BUILDING IS STRUCTU SHOWN ON THESE DRAWINGS WHEN AND WHERE TEMPORAR WELDS SHALL BE MADE WITH
 THE PROJECT SITE. IN CASE OF EXPANSIVE CLAY MUST CONSULT WITH A GEOTECHNICAL ENGINEER MUST BE APPROVED BY THE GEOTECHNICAL ENG 2. FOUNDATION WORK TO BE DONE PER 2019 CBC, 3. THE SOILS IN HUGHSON ARE GENERALLY CLASSIF 4. ENGINEERING DESIGN OF FOUNDATION IS BASED OF GEOTECHNICAL INVESTIGATION REPORT TITLED: ENGINEERING INVESTIGATION REPORT PROPOSED DATE WHEN GEOTECHNICAL REPORT WAS PREPAR NAME OF GEOTECHNICAL ENGINEERING COMPANY: PHONE NUMBER OF GEOTECHNICAL ENGINEER: 5. ENGINEERING DESIGN OF FOUNDATION IS BASED OF AND LIVE LOADS AND 4,920 PSF FOR WINE COMBINATIONS b) EXPANSION INDEX NOT GREATER THAN 20; 	GINEER. CHAPTER 18. FED AS "D". ON: GEOTECHNI TCP TREATMENT RED: MARCH 22, : BSK ASSOC (559) 497- ON: CITY OF 3,700 F D AND SEISMIC L	T FACILITY 2, 2022 DCIATES 7–2880 PSF FOR DEAD		 TERMINATE ALL BARS IN LAPS OR 90° E ALL REINFORCING MAY LAP WITH COUPLI GREATER. SUBMIT AN ICC REPORT FOR IF ONE LAYER OF REINFORCING STEEL IS CENTER OF THE SECTION UNLESS NOTED DIMENSIONS TO REINFORCING ARE TO BA BAR COVER IS CLEAR DISTANCE BETWEE UNLESS NOTED OR SHOWN OTHERWISE, I 	ERS WHICH ARE 125% OF COUPLERS. S SHOWN, IT IS TO BE LC O OTHERWISE. AR CENTERLINES, UNLESS N THE BAR AND THE CO BAR COVER FOR REINFOR	CATED IN THE E NOTED OTHERWISE. 4. S NCRETE SURFACE. C CING STEEL SHALL 5. 4 S U M M M M M M M M M M M M M M M M M M	NGINEERING REQUIREMENTS N REVISION TO ITEMS INSTALLED TRUCTURAL STEEL DETAILING CCORDANCE WITH THE 13th OF STRUCTURAL STEEL DETAIL STEEL BUILDING IS STRUCTU SHOWN ON THESE DRAWINGS WHEN AND WHERE TEMPORAR WELDS SHALL BE MADE WITH
 THE PROJECT SITE. IN CASE OF EXPANSIVE CLAY MUST CONSULT WITH A GEOTECHNICAL ENGINEER MUST BE APPROVED BY THE GEOTECHNICAL ENG 2. FOUNDATION WORK TO BE DONE PER 2019 CBC, 3. THE SOILS IN HUGHSON ARE GENERALLY CLASSIF 4. ENGINEERING DESIGN OF FOUNDATION IS BASED GEOTECHNICAL INVESTIGATION REPORT TITLED: ENGINEERING INVESTIGATION REPORT PROPOSED DATE WHEN GEOTECHNICAL ENGINEERING COMPANY: PHONE NUMBER OF GEOTECHNICAL ENGINEER: 5. ENGINEERING DESIGN OF FOUNDATION IS BASED a) ASSUMED ALLOWABLE SOIL BEARING CAPAGE AND LIVE LOADS AND 4,920 PSF FOR WINE COMBINATIONS b) EXPANSION INDEX NOT GREATER THAN 20; c) ALLOWABLE SOIL FRICTION COEFFICIENT OF SHOULD THE ACTUAL SOIL CONDITIONS NOT BE FOR THE ACTUAL SOIL CONDITIONS AND HER ACTUAL SOIL CONDITIONS 	GINEER. CHAPTER 18. FED AS "D". ON: GEOTECHNI TCP TREATMENT RED: MARCH 22, BSK ASSOC (559) 497 ON: CITY OF 3,700 F D AND SEISMIC L CITY OF 3,700 F D AND SEISMIC L CITY OF 3,700 F D AND SEISMIC L	T FACILITY 2, 2022 DCIATES 7–2880 PSF FOR DEAD LOAD		 TERMINATE ALL BARS IN LAPS OR 90° E ALL REINFORCING MAY LAP WITH COUPLI GREATER. SUBMIT AN ICC REPORT FOR IF ONE LAYER OF REINFORCING STEEL IS CENTER OF THE SECTION UNLESS NOTED DIMENSIONS TO REINFORCING ARE TO BA BAR COVER IS CLEAR DISTANCE BETWEE UNLESS NOTED OR SHOWN OTHERWISE, I BE AS FOLLOWS: 	ERS WHICH ARE 125% OF COUPLERS. S SHOWN, IT IS TO BE LC O OTHERWISE. AR CENTERLINES, UNLESS N THE BAR AND THE CO BAR COVER FOR REINFOR COVER (IN) RMANENTLY EXPOSED TO	CATED IN THE E NOTED OTHERWISE. 4. S NCRETE SURFACE. C CING STEEL SHALL 5. 4 6. V	NGINEERING REQUIREMENTS N REVISION TO ITEMS INSTALLED TRUCTURAL STEEL DETAILING ACCORDANCE WITH THE 13th OF STRUCTURAL STEEL DETAIL STEEL BUILDING IS STRUCTU SHOWN ON THESE DRAWINGS WHEN AND WHERE TEMPORAR WELDS SHALL BE MADE WITH
 THE PROJECT SITE. IN CASE OF EXPANSIVE CLAY MUST CONSULT WITH A GEOTECHNICAL ENGINEER MUST BE APPROVED BY THE GEOTECHNICAL ENG 2. FOUNDATION WORK TO BE DONE PER 2019 CBC, 3. THE SOILS IN HUGHSON ARE GENERALLY CLASSIF 4. ENGINEERING DESIGN OF FOUNDATION IS BASED GEOTECHNICAL INVESTIGATION REPORT TITLED: ENGINEERING INVESTIGATION REPORT PROPOSED DATE WHEN GEOTECHNICAL ENGINEERING COMPANY: PHONE NUMBER OF GEOTECHNICAL ENGINEER: 5. ENGINEERING DESIGN OF FOUNDATION IS BASED a) ASSUMED ALLOWABLE SOIL BEARING CAPAGA AND LIVE LOADS AND 4,920 PSF FOR WINE COMBINATIONS b) EXPANSION INDEX NOT GREATER THAN 20; c) ALLOWABLE SOIL FRICTION COEFFICIENT OF SHOULD THE ACTUAL SOIL CONDITIONS NOT BE FOR MINIMUM REQUIREMENTS SHOWN ABOVE, NOT IMMEDIATELY. 	GINEER. CHAPTER 18. FED AS "D". ON: GEOTECHNI TCP TREATMENT RED: MARCH 22, BSK ASSOC (559) 497- ON: CITY OF 3,700 F D AND SEISMIC L 0.25; EQUAL TO OR BI TIFY THE ENGINE	T FACILITY 2, 2022 DCIATES 7–2880 PSF FOR DEAD LOAD BETTER THAN EER OF RECORD		 TERMINATE ALL BARS IN LAPS OR 90° E ALL REINFORCING MAY LAP WITH COUPLI GREATER. SUBMIT AN ICC REPORT FOR IF ONE LAYER OF REINFORCING STEEL IS CENTER OF THE SECTION UNLESS NOTED DIMENSIONS TO REINFORCING ARE TO BA BAR COVER IS CLEAR DISTANCE BETWEE UNLESS NOTED OR SHOWN OTHERWISE, I BE AS FOLLOWS: 	ERS WHICH ARE 125% OF COUPLERS. S SHOWN, IT IS TO BE LC O OTHERWISE. AR CENTERLINES, UNLESS N THE BAR AND THE CO BAR COVER FOR REINFOR COVER (IN) RMANENTLY EXPOSED TO 3	CATED IN THE E NOTED OTHERWISE. 4. S NCRETE SURFACE. C CING STEEL SHALL 5. 4 6. V	NGINEERING REQUIREMENTS N REVISION TO ITEMS INSTALLED TRUCTURAL STEEL DETAILING ACCORDANCE WITH THE 13th OF STRUCTURAL STEEL DETAIL STEEL BUILDING IS STRUCTU SHOWN ON THESE DRAWINGS WHEN AND WHERE TEMPORAR WELDS SHALL BE MADE WITH
 THE PROJECT SITE. IN CASE OF EXPANSIVE CLAY MUST CONSULT WITH A GEOTECHNICAL ENGINEER MUST BE APPROVED BY THE GEOTECHNICAL ENGINEER MUST BE APPROVED BY THE GEOTECHNICAL ENGINEER SOILS IN HUGHSON ARE GENERALLY CLASSIF 2. FOUNDATION WORK TO BE DONE PER 2019 CBC, 3. THE SOILS IN HUGHSON ARE GENERALLY CLASSIF 4. ENGINEERING DESIGN OF FOUNDATION IS BASED OF GEOTECHNICAL INVESTIGATION REPORT TITLED: ENGINEERING INVESTIGATION REPORT PROPOSED DATE WHEN GEOTECHNICAL REPORT WAS PREPAR NAME OF GEOTECHNICAL ENGINEERING COMPANY: PHONE NUMBER OF GEOTECHNICAL ENGINEER: 5. ENGINEERING DESIGN OF FOUNDATION IS BASED OF AND LIVE LOADS AND 4,920 PSF FOR WINE COMBINATIONS b) EXPANSION INDEX NOT GREATER THAN 20; c) ALLOWABLE SOIL FRICTION COEFFICIENT OF SHOULD THE ACTUAL SOIL CONDITIONS NOT BE FOR MINIMUM REQUIREMENTS SHOWN ABOVE, NOT IMMEDIATELY. 6. NOTIFY THE GEOTECHNICAL ENGINEER FOR INSTRIWORK SHOULD ANY UNUSUAL CONDITIONS BECOM 	GINEER. CHAPTER 18. FED AS "D". ON: GEOTECHNI TCP TREATMENT RED: MARCH 22, BSK ASSOC (559) 497- ON: CITY OF 3,700 F D AND SEISMIC L CITY OF 3,700 F D AND SEISMIC L CITY OF 3,700 F D AND SEISMIC L CITY OF 3,700 F D AND SEISMIC L CUTIONS PRIOR ME APPARENT DU	T FACILITY 2, 2022 OCIATES 7–2880 PSF FOR DEAD LOAD BETTER THAN EER OF RECORD TO CONTINUING DURING GRADING		7. TERMINATE ALL BARS IN LAPS OR 90° E 8. ALL REINFORCING MAY LAP WITH COUPLI GREATER. SUBMIT AN ICC REPORT FOR 9. IF ONE LAYER OF REINFORCING STEEL IS CENTER OF THE SECTION UNLESS NOTED 10. DIMENSIONS TO REINFORCING ARE TO BA BAR COVER IS CLEAR DISTANCE BETWEE UNLESS NOTED OR SHOWN OTHERWISE, I BE AS FOLLOWS: CONCRETE REINFO SIZE CONCRETE CAST AGAINST AND PEI ALL SIZES CONCRETE EXPOSED TO #6 - #18 BAR	ERS WHICH ARE 125% OF COUPLERS. S SHOWN, IT IS TO BE LC O OTHERWISE. AR CENTERLINES, UNLESS N THE BAR AND THE CO BAR COVER FOR REINFOR COVER (IN) RMANENTLY EXPOSED TO 3	CATED IN THE E NOTED OTHERWISE. 4. S NCRETE SURFACE. C CING STEEL SHALL 5. 4 6. V	NGINEERING REQUIREMENTS N REVISION TO ITEMS INSTALLED TRUCTURAL STEEL DETAILING ACCORDANCE WITH THE 13th I OF STRUCTURAL STEEL DETAIL STEEL BUILDING IS STRUCTU SHOWN ON THESE DRAWINGS A WHEN AND WHERE TEMPORARY WELDS SHALL BE MADE WITH
 THE PROJECT SITE. IN CASE OF EXPANSIVE CLAY MUST CONSULT WITH A GEOTECHNICAL ENGINEER MUST BE APPROVED BY THE GEOTECHNICAL ENGINEER MUST BE APPROVED BY THE GEOTECHNICAL ENGINEER 2019 CBC, THE SOILS IN HUGHSON ARE GENERALLY CLASSIF ENGINEERING DESIGN OF FOUNDATION IS BASED OF GEOTECHNICAL INVESTIGATION REPORT TITLED: ENGINEERING INVESTIGATION REPORT PROPOSED DATE WHEN GEOTECHNICAL ENGINEERING COMPANY: PHONE NUMBER OF GEOTECHNICAL ENGINEER: ENGINEERING DESIGN OF FOUNDATION IS BASED OF AND ENGINEERING DESIGN OF FOUNDATION IS BASED OF AND LIVE LOADS AND 4,920 PSF FOR WINE COMBINATIONS EXPANSION INDEX NOT GREATER THAN 20; c) ALLOWABLE SOIL FRICTION COEFFICIENT OF SHOULD THE ACTUAL SOIL CONDITIONS NOT BE FOR MINIMUM REQUIREMENTS SHOWN ABOVE, NOT IMMEDIATELY. NOTIFY THE GEOTECHNICAL ENGINEER FOR INSTRIWORK SHOULD ANY UNUSUAL CONDITIONS BECOM OR FOUNDATION EXCAVATION. THE CONTRACTOR FOLLOWING THE RECOMMENDATIONS OUTLINED IN 	GINEER. CHAPTER 18. FED AS "D". ON: GEOTECHNI TCP TREATMENT RED: MARCH 22, BSK ASSOC (559) 497- ON: CITY OF 3,700 F D AND SEISMIC L CITY OF 3,700 F D AND SEISMIC L CITY OF 3,700 F D AND SEISMIC L CUTY OF 3,700 F CUTY OF 3,700 F	T FACILITY 2, 2022 DCIATES 7–2880 PSF FOR DEAD LOAD BETTER THAN EER OF RECORD TO CONTINUING DURING GRADING E FOR IICAL REPORT.		7. TERMINATE ALL BARS IN LAPS OR 90° E 8. ALL REINFORCING MAY LAP WITH COUPLI GREATER. SUBMIT AN ICC REPORT FOR 9. IF ONE LAYER OF REINFORCING STEEL IS CENTER OF THE SECTION UNLESS NOTED 10. DIMENSIONS TO REINFORCING ARE TO BA BAR COVER IS CLEAR DISTANCE BETWEE UNLESS NOTED OR SHOWN OTHERWISE, I BE AS FOLLOWS: CONCRETE CAST AGAINST AND PEI ALL SIZE CONCRETE EXPOSED TO	ERS WHICH ARE 125% OF COUPLERS. S SHOWN, IT IS TO BE LC O OTHERWISE. AR CENTERLINES, UNLESS N THE BAR AND THE CO BAR COVER FOR REINFOR COVER (IN) RMANENTLY EXPOSED TO 3	CATED IN THE E NOTED OTHERWISE. 4. S NCRETE SURFACE. C CING STEEL SHALL 5. 4 6. V	NGINEERING REQUIREMENTS N REVISION TO ITEMS INSTALLED STRUCTURAL STEEL DETAILING ACCORDANCE WITH THE 13th E OF STRUCTURAL STEEL DETAIL STEEL BUILDING IS STRUCTU SHOWN ON THESE DRAWINGS A WHEN AND WHERE TEMPORARY WELDS SHALL BE MADE WITH STRENGTH OF 70,000 PSI, UNI
 THE PROJECT SITE. IN CASE OF EXPANSIVE CLAY MUST CONSULT WITH A GEOTECHNICAL ENGINEER MUST BE APPROVED BY THE GEOTECHNICAL ENGINEER SOLLY WORK TO BE DONE PER 2019 CBC, THE SOILS IN HUGHSON ARE GENERALLY CLASSIF ENGINEERING DESIGN OF FOUNDATION IS BASED OF GEOTECHNICAL INVESTIGATION REPORT TITLED: ENGINEERING INVESTIGATION REPORT PROPOSED DATE WHEN GEOTECHNICAL ENGINEERING COMPANY: PHONE NUMBER OF GEOTECHNICAL ENGINEER: ENGINEERING DESIGN OF FOUNDATION IS BASED OF AND LIVE LOADS AND 4,920 PSF FOR WINE COMBINATIONS b) EXPANSION INDEX NOT GREATER THAN 20; c) ALLOWABLE SOIL FRICTION COEFFICIENT OF SHOULD THE ACTUAL SOIL CONDITIONS NOT BE FOR MINIMUM REQUIREMENTS SHOWN ABOVE, NOT IMMEDIATELY. NOTIFY THE GEOTECHNICAL ENGINEER FOR INSTRIWORK SHOULD ANY UNUSUAL CONDITIONS BECOM OR FOUNDATION EXCAVATION. THE CONTRACTOR FOLLOWING THE RECOMMENDATIONS OUTLINED IN SOIL SHALL BE EXCAVATED TO THE ELEVATIONS FOR FILTER VESSEL FOUNDATIONS. 	GINEER. CHAPTER 18. FED AS "D". ON: GEOTECHNI TCP TREATMENT RED: MARCH 22, BSK ASSOC (559) 497- ON: CITY OF 3,700 F D AND SEISMIC L CITY OF 3,700 F D AND SEISMIC L CITY OF 3,700 F D AND SEISMIC L CUCTIONS PRIOR ME APPARENT DI IS RESPONSIBLE THE GEOTECHNI INDICATED ON 1	T FACILITY 2, 2022 OCIATES 7–2880 PSF FOR DEAD LOAD BETTER THAN EER OF RECORD TO CONTINUING DURING GRADING E FOR IICAL REPORT. THE DRAWINGS		 TERMINATE ALL BARS IN LAPS OR 90° E ALL REINFORCING MAY LAP WITH COUPLI GREATER. SUBMIT AN ICC REPORT FOR IF ONE LAYER OF REINFORCING STEEL IS CENTER OF THE SECTION UNLESS NOTED DIMENSIONS TO REINFORCING ARE TO BA BAR COVER IS CLEAR DISTANCE BETWEE UNLESS NOTED OR SHOWN OTHERWISE, I BE AS FOLLOWS: CONCRETE CAST AGAINST AND PEI ALL SIZE CONCRETE EXPOSED TO #6 - #18 BAR #5 BAR, W31 OR D31 WIRE, AND SMALLER	ERS WHICH ARE 125% OF COUPLERS. 5 SHOWN, IT IS TO BE LC 0 OTHERWISE. AR CENTERLINES, UNLESS N THE BAR AND THE CO BAR COVER FOR REINFOR COVER (IN) RMANENTLY EXPOSED TO 3 EARTH OR WEATHER 2 1 1/2	EARTH	NGINEERING REQUIREMENTS N REVISION TO ITEMS INSTALLED TRUCTURAL STEEL DETAILING ACCORDANCE WITH THE 13th I STEEL BUILDING IS STRUCTU SHOWN ON THESE DRAWINGS A WHEN AND WHERE TEMPORARY WELDS SHALL BE MADE WITH
 THE PROJECT SITE. IN CASE OF EXPANSIVE CLAY MUST CONSULT WITH A GEOTECHNICAL ENGINEER MUST BE APPROVED BY THE GEOTECHNICAL ENGINER FOUNDATION WORK TO BE DONE PER 2019 CBC, THE SOILS IN HUGHSON ARE GENERALLY CLASSIF ENGINEERING DESIGN OF FOUNDATION IS BASED of GEOTECHNICAL INVESTIGATION REPORT TITLED: ENGINEERING INVESTIGATION REPORT PROPOSED DATE WHEN GEOTECHNICAL ENGINEERING COMPANY: PHONE NUMBER OF GEOTECHNICAL ENGINEER: ENGINEERING DESIGN OF FOUNDATION IS BASED of a) ASSUMED ALLOWABLE SOIL BEARING CAPAO AND LIVE LOADS AND 4,920 PSF FOR WINE COMBINATIONS b) EXPANSION INDEX NOT GREATER THAN 20; c) ALLOWABLE SOIL FRICTION COEFFICIENT OF SHOULD THE ACTUAL SOIL CONDITIONS NOT BE FOR MINIMUM REQUIREMENTS SHOWN ABOVE, NOT IMMEDIATELY. NOTIFY THE GEOTECHNICAL ENGINEER FOR INSTRUMORK SHOULD ANY UNUSUAL CONDITIONS BECOM OR FOUNDATION EXCAVATION. THE CONTRACTOR FOLLOWING THE RECOMMENDATIONS OUTLINED IN SOIL SHALL BE EXCAVATED TO THE ELEVATIONS 	GINEER. CHAPTER 18. FED AS "D". ON: GEOTECHNI TCP TREATMENT RED: MARCH 22, BSK ASSOC (559) 497- ON: CITY OF 3,700 F D AND SEISMIC L CITY OF 3,700 F D AND SEISMIC L CITY OF 3,700 F D AND SEISMIC L CUCTIONS PRIOR ME APPARENT DI IS RESPONSIBLE THE GEOTECHNI INDICATED ON 1	T FACILITY 2, 2022 OCIATES 7–2880 PSF FOR DEAD LOAD BETTER THAN EER OF RECORD TO CONTINUING DURING GRADING E FOR IICAL REPORT. THE DRAWINGS		 TERMINATE ALL BARS IN LAPS OR 90° E ALL REINFORCING MAY LAP WITH COUPLI GREATER. SUBMIT AN ICC REPORT FOR IF ONE LAYER OF REINFORCING STEEL IS CENTER OF THE SECTION UNLESS NOTED DIMENSIONS TO REINFORCING ARE TO BA BAR COVER IS CLEAR DISTANCE BETWEE UNLESS NOTED OR SHOWN OTHERWISE, I BE AS FOLLOWS: CONCRETE CAST AGAINST AND PEI ALL SIZE CONCRETE EXPOSED TO #6 - #18 BAR #5 BAR, W31 OR D31	ERS WHICH ARE 125% OF COUPLERS. S SHOWN, IT IS TO BE LC O OTHERWISE. AR CENTERLINES, UNLESS N THE BAR AND THE CO BAR COVER FOR REINFOR COVER (IN) RMANENTLY EXPOSED TO 3 EARTH OR WEATHER 2 1 1/2 EATHER OR IN CONTACT	EARTH	NGINEERING REQUIREMENTS N REVISION TO ITEMS INSTALLED TRUCTURAL STEEL DETAILING ACCORDANCE WITH THE 13th OF STRUCTURAL STEEL DETAIL STEEL BUILDING IS STRUCTU SHOWN ON THESE DRAWINGS WHEN AND WHERE TEMPORAR WELDS SHALL BE MADE WITH

- DIP GALVANIZED. RM TO THE FOLLOW
- si) UNLESS NOTED OTHERWISE. WISE.
- UNLESS NOTED OTHERWISE. UNLESS NOTED OTHERWISE.
- BRICATION AND ERECTION SHALL BE IN BY THE AISC.
- COMPLETED. THE CONTRACTOR SHALL DETERMINE ACING IS NEEDED.
- NOTED OTHERWISE.

- 1. WIN WIN ULT EXP INTE COM DES
- SPE SPE SPE SPE SEIS SIT SEIS SEIS DF SEIS RES
- ANA 3. WA1 DES 4. EAR
- ACT AT-PASSIVE EFP





Call before you dig.

SPECIAL INSPECTION NOTES

1. THE CONTRACTOR SHALL NOTIFY THE [OWNER] 48 HOURS BEFORE PLACEMENT OF REINFORCING STEEL AND CONCRETE SO THAT THE SUBGRADE OF EXCAVATIONS MAY BE INSPECTED BY THE GEOTECHNICAL ENGINEER. THE GEOTECHNICAL ENGINEER SHALL VERIFY BACKFILL MATERIAL, BACKFILLING PROCEDURES AND SOIL COMPACTION TESTS. 2. STRUCTURAL OBSERVATION SHALL BE PROVIDED BY THE DESIGN ENGINEER(S) OF RECORD OR THEIR AUTHORIZED REPRESENTATIVES IN ACCORDANCE WITH CBC 2022, SECTION 1704. ALL RISK CATEGORY III AND IV STRUCTURES SHALL HAVE STRUCTURAL OBSERVATION. STRUCTURAL OBSERVATION SHALL CONSIST OF SITE VISITS AT INTERVALS APPROPRIATE TO THE STAGE OF CONSTRUCTION TO OBSERVE CONSTRUCTION IN PROGRESS AND REVIEW OF TESTING AND INSPECTION REPORTS FOR GENERAL COMPLIANCE WITH THE CONSTRUCTION DOCUMENTS RELATING TO THE STRUCTURAL WORK AND THE NONSTRUCTURAL COMPONENTS AND EQUIPMENT ANCHORAGE. 3. SPECIAL INSPECTION IN ACCORDANCE WITH CBC 2022 SECTIONS 1704 & 1705, SHALL BE REQUIRED AS INDICATED IN THE SPECIAL INSPECTION AND TESTING SCHEDULE ON THIS SHEET. 4. ALL SPECIAL INSPECTIONS REQUIRED MUST BE BY APPROVED INDEPENDENT INSPECTORS WHO SHALL BE RETAINED BY THE OWNER. INSPECTORS SHALL SUBMIT THEIR REPORTS DIRECTLY TO THE BUILDING OFFICIAL AND THE REGISTERED DESIGN PROFESSIONAL IN RESPONSIBLE CHARGE. THESE INSPECTORS ARE IN ADDITION TO ANY REQUIRED [AGENCY] INSPECTIONS. CONTRACTOR SHALL COORDINATE INSPECTIONS AND ALLOW ACCESS FOR THE SPECIAL INSPECTOR TO PERFORM REQUIRED INSPECTIONS.

LOADING CRITERIA

RISK	CATEGORY OF BUILDING:	III
1.	WIND LOAD: WIND IMPORTANCE FACTOR IW ULTIMATE DESIGN WIND SPEED EXPOSURE INTERNAL PRESSURE COEFFICIENT COMPONENTS & CLADDING DESIGN WIND PRESSURE ROOF WALL	1.0 100 MPH C N/A N/A TDB PSF TDB PSF N/A
2.	SEISMIC LOAD: SPECTRAL RESPONSE ACCELERATION S _s SPECTRAL RESPONSE ACCELERATION S ₁ SPECTRAL RESPONSE COEFFICIENTS S _{DS} SPECTRAL RESPONSE COEFFICIENT S _{D1} SEISMIC IMPORTANCE FACTOR IS SITE CLASS SEISMIC DESIGN CATEGORY SEISMIC FORCE RESISTING SYSTEM DESIGN BASE SHEAR SEISMIC RESPONSE COEFFICIENT C _s RESPONSE MODIFICATION FACTOR R ANALYSIS PROCEDURE	0.25 g 0.534 g N/A 1.25 D D NONBUILDING STRUCTURE VARIES VARIES
3.	WATER LOAD: DESIGN HIGH WATER LEVEL	N/A
4.	EARTH LOADS: ACTIVE EFP AT-REST EFP PASSIVE EFP	33 PCF 51 PCF 397 PCF

J.		
WING,	UNLESS	SPECIFIED

, C, MC, L, AS PER AISC MANUAL 13th EDITION, TO MANUAL 13th EDITION, TO COMPLY WITH ASTM A992

S PER AISC MANUAL 13th EDITION, TO COMPLY WITH

ER AISC MANUAL 13th EDITION, TO COMPLY WITH ERENT SPECIFICATIONS THAN NOTED ABOVE ARE

, IN A TIMELY MANNER, PRIOR TO CONSTRUCTION OF A DIFFERENT SPECIFICATION INSTALLED, APPROVAL MAY NOT MEET THE PROJECT SSITATING A REMOVAL AND/OR SIGNIFICANT

ION OF THE AISC MANUAL AND THE LATEST EDITION


LY STABLE WHEN ALL ASPECTS OF THE DESIGN

OR ELECTRODE HAVING A MINIMUM TENSILE


1			_
COPYRIGHT 2024 by PROVOST & PRITCHARD ENGINEERING GROUP, INC. ALL RICHTS RESERVED The firm of Provost & Pritchard Engineering Group,	the applicable property rights in these plans. These plans are not to be reproduced, changed, or copied in any form or manner whatsoever, nor are they to be assigned to a third party without first obtaining the written permission and consent of Provost & Pritchaineering Group, Inc. In the event of	unauthorized reuse of these plans by a third party, the third party shall hold the firm of Provost & Pritchard Engineering Group, Inc. harmless, and shall bear the cost of Provost & Pritchard Engineering	Group, inc.'s regar rees associated with derenaing and enforcing these rights.
			DATE
			ВҮ
BID SET	1/31/2024		REVISION
			No.
OF DESTONAL	NGINEER S98'SZ ON	OF CALIFORN	DATE SIGNED: 1/31/2024
WELL 8 TCP MITIGATION PROJECT	SHSON CA	\sim	「
K	GN ENGINEE	An Employee Owned Company 455 W FIR AVENUE CLOVIS, CALIFORNIA 93611 559(449-2700 FAX 559(449-2715	21001–TCP Treatment Design \300 CAD \340 Shee
	ISE NO: 5865 FED BY: CH JB CH DATE: 1/31	HECKED B RKB /2024	of-2654\2654
PROJE	OB NO: 2654 CT NO: PHASE:	-21001	ughson_City
INC	0 NAL SCALE SH CH. ADJUST SO CED OR ENLAN	CALE FOR	H 11:43 AM G: \
	4 OF	35	2/1/202


GAC DESIGN	I CRITERIA	
DESCRIPTION	WELL 8	NOTES
RAW WATER QUALITY		
AVG TCP, ug/L	0.045	
AVG NITRATE (AS N), mg/L	5.27	
AVG HARDNESS AS CaCO3, mg/L	122	
AVG IRON, ug/L	0	
AVG MANGANESE, ug/L	>150	
рН	7.45	
WELL PUMP		
CAPACITY, GPM	1,500	
HORSEPOWER, HP (EXISTING)	150	
DRIVE TYPE (EXISTING)	CONSTANT	
DISCHARGE PRESSURE, PSI (EXISTING)	60	
GAC TREATMENT DESIGN		
NUMBER OF VESSELS	4	
VESSEL DIA (EA), FT	12	
CARBON CAPACITY (EA), FT ³	714	
CARBON TYPE	TBD	
OPERATION	SERIES	2 PAIRS
HYDRAULIC LOADING RATE, GPM/SF	6.6	
EMPTY BED CONTACT TIME, MINUTES	14.2	
GAC BACKWASH DESIGN		1
MAX BACKWASH FLOW RATE, GPM	1,500	CARBON SPECIFI
BACKWASH LOADING RATE, GPM/SF	13.3	CARBON SPECIFI
BACKWASH TIME, MIN	30 (EST.)	CARBON SPECIFI
BACKWASH VOLUME PER EACH VESSEL, GAL	45,000 (EST.)	CARBON SPECIFI
TANK VOLUME, GAL	50,454	
TANK DIAMETER	32'-8 3/16"	
TANK MAX WATER LEVEL	8'-1/2"	NOT INCLUDING SLOSH ALLOWANCE


(E) WELL 8 PUMP 1,500 GPM



WELL 8 SCHEMATIC PROCESS FLOW DIAGRAM











COPYRIGHT 2024 by PROVOST & PRITCHARD ENGINEERING GROUP. INC. ALL RIGHTS RESERVED The firm of Provost & Pritchard Engineering Group, Inc. expressly reserves its common law copyright and other applicable property rights in these plans. These plans are not to be reproduced, changed, or copied in any form or manner whatsoever, nor are they to be assigned to a third party without first obtaining the written permission and consent of Provost & Pritchard Engineering Group, Inc. In the event of unauthorized reuse of these plans by a third party, the third Engineering Group, Inc. harmless, and shall bear the cost of Provost & Pritchard Engineering	TE beforcing these rights.
BID SET 1/31/2024	REVISION BY DATE
REGISTERSON	DATE SIGNED: 1/31/2024 No.
ION PROJECT HSON	HYDRAULIC PROFILE
ESI: 1300 Besign engine of the office offic	
PHASE: 01" ORIGINAL SCALE SHOWN IS O INCH. ADJUST SCALE FOR REDUCED OR ENLARGED PLA SHEET G-7 7 OF 35	

NOTES

1. HYDRAULIC PROFILE SHOWN ONLY FOR CONFIGURATION OF GAC TREATMENT DOWNSTREAM OF ARSENIC TREATMENT.







	LE	GEND		DEMOLIT	ION CALLOUTS
	Ē	(AP	PROXIMATE LIMITS OF AREA TO BE DEMOLISHED)	$\langle 1 \rangle$	REMOVE AND DISPOSE OF (E) 12" WATER LINE (PORTION REQUIRED FOR PROPOSED VALVES AND TEE CONNECTIONS)
		- //// (AP GA1	PROXIMATE LOCATION TO DEMOLISH UTILITY OR E)	2	REMOVE AND DISPOSE OF (E) 10" WATER LINE SEE DETAIL 1 — PIPING CONNECTION ELEVATION VIEW SHEET C—9
IERS			VCUT LINE, TYPICAL AT EDGES WHERE AC OR ICRETE IS DEMOLISHED	$\langle 3 \rangle$	DRILL HOLE THROUGH (E) WELL BUILDING CMU WALL FOR SODIUM HYPOCHLORITE LINE. AND REMOVE AND
SITE PLAN C	CALLOUTS				DISPOSE OF CHEMICAL SUPPLY LINE. SEE DETAIL 4 SHEET D-4
(E)	CURB AND GUTTER	R) (E) DISCHARGE BOX, PROTECT IN PLACE		
(E)	SIDEWALK	S) (E) GRATED CATCH BASIN, PROTECT IN PLACE	4	DRILL HOLE THROUGH (E) CHEMICAL FEED CONCRETE VAULT. AND REMOVE AND DISPOSE OF FERRIC CHLORIDE LINE. SEE DETAIL 1 SHEET D-4
(E)	7' MASONRY BLOCK WALL	Ţ) (E) 12" WATER	$\langle 5 \rangle$	REMOVE (E) ROLLING GATE (17'±) AND ALL PARTS, STORE FOR REINSTALLATION
(E)	FERRIC CHLORIDE TANK	U) (E) 10" WATER		
(E)	POLYMER TANK	V) (E) 8" WATER	6	REMOVE AND DISPOSE OF (E) CMU WALL AND VERTICAL PORTION OF FOOTING REQUIRED FOR PROPOSED CONSTR.
(F) (E)	WELL BUILDING	W) (E) 12" STORM DRAIN	$\langle 7 \rangle$	REMOVE AND DISPOSE OF (E) AC PAVEMENT
G (E)	STORM DRAIN MANHOLE	X) (E) 4" FORCE MAIN	8	REMOVE AND DISPOSE OF (E) CONCRETE GATE SUPPORT STRIPE
(E)	SANITARY SEWER MANHOLE	Y) (E) TREE/SHRUB	(9)	RELOCATE OR REMOVE AND DISPOSE OF (E) TREES/SHRUBS PER CITY OF HUGHSON
(E)	WELL NO. 8	\overline{Z}) (E) LIGHT POLE, PROTECT IN PLACE	$\langle 10 \rangle$	RELOCATE OR REMOVE AND DISPOSE OF (E)
(E)	ELECTRICAL VAULT	(AA)) (E) SODIUM HYPOCHLORITE TANK		IRRIGATION SYSTEM PER CITY OF HUGHSON (APPROXIMATELY 300 FT) AND CAP REMAINING PIPE, AREA 30'+/- EAST OF (E) CMU WALL.
(E)	UTILITY VAULT, PROTECT IN PLA	ACE (AB)) (E) TID ELECTRICAL VAULT, PROTECT IN PLACE	$\langle 11 \rangle$	REMOVE AND DISPOSE OF (E) CONCRETE WALL FOOTING WHERE REQUIRED FOR PROPOSED PIPING, TYPICAL
(E)	METER VAULT	AC) (E) FINISHED WATER SAMPLE LINE		
(E)	CHEMICAL FEED VAULT				
(E)	CONTACT TANK				


(E) PRESSURE FILTER

P (E) UTILITY VAULT

W					
FM	FM	FM	D		FM
	(E) PROPER	TY LINE	· · · ·	· · · ·	
			Ð	S.	
		SD	SD	5	
	s0	· ·	- · · ·		











SCALE IN FEET


0 5 10


SITE LEGEND

$\langle 1 \rangle$	MASONRY WALL (SPLIT FACE) (SEE DETAIL 1 SHEET D-9)
$\langle 2 \rangle$	GAC VESSEL (SEE DETAIL 1, SHEET D-1)
$\langle 3 \rangle$	GAC VESSEL PAD (SEE DETAIL 1, SHEET D-1)
$\langle 4 \rangle$	BACKWASH EQUALIZATION TANK (SEE DETAIL 1, SHEET D-12)
5	16' RELOCATED ROLLING ACCESS GATE AND CONCRETE SUPPORT FOOTING (SEE DETAIL 1, SHEET D -10)
6	ACESS ROAD, DRIVE APPROACH, AND SIDEWALK (BY OTHERS)
$\langle 7 \rangle$	BOLLARD (SEE DETAIL 5, SHEET D-9)
8	SIDEWALK (SEE DETAIL 2, SHEET D-9)
9	CHEMICAL METERING PUMP (SEE DETAIL 4, SHEET D-4)
$\langle 10 \rangle$	NITRATE ANALYZER (SEE DETAIL 3 AND 4, SHEET D-3)













								These pied y to	irry f irrty,	shall g and
EGE	ND			WARNING		r.	RD SERVEC ing Gr	plans. plans. , or co are the	rovost svent o third po	s, and s gineering lefending
	COMMENT			-/w/			& PRITCHA RIGHTS RE d Engineer	in these in these d, changed ever, nor o	sent of Provenue and Provenue of Provenue	with d
E	RAW WATER FROM WELL 8			POWER LINES			VOST of ALL	rights oduced whatso	ury " nd con Jup, Inc ese plo	oup, Inc. P t. & Pritch associated
E	TREATED WATER			OVERHEAD	Know what's be Call before y	elow.	by PRC JP, INC st & P	roperty De repr Inner v	sion a sion a ing Grc of th	Provosi Provosi fees c
E E	PRIMARY INFLUENT LINE PRIMARY EFFLUENT LINE/BACKWASH					,ou uig.	HT 2024 b RING GROU	pplicable pr provide pr provide pr provide pr provide pr provide pr	d Engineeri ten permis d Engineeri rized reuse	d Engineeri e cost of F nc.'s legal g these rig
	SUPPLY SODIUM HYPOCHLORITE FEED WITH	NOT	ES			—	OPYRIG NGINEE	ans ar	ritchar nauthoi	ritchar ear the roup, li
	1/2" OD TUBING FERRIC CHLORIDE FEED WITH 1/2" OD	1.	ABOVE PER 0	E GROUND DUCTILE IRON 09 90 00.	N PIPE TO BE COATE	D	이민두 3	= to = .= 2	3757,275 2757,275	<u>د می</u> م
	TUBING ANALYZER SAMPLE LINE WITH 1/2" OD	2.	ABOVE	E GROUND MANIFOLD PIF						DATE
	TUBING SANITARY SEWER		MORTA FUSION STEEL	AR LINED DUCTILE IRON N BONDED EPOXY LINED . PIPE AND FABRICATED	PIPE AND FITTINGS AND COATED WELD	or Ed				
E	BACKWASH TO TANK	3.	ALL JO	FICATIONS. OINTS IN ABOVE GROUNI BE FLANGED OR GROO						BY
IT ((GAC POST-TREATMENT)	4.		URIED PRESSURE PIPE						
	ING POINT (GAC POST-TREATMENT)			RESTRAINED JOINTS.)24		
	OSING POINT (GAC POST-TREATMENT)						BID SET	1/2/		
	DINT (GAC PRE-TREATMENT)						BID	1/3		ISION
	GAC PRE-TREATMENT)									REVISI
	INT (GAC POST-TREATMENT)									
	INT (GAC PRE-TREATMENT)									
										No.
								NET AND	Nau-	1/31/2024
							FESSIO,	. M0.P.Z.	CIMI	ວັ] '
							OR OF	È KELLER	AT AT	DATE SIGNED:
								REGISTY	S	DATE
							├──		\top	
							CT			
						())JE(
						/	PROJECT			
						/	NO	NO		AN
					/	/	\TIC	GHS	C TREATMENT	, LAI
					20		MITIGATI	ήΗ		с С
							MIT	Ч О Г	GA(PIPING
	ΡΙΔΝ						TCP	CITY		ЪГ
AIL 2	PLAN 2 SHEET C-8				/)	WELL	
					20		8			
							WEL			
					/					
					-w/				\bot	
— FN	FM-	—— FM—		FM	/ FM		89 0	Q S	ROUP	1 15 יר
								AF 2	GRC d Con	NUE IA 9361 3/449-27 hard.com
	SD-SD-SD-SD-SD-SD-SD-SD-SD-SD-SD-SD-SD-S		5	SD	SD	SD-	EST	ЭЩ.	CONSULTING GROUP An Employee Owned Company	455 W FIR AVENUE CLOVIS, CALIFORNIA 93611 559/449-2700 FAX 559/449-2715 https://provostandpritchard.com/
				///			2	れ) oyee (455 W F VIS, CA 49-2700 //provost
								2Z	Employ	455 CLOVIS, 559/449-2 https://pro
	· · · · · · · ·			× ×				N ENGIN		
					· · · _		K	n Engin (MM SE NO:		
				/		<u> </u>	7	′5865		
				/				TED BY: JB	R	KED BY: KB
				Cel					1/31/20 2654210	
				/			PROJEC			U I
	SD		/	/ (P	PHASE:		1"
					SCALE IN FEET		ONE	GINAL SO	CALE SHO	ALE FOR
			/		JUNCE IN LEL					PLANS.
/			20				SHEET	г		
			as	0 5	10 20)	SHEET	⁻ C-5	5	
		/	05)	SHEET	⁻ C-5	5	35





		POINT TAB	LE			POINT TAB	LE		POINT TABL
	POINT #	NORTHING	EASTING		POINT #	NORTHING	EASTING	POINT #	NORTHING
	100	2043938.41	6459382.78		117	2043890.24	6459358.98	134	2043920.23
	101	2043938.41	6459436.81		118	2043916.73	6459385.93	135	2043916.73
	102	2043887.37	6459338.90	-	119	2043916.73	6459388.43	136	2043935.74
	103	2043893.42	6459338.90		120	2043916.72	6459390.48	137	2043937.74
	104	2043894.84	6459354.33		121	2043934.72	6459392.48	138	2043937.73
	105	2043906.57	6459363.27		122	2043934.72	6459428.48	139	2043839.75
138	106	2043937.81	6459363.27		123	2043898.72	6459392.48	140	2043839.75
	107	2043937.74	6459366.90		124	2043898.72	6459428.48		
	108	2043839.08	6459436.81		125	2043831.57	6459358.92		
	109	2043839.08	6459366.02		126	2043832.12	6459351.05		
	110	2043916.72	6459432.48		127	2043835.04	6459348.17		
	111	2043916.72	6459439.65		128	2043853.04	6459348.17		
	112	2043843.36	6459439.65		129	2043852.98	6459360.54		
	113	2043920.45	6459430.48		130	2043886.97	6459360.69		
	114	2043920.45	6459443.38		131	2043893.44	6459349.88		
ŮĨ <u>ĨĨĨĨĨĨĨĨĨĨĨĨĨ</u>	115	2043843.35	6459443.36		132	2043864.35	6459410.18		
	116	2043890.24	6459356.48		133	2043935.74	6459366.90		
		2010030.21	0100000.10	J		2010300.71	0100000.00		
									/
									20
									2
								/	/
							10/		
	* *				- v v		V V	/	
FM FM FM (112) FM			FM					FM	
108								ľ	
SDSD	-SD	,	SD		—_SD		-SD	SD	
(E) PROPE	RTY LINE								
							(22	
	·	· ·	· ·	·	· · _	·	·/_	/	
							2		
				9			/		
							/		
		/	SD				/		
						/	/		
	SD								
)°			
SD						/			
						/			
SD						/			
						/			



























COPYRICHT 2024 by PROVOST & PRITCHARD ENGINEERING GROUP, INC. ALL RICHTS RESERVED The firm of Provost & Pritchard Engineering Group, Inc. expressly reserves its common low copyright and other applicable property rights in these plans. These plans are not to be reproduced, changed, or copied in any form or manner whatsoever, nor are they to be assigned to a third party without first obtaining the written permission and consent of Provost & Pritchard Engineering Group, Inc. In the event of unauthorized reuse of these plans by a third party, the third party shall hold the firm of Provost & Pritchard Engineering Group, Inc. In the event of bear the cost of Provost & Pritchard Engineering Group, Inc.'s legal fees associated with defending and enforcing these rights.
BID SET 1/31/2024 REVISION BY
DATE SIGNED: 1/31/2024 No.
EST. 1968 WELL & TCP MITIGATION PROJECT PROVOST & PROVOST &
DESIGN ENGINEER: KMM LICENSE NO: 75865 DRAFTED BY: JB CHECKED BY: RKB DATE: 1/31/2024 JOB NO: 265421001 PROJECT NO: PHASE:
0 1" ORIGINAL SCALE SHOWN IS ONE INCH. ADJUST SCALE FOR REDUCED OR ENLARGED PLANS. SHEET D-3 20 OF 35



	MATERIAL LIST
ID	DESCRIPTION
	1/2"ø TYPE 6 BALL VALVE
2	3/4"ø TYPE 6 BALL VALVE
$\overline{3}$	1/2" HOSE BARB W/WORM GEAR HOSE CLAMP
4	1/2"ø TUBING
5	HOSE BARB W/ WORM GEAR HOSE CLAMP
6	3/4"ø SCH 80 PVC PIPE
$\langle 7 \rangle$	3/4"ø SCH 80 PVC TEE
8	3/4"ø SCH 80 PVC ELL
9	CHEMICAL TUBING
(10)	1-1/2"ø SCH 40 PVC PIPE
	3/4" x 1/2" REDUCER










COPYRIGHT 2024 by PROVOST & PRITCHARD ENGINEERING GROUP, INC. ALL RIGHTS RESERVED The firm of Provost & Pritchard Engineering Group, Inc. expressly reserves its common law copyright and other applicable property rights in these plans. These plans are not to be reproduced, changed, or copied in any form or manner whatsoever, nor are they to be assigned to a third party without first obtaining the written permission and consent of Provost & Pritchard Engineering Group, Inc. In the event of unauthorized reuse of these plans by a third party, the third party shall hold the firm of Provost & Pritchard Engineering Group, Inc. In the event of unauthorized reuse of these plans by a third party, the third party shall hold the firm of Provost & Pritchard Engineering Group, Inc. In the event of unauthorized reuse of these plans by a third party, the third party shall hold the firm of Provost & Pritchard Engineering Group, Inc. In the event of bear the cost of Provost & Pritchard Engineering Group, Inc. Siegal fees associated with defending and enforcing these rights.
BID SET 1/31/2024 REVISION BY
DATE SIGNED: 1/31/2024 No.
WELL 8 TCP MITIGATION PROJECT UCITY OF HUGHSON HUGHSON, CA DETAILS MISC DETAILS Sets/D-6 MISC DETAILS.dwg -Jennifer Bonild
est. 1368 BET. 1
JOB NO: 265421001 PROJECT NO: PHASE: 01" ORIGINAL SCALE SHOWN IS ONE INCH. ADJUST SCALE FOR REDUCED OR ENLARGED PLANS. SHEET D-6 23 OF 35


	IE <u>SPECIAL CONSTRUCTION REQUIRED FOR SANITARY SEWER MAIN</u> SANITARY SEWER MAINS PARALLEL TO WATER MAINS SHALL NOT BE PERMITTED IN THIS ZONE WITHOUT PRIOR WRITTEN APPROVAL FROM THE DIVISION OF DRINKING WATER AND PUBLIC WATER SYSTEM.	
В	IF THE WATER MAIN PARALLELING THE SANITARY SEWER MAIN DOES NOT MEET THE CASE 2 ZONE B REQUIREMENTS, THE SANITARY SEWER MAIN SHOULD BE CONSTRUCTED OF ONE OF THE FOLLOWING: 1. HIGH-DENSITY-POLYETHYLENE (HDPE) PIPE WITH FUSION WELDED JOINTS (PER AWWA	
	C906-99); 2. SPIRALLY-REINFORCED HDPE PIPE WITH GASKETED JOINTS (PER ASTM F-894); 3. EXTRA STRENGTH VITRIFIED CLAY PIPE WITH COMPRESSION JOINTS; 4. PVC SEWER PIPE WITH RUBBER RING JOINTS (PER ASTM D3034) OR EQUIVALENT; 5. CAST OR DUCTILE IRON PIPE WITH COMPRESSION JOINTS; OR 6. REINFORCED CONCRETE PRESSURE PIPE WITH COMPRESSION JOINTS (PER AWWA C302).	
	IF THE WATER MAIN <u>CROSSING BELOW THE SANITARY SEWER MAIN</u> DOES NOT MEET THE REQUIREMENTS FOR CASE 2 ZONE C, THE SANITARY SEWER MAIN SHOULD HAVE NO JOINTS WITHIN TEN FEET FROM EITHER SIDE OF THE WATER MAIN (IN ZONE C) AND SHOULD BE CONSTRUCTED OF ONE OF THE FOLLOWING: 1. A CONTINUOUS SECTION OF DUCTILE IRON PIPE WITH HOT DIP BITUMINOUS COATING; OR 2. ONE OF THE ZONE D OPTIONS 1, 3, 4, OR 5 BELOW.	╵┝╾
	 IF THE WATER MAIN <u>CROSSING ABOVE THE SANITARY SEWER MAIN</u> DOES NOT MEET THE CASE 2 ZONE D REQUIREMENTS, THE SANITARY SEWER MAIN SHOULD HAVE NO JOINTS WITHIN FOUR FEET FROM EITHER SIDE OF THE WATER MAIN (IN ZONE D) AND BE CONSTRUCTED OF ONE OF THE FOLLOWING: 1. HDPE PIPE WITH FUSION—WELDED JOINTS (PER AWWA C906); 2. DUCTILE IRON PIPE WITH HOT DIP BITUMINOUS COATING AND MECHANICAL JOINTS (GASKETED, BOLTED JOINTS); 3. A CONTINUOUS SECTION OF CLASS 235 (DR 18 PER AWWA C900) PVC PIPE OR EQUIVALENT, CENTERED OVER THE PIPE BEING CROSSED; 4. A CONTINUOUS SECTION OF REINFORCED CONCRETE PRESSURE PIPE (PER AWWA C302) CENTERED OVER THE PIPE BEING CROSSED; OR 5. ANY SANITARY SEWER MAIN WITHIN A CONTINUOUS SLEEVE. 	
ON	SE 2: NEW WATER MAINS INSTALLATION (FIGURES 1 AND 2) IE <u>SPECIAL CONSTRUCTION REQUIRED FOR WATER MAIN</u> NO WATER MAINS PARALLEL TO SANITARY SEWER MAINS SHALL BE CONSTRUCTED WITHOUT PRIOR WRITTEN APPROVAL FROM THE DIVISION OF DRINKING WATER.	2'
	IF THE SANITARY SEWER MAIN PARALLELING THE WATER MAIN DOES NOT MEET THE CASE 1 ZONE B REQUIREMENTS, THE WATER MAIN SHOULD BE CONSTRUCTED OF ONE OF THE FOLLOWING:	* 4
	 HDPE PIPE WITH FUSION WELDED JOINTS (PER AWWA C906); DUCTILE IRON PIPE WITH HOT DIP BITUMINOUS COATING; DIPPED AND WRAPPED ONE-FOURTH-INCH-THICK WELDED STEEL PIPE; CLASS 235 PRESSURE RATED PVC WATER PIPE (DR 18 PER AWWA C900 & C905) OR EQUIVALENT; OR REINFORCED CONCRETE PRESSURE PIPE, STEEL CYLINDER TYPE, PER AWWA (C300 OR C302 OR C303). 	
	IF THE SANITARY SEWER MAIN <u>CROSSING ABOVE THE WATER MAIN</u> DOES NOT MEET THE CASE 1 ZONE C REQUIREMENTS, THE WATER MAIN SHOULD HAVE NO JOINTS WITHIN TEN FEET FROM EITHER SIDE OF THE SANITARY SEWER MAIN (IN ZONE C) AND BE CONSTRUCTED OF ONE OF THE FOLLOWING: 1. HDPE PIPE WITH FUSION-WELDED JOINTS (PER AWWA C906); 2. DUCTILE IRON PIPE WITH HOT DIP BITUMINOUS COATING; 3. DIPPED AND WRAPPED ONE-FOURTH-INCH-THICK WELDED STEEL PIPE; 4. CLASS 235 PRESSURE RATED PVC WATER PIPE (DR 18 PER AWWA C900 & C905); OR 5. REINFORCED CONCRETE PRESSURE PIPE, STEEL CYLINDER TYPE, PER AWWA (C300 OR C301 OR C303)	<u>CASI</u> NEW SEW
	(C300 OR C301 OR C303). IF THE SANITARY SEWER MAIN <u>CROSSING BELOW THE WATER MAIN</u> DOES NOT MEET THE REQUIREMENTS FOR CASE 1 ZONE D, THE WATER MAIN SHOULD HAVE NO JOINTS WITHIN EIGHT FEET FROM EITHER SIDE OF THE SANITARY SEWER MAIN (IN ZONE D) AND SHOULD BE CONSTRUCTED AS FOR ZONE C.	9,
		ZONE B SPECIAL PIPE 6'
		NOTE: ZONE "P
		SECTION
	NOT TO SCALE	
7	WATER MAIN S	EPARATION




	9	
$\langle / / \rangle$		
\equiv	ŹÓŃĘ	Á
2	<u>SPECI</u> PERMIS	<u>ál</u> Sion
1		
ZONE E	\mathbf{X}	
SPECIAL PIPE	<u> </u>	
6'		151
	/	/ /












COPYRIGHT 2024 by PROVOST & PRITCHARD ENGINEERING GROUP. INC. ALL RICHTS RESERVED The firm of Provost & Pritchard Engineering Group, Inc. expressly reserves its common daw copyright and other applicable property rights in these plans. These plans are not to be reproduced, changed, or copied in any form or manner wholesever, nor are they to be assigned to a third party without first obtaining the writchard Engineering Group, Inc. In the event of be nouthorized reuse of these plans by a third party, the third party shall hold the firm of Provost & Pritchard Engineering Group, Inc. In the event of the third party shall hold the firm of Provost & Pritchard Engineering Group, Inc. In the event of the third party shall hold the firm of Provost & Pritchard Engineering Group, Inc. In the event of the third party shall hold the firm of Provost & Pritchard Engineering Group, Inc. In the event of the third party shall hold the firm of Provost & Pritchard Engineering Group, Inc. In the event of the firm of Provost & Provost & Pritchard Engineering Group, Inc. Is legal fees associated with defending and enforcing these rights.DATE
BID SET 1/31/2024 REVISION BY BY
DATE SIGNED: 1/31/2024
WELL 8 TCP MITIGATION PROJECT WELL 8 TCP MITIGATION PROJECT CITY OF HUGHSON CITY OF HUGHSON DETAION DETAILS MISC DETAILS dwg - Januifer Bonild
International scale shown is or inch adjust scale for inch



COPYRIGHT 2024 by PROVOST & PRITCHARD ENGINEERING GROUP, INC. ALL RIGHTS RESERVED The firm of Provost & Pritchard Engineering Group, inc. expressly reserves its common law copyright and other applicable property rights in these plans. These plans are not to be reproduced, changed, or copied in any form or manner whatsoever, nor are they to be assigned to a third party without first obtaining the written permission and consent of Provost & Pritchard Engineering Group, Inc. In the event of unauthorized reuse of these plans by a third party, the third party shall hold the firm of Provost & Pritchard Engineering Group, Inc. In the event of bear the cost of Provost & Pritchard Engineering Group, Inc.'s legal fees associated with defending and erforcing these rights.
BID SET 1/31/2024 REVISION BY
DATE SIGNED: 1/31/2024 No. 1/3/2024 No.
WELL 8 TCP MITIGATION PROJECT WELL 8 TCP MITIGATION PROJECT CITY OF HUGHSON HUGHSON, CA DETAILS DETAILS MISC DETAILS Cets/D-11 MISC DETAILS
BESIGN ENGINEER: KMM LICENSE NO: 75865 DRAFTED BY: JB DATE: 1/31/2024 JOB NO: 265421001 PROJECT NO: PHASE: 0 0 0 0 0 0 0 0 0 0 0 0 0





COPYRIGHT 2024 by PROVOST & PRITCHARD ENGINEERING GROUP, INC. ALL RIGHTS RESERVED The firm of Provost & Pritchard Engineering Group, Inc. expressly reserves its common law copyright and other applicable property rights in these plans. These plans are not to be reproduced, changed, or copied in any form or manner whatssever, ruor are they to be assigned to a third party without first obtaining the written permission and consent of Provost & Pritchard Engineering Group, Inc. In the event of unauthorized reuse of these plans by a third party, the third party shall hold the firm of Provost & Pritchard Engineering Group, Inc. harmless, and shall bear the cost of Provost & Pritchard Engineering Group, Inc.'s legal fees associated with defending and enforcing these rights.
BID SET 1/31/2024 REVISION BY
T Second Strate Second Strate Sec
WELL 8 TCP MITIGATION PROJECT CITY OF HUGHSON HUGHSON, CA DETAILS CITY DETAILS Activity Details and chanifer Badilla
BEI 131 2027 THE PROPERTY OF T

ENER	AL ELECTRIC	AL LEGEND		GEN	IERAL	ELECTRICAL	N
	CONCRETE PULL BOX —SIZE ALARM & 'D' DATA; '—T' DE	AS NOTED – LIDS AS NOTED 'P' F NOTES TRAFFIC LID	POWER, 'S' SIGNAL, 'F' FIRE	1.	OPERATIONS	LABOR, MATERIALS, TOOLS, F NECESSARY FOR THE PROPER MPLETE AND OPERATING SYST	R EXEC
	COMPRESSION FITTING U	UNTED OR ABOVE CEILING –EM NLESS NOTED ON PLANS		2.		RS LABORATORIES, INC., SHALL STANDARDS HAVE BEEN ESTABL	
	SCH 40 WITH IMC ELBO			3.		ND LOCATIONS OF EQUIPMENT OF ALL DATA IN ALL CONTRACT	
		IVE PANEL OR CABINET —BRAN ION IS A #12 WIRE CIRCUIT	CH CIRCUIT WITH	4.	CONDUCTORS	S SHALL BE COPPER CONDUCT	TORS 1
\sim	· FLEX		GROUND XX NEUTRAL	5.		ED CONDUITS SHALL BE PROVI 2, LINE VOLTAGE (50 VOLTS OI	
	TERMINAL CABINET		IRE SIZE	6.		TS SHALL BE SUPPORTED AND	
	PANEL BOARD -SEE SC	HEDULE N.I.E.S. —CONNECT AS REQUIRI	-D		SHOWING TH	COMPONENTS FOR SUSPENDED E BRACING/SUPPORT LOCATIOI	NS ANE
	,	15" A.F.F. FROM BOTTOM OF B				/ALS FOR PIPING/DUCTS/CONE AND OSHPD STAFF. THE LAYC	
⊕		+15" A.F.F. FROM BOTTOM OF				PRIOR TO STARTING INSTALLATIONS ARE SATISFIED.	ON OF
-	HALF SWITCHED DUPLEX REC	CEPTACLE +15" A.F.F. FROM BOTTOM		7.		ETRATE STRUCTURAL MEMBERS	
-	U.O.N. HALF SWITCHED QUADPLEX F BOX U.O.N.	RECEPTACLE +15" A.F.F. FROM BOTT	OM OF		SUCH MEMBE	NSENT OF THE DISTRICT'S STR ERS, NOTIFY THE DISTRICT IN CH MEMBERS.	
Ø		CLE –WALKER OR EQUAL		8.		CAL WORK SHALL CONFORM W	
\swarrow		RECEPTACLE +15" A.F.F. FROM	M BOTTOM OF BOX U.O.N.	9.		VITH N.F.P.A. STANDARDS AND	
Ē		_E +15" A.F.F. FROM BOTTOM	OF BOX LLO N	5.	BUILDING CO		
		ACLE +15" A.F.F. FROM BOTTO		10.		TING CONSTRUCTION IS CUT, E IY, AND PERFORMANCE.	DAMAGE
\bigcirc	JUNCTION BOX -4 11/	16" x 2 1/8" SQUARE OR SM	1ALL	11.		BE EXECUTED IN A CAREFUL TO OCCUPANTS OF EXISTING	
J	JUNCTION BOX -LARGER	R THAN 4 11/16" x 2 1/8" :	SQUARE	12.		SHALL ASSUME SOLE RESPO	
4	RECESSED FLOOR JUNC	FION BOX -WIREMOLD RFB4 OI	R EQUAL		ACCORDANCE	DN SITE, IN ACCORDANCE WITH E WITH THE SAFETY PROVISION	IS OF
\bigcirc 6	RECESSED FLOOR JUNC	TION BOX -WIREMOLD RFB6 OI	R EQUAL	47		ATED GENERAL CONTRACTORS	
\$	MOTOR RATED DISCONNE	ECT SWITCH				EXPOSED SURFACES AND NEW	
30-	FUSED DISCONNECT SWI	TCH —SIZE AS NOTED —30A. S	GHOWN	14.		TO COORDINATE WITH OWNER D CIRCUIT T.V., ETC.) AND AL	
3		-SIZE AS NOTED -SIZE 3 SH	OWN	15.		T SHALL BE TYPE EMT CONDU SS SPECIFICALLY NOTED ON TH	
3 30-	COMBINATION STARTER -	-SIZE AS NOTED -SIZE 3 SHC	WN	16.		EVICES SUCH AS, BUT NOT LI	
		ROLLER. WATTSTOPPER #LMPL-	-101 OR EQUAL	_	AT A MINIMU	ISTALLED IN AREAS NOT RESTF IM OF +15" AFF., AS MEASUR F., AS MEASURED FROM THE	RED FR
LECII	RICAL COMPL	IANCE NOTES		17.		ORDER PROPOSALS AND CHA BE ACCOMPANIED BY A DETAIL	
ITLE 24, CA		NS. ALL WORK PERFORMED UNDER ⁻	OPOSED BUILDING IN ACCORDANCE WITH THIS CONTRACT SHALL CONFORM TO TH		AND/OR ITEN WELL AS LAN OR EQUIVALE	M. THE BREAKDOWN SHALL ING BOR UNITS BASE UPON THE M ENT PUBLICATION FOR EACH S	CLUDE MOST R SPECIFIC
PART	FORNIA ADMINISTRATIVE CODE ((1, TITLE 24, CALIFORNIA CODE FORNIA BUILDING CODE (CBC)				REQUIRED. N	WITHIN THE GENERAL CONDITIO IATERIALS COSTS SHALL INCLU E OWNER AND CONTRACTOR A D DEDUCTIVE CHANGE ORD	JDE AC GREE
BASED	2, TITLE 24, CCR) ON THE 2018 INTERNATIONAL FORNIA ELECTRICAL CODE (CEC			18.		NEL WORKING WITH ENERGIZEI H ALL NFPA—70E AND OSHA F	
PART	3, TITLE 24, CCR ON THE 2017 NATIONAL ELEC						
2019 CALIF	FORNIA MECHANICAL CODE (CMC 4, TITLE 24, CCR					AL ABBREVIA	ΠU
BASED	O ON THE 2018 UNIFORM MECH FORNIA PLUMBING CODE (CPC)	HANICAL CODE (UMC)		Δ		ELTA CONNECTED	
PART	5, TITLE 24, CCR ON THE 2018 UNIFORM PLUM	IBING CODE (UPC)		Y O		YE CONNECTED HASE	
2019 CALIF	ON THE 2018 UNFORM PLUK FORNIA FIRE CODE (CFC) 9, TITLE 24, CCR			36	А	ND	
BASED) ON THE 2018 INTERNATIONAL 72, NATIONAL FIRE ALARM &			@ ,	A F	T EET	
	ALIFORNIA AMENDMENTS.			"		NCHES	
OR REVISION	IN EFFECT ON THE DATE OF	THE CONTRACT. NOTHING ON THE		N A AC		MPERES LTERNATING CURRENT	
REQUIRING C	OR PERMITTING WORK THAT IS (CONTRARY TO THE ABOVE LISTED CO ULATIONS WHICH MAY BE APPLICABL	DDES AND REGULATIONS, OR OTHER	AC AD	T A	BOVE COUNTERTOP/BACKSF DJACENT, ADJOINING	PLASH
				AFI AFI	D A	DJUSTABLE FREQUENCY DRI BOVE FINISHED FLOOR	IVE
	LIGHTING	FIXTURE SCHEI		AL	A	LUMINUM PPROXIMATE	
	LAMP			AR	CH A	RCHITECT	
DESIG. S	QTY/WATTS	DESCRIPTION	MANUFACTURER	AU AU		UTOMATIC UXILIARY	
	5900LM LED	RETROFIT (E) SINGLE HEAD POLE LIGHT w/(N) LED	LEOTECK AR13 48N MV NW 3 DB	ALT AW	Г A	LTERNATE MERICAN WIRE GAUGE	
	EACH HEAD	DOUBLE HEAD POLE LIGHT ON (E) POLE & BASE.	060 MSL3 RPA	В	В	ARE	

NOTES

PLANT EQUIPMENT, TRANSPORTATION AND ALL PERFORM ALL PER EXECUTION AND COMPLETION OF ALL ELECTRICAL WORK REQUIRED YSTEMS AS OUTLINED WITHIN THE SCOPE OF WORK.

HALL MEET THEIR REQUIREMENTS AND SHALL BEAR THEIR LABEL TABLISHED AND LABEL SERVICE IS REGULARLY FURNISHED BY THAT

ENT ARE SHOWN TO SCALE WHEREVER POSSIBLE, CONTRACTOR SHALL RACT DOCUMENTS AND VERIFY THIS INFORMATION AT THE SITE.

DUCTORS TYPE AS NOTED ON CONSTRUCTION DOCUMENTS.

ROVIDED BY E.C. LOW VOLTAGE WIRING SHALL BE BY MECHANICAL S OR MORE) SHALL BE BY ELECTRICAL CONTRACTOR.

AND BRACED PER OPM #OPM-0052-13, THE "B-LINE/TOLCO SEISMIC DED UTILITIES" FOR PIPES AND CONDUITS ONLY. LAYOUT DRAWINGS, ATIONS AND REFERENCES TO DETAILS FROM THE RELEVANT OSHPD CONDUITS EXCEPT FIRE SPRINKLERS, NEED TO BE SUBMITTED FOR USE AYOUT DRAWINGS NEED TO BE REVIEWED AND ACCEPTED BY THE AOR LATION OF THE BRACING/SUPPORT. IOR SHALL ENSURE THE ABOVE

BERS, INCLUDING BEAMS, COLUMNS, OR FOOTINGS, WITHOUT PRIOR STRUCTURAL ENGINEER. SHOULD IT BECOME NECESSARY TO PENETRATE IN WRITING WITHOUT DELAY, PRIOR TO PROCEEDING WITH CONSTRUCTION

WITH THE 2019 CALIF. ELECTRICAL CODE CALIFORNIA TITLE 17, 19 & AND THE STATE FIRE MARSHAL'S REQUIREMENTS.

REQUIREMENTS OF STATE & GOVERNING LOCAL FIRE CODES AND

, DAMAGED, OR REMODELED, PATCH WITH MATERIALS TO MATCH IN

FUL AND ORDERLY MANNER WITH THE LEAST POSSIBLE DISTURBANCE TO NG BUILDING.

SPONSIBILITY FOR SAFETY OF ALL PERSONS ON OR ABOUT THE WITH APPLICABLE LAWS AND CODES. GUARD ALL HAZARDS IN SIONS OF THE LATEST MANUAL OF ACCIDENT PREVENTION PUBLISHED BY RS OF AMERICA.

NEW EQUIPMENT AFTER COMPLETION.

NERS VENDORS (SUCH AS, BUT NOT LIMITED TO: SECURITY, PHONES, ALLOW ACCESS TO THE CONSTRUCTION SITE.

NDUIT UNLESS OTHERWISE NOTED. TYPE MC CABLE SHALL NOT BE I THE CONSTRUCTION DOCUMENTS.

T LIMITED TO, TELE/DATA OUTLETS, RECEPTACLE OUTLETS AND LIGHT ESTRICTED TO AUTHORIZED MAINTENANCE PERSONAL SHALL BE MOUNTED SURED FROM THE BOTTOM OF THE DEVICE OUTLET BOX, AND MAXIMUM THE TOP OF THE DEVICE OUTLET BOX.

CHANGE ORDERS, BOTH ADDITIVE AND DEDUCTIVE, SHALL BE BASED TAILED MATERIALS AND LABOR BREAKDOWN FOR EACH SPECIFIC TASK . INCLUDE ACTUAL MATERIALS COSTS PLUS OVERHEAD AND PROFIT, AS MOST RECENT NECA MANUAL OF LABOR UNITS (NECA INDEX #4090) SPECIFIC TASK AND ITEM. LABOR COSTS SHALL BE COMPUTED AS NITIONS, BASED UPON THE NECA LABOR TABLES FOR EACH TASK CLUDE ACTUAL CONTRACTOR INVOICE PLUS NO MORE THAN 15% AGREE TO THE ABOVE CHANGE ORDER COST PROCEDURE, FOR BOTH ORDERS.

JZED EQUIPMENT WITHIN THE RESTRICTED ZONE PER NFPA-70E SHALL HA REQUIREMENTS AND BE ARC FLASH SAFETY CERTIFIED.

EOL END OF LINE

IATIONS

BACKBOARD

BREAKER

BUILDING

CABINET

BARE COPPER GROUND

CONDUIT OR CONTRACTOR

BC


BKBD

BRKR


BLDG

С

CAB




ASH E	CATVCABLE TELEVISIONCKTCIRCUITCLGCEILINGCOCONDUIT ONLYCOMMCOMMUNICATIONCONCCONCRETECONCCONCRETECONTCONTINUATION (CONCORD)COORDCOORDINATECRCONTROL RELAYCTCURRENT TRANSCOMPCOMPRESSORCUCOPPERDCDIRECT CURRENTDETDETAIL	CEILING CONDUIT ONLY COMMUNICATION CONCRETE CONCRETE CONNECT CONTINUATION OR CONTINUED COORDINATE CONTROL RELAY CURRENT TRANSFORMER COMPRESSOR COPPER DIRECT CURRENT DETAIL DISCONNECT	ENCL EP EQUIP ETC EVAP (F) FA FACP FAT FIXT FLA FLEX FLUOR FS FOR FT	ENCLOSURE EXPLOSION PROOF EQUIPMENT ET CETERA EVAPORATOR FUTURE FIRE ALARM FIRE ALARM CONTROL PANEL FIRE ALARM TERMINAL CABINET FIRE ALARM TERMINAL CABINET FIXTURE FULL LOAD AMPS FLEXIBLE FLUORESCENT FLOW SWITCH FORWARD-OFF-REVERSE FEET	IDF INCAN IDC IN INST J KV KVA KW L LB LF LOS LOH LV	INTERMEDIATE DISTRIBUTION FRAME INCANDESCENT INITIATING DEVICE CIRCUIT INCHES INSTANTANEOUS JUNCTION BOX KILOVOLTS KILOVOLT AMPERES KILOWATTS LINE ELBOW LINEAR FEET LOCKOUT-STOP LOCK-OFF-HALT LOW VOLTAGE	MIN MPOE MSB N (N) NA NAC NC NIES NIC NO., # NO NL OC OH	NORMALLY C NIGHT LIGHT ON CENTER OVERHEAD
	DET DISC DIST DSA DWG (E), EXIST EC EL, ELEV EL ELECT EMS EMT							OVERHEAD THERMAL O OVER TEMP OFFICE OF PLANNING PUBLIC ADI PULL BOX PANEL PHASE PAIR PRIMARY





CONDUIT & CABLE SCHEDULE CONDUIT ID# FROM L 000 (E) PANEL AND (E) MCC L 001 L 001 AND (E) MCC L 001 L 001 B (N) N16 PULL BOX L 002 A (E) N30 PULL BOX L 002 A (E) N30 PULL BOX L 002 B (N) N16 PULL BOX L 002 C J BOX @ GAC FIT/FE-8-1A H 001 A (E) N30 PULL BOX H 001 H (N) N16 PULL BOX H 001 H (N) N16 PULL BOX H (O1 H (N) POWER J BOX @ MOTORIZED VALVES H (O1 </th <th>TO (E) N30 PULL BOX (N) N16 PULL BOX (N) J BOX @ GAC FIT/FE-8-2A (N) J BOX @ GAC FIT/FE-8-2B (N) N16 PULL BOX (N) J BOX @ GAC FIT/FE-8-1A (N) J BOX @ GAC FIT/FE-8-1B (N) N16 PULL BOX (N) N16 PULL BOX (N) POWER J BOX @ MOTORIZED VALVES (N) POWER J BOX @ V-8-04 MOTORIZED VALVE (N) POWER J BOX @ V-8-05 MOTORIZED VALVE (N) POWER J BOX @ V-8-06 MOTORIZED VALVE</th> <th>$\begin{array}{c ccccccccccccccccccccccccccccccccccc$</th> <th>#12 #12 F #12 #12 F #12 #12 [#12 #12 [#12 #12 [#12 #12 [#12 #12 [#12 #12 [#12 #12 [#12 #12 [#12 #12 [#12 #12 [#12 #12 [#12 #12 [#12 #12 [#12 #12 [#12 #12 [#12 #12 [#12 #12 [</th> <th>IOTES ROM (E) PANEL "A" CKT. 35 THRU (E) RACEWAY ROM (E) SPARE 20A/3P BREAKER IN (E) MCC THRU (E) 1" FROM (E) PANEL A 1][2][3] PANEL "A" CKT.35 2][3] CONNECT (N) 3-POLE MOTOR RATED SWITCH @ MOTORIZED VALVE 2][3] CONNECT (N) 3-POLE MOTOR RATED SWITCH @ MOTORIZED VALVE 2][3] CONNECT (N) 3-POLE MOTOR RATED SWITCH @ MOTORIZED VALVE 2][3] CONNECT (N) 3-POLE MOTOR RATED SWITCH @ MOTORIZED VALVE 2][3] CONNECT (N) 3-POLE MOTOR RATED SWITCH @ MOTORIZED VALVE</th> <th>MARNING Monoration Marning Monoration</th>	TO (E) N30 PULL BOX (N) N16 PULL BOX (N) J BOX @ GAC FIT/FE-8-2A (N) J BOX @ GAC FIT/FE-8-2B (N) N16 PULL BOX (N) J BOX @ GAC FIT/FE-8-1A (N) J BOX @ GAC FIT/FE-8-1B (N) N16 PULL BOX (N) N16 PULL BOX (N) POWER J BOX @ MOTORIZED VALVES (N) POWER J BOX @ V-8-04 MOTORIZED VALVE (N) POWER J BOX @ V-8-05 MOTORIZED VALVE (N) POWER J BOX @ V-8-06 MOTORIZED VALVE	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	#12 #12 F #12 #12 F #12 #12 [#12 #12 [#12 #12 [#12 #12 [#12 #12 [#12 #12 [#12 #12 [#12 #12 [#12 #12 [#12 #12 [#12 #12 [#12 #12 [#12 #12 [#12 #12 [#12 #12 [#12 #12 [#12 #12 [IOTES ROM (E) PANEL "A" CKT. 35 THRU (E) RACEWAY ROM (E) SPARE 20A/3P BREAKER IN (E) MCC THRU (E) 1" FROM (E) PANEL A 1][2][3] PANEL "A" CKT.35 2][3] CONNECT (N) 3-POLE MOTOR RATED SWITCH @ MOTORIZED VALVE 2][3] CONNECT (N) 3-POLE MOTOR RATED SWITCH @ MOTORIZED VALVE 2][3] CONNECT (N) 3-POLE MOTOR RATED SWITCH @ MOTORIZED VALVE 2][3] CONNECT (N) 3-POLE MOTOR RATED SWITCH @ MOTORIZED VALVE 2][3] CONNECT (N) 3-POLE MOTOR RATED SWITCH @ MOTORIZED VALVE	MARNING Monoration Marning Monoration
C 001 E (N) FOWER 0 BOX @ MOTORIZED VALVES C 000 (E) PANEL "CP" C 001 A (E) N30 PULL BOX C 001 B (N) N16 PULL BOX C 001 C J BOX @ GAC FIT/FE-8-2A C 001 D (N) N16 PULL BOX C 002 A (E) N30 PULL BOX C 002 A (E) N30 PULL BOX C 002 B (N) N16 PULL BOX C 002 C J BOX @ GAC FIT/FE-8-1A C 002 C J BOX @ GAC FIT/FE-8-1A C 003 A (E) N30 PULL BOX C 003 A (E) N30 PULL BOX C 003 B (N) N16 PULL BOX C 003 B (N) N16 PULL BOX C 003 B (N) SIGNAL J BOX @ MOTORIZED VALVES C 003 C (N) SIGNAL J BOX @ MOTORIZED VALVES C 003 E (N) SIGNAL J BOX @ MOTORIZED VALVES NOTES: NOTES: E E <td> (N) FOWER & BOX @ V=0=000 MOTORIZED VALVE (E) N16 PULL BOX (N) J BOX @ GAC FIT/FE=8=2A (N) J BOX @ GAC FIT/FE=8=2B (N) J BOX @ GAC PDIT=01 (N) N16 PULL BOX (N) J BOX @ GAC FIT/FE=8=1A (N) J BOX @ GAC FIT/FE=8=1B (N) N16 PULL BOX (N) N16 PULL BOX (N) N16 PULL BOX (N) SIGNAL J BOX @ MOTORIZED VALVES (N) SIGNAL J BOX @ V=8=05 MOTORIZED VALVE (N) SIGNAL J BOX @ V=8=06 MOTORIZED VALVE (N) SIGNAL J BOX @ V=8=06 MOTORIZED VALVE </td> <td>$\begin{array}{c ccccccccccccccccccccccccccccccccccc$</td> <td>5 2c/16 STP [3 2c/16 STP [2 2c/16 STP [1 2c/16 STP [1 2c/16 STP [2 2c/16 STP [1 2c/16 STP [2 2c/16 STP [2 2c/16 STP [2 2c/16 STP [</td> <td>1][2][3](E) SPARE RACEWAY FROM (E) "CP" 1][2][3](N) CABLE THRU (E) & (N) RACEWAY FROM (E) "CP" 1][2][3](N) CABLE THRU (E) & (N) RACEWAY FROM (E) "CP" 1][2][3](N) CABLE THRU (E) & (N) RACEWAY FROM (E) "CP" 1][2][3](N) CABLE THRU (E) & (N) RACEWAY FROM (E) "CP" 1][2][3](N) CABLE THRU (E) & (N) RACEWAY FROM (E) "CP" 1][2][3](N) CABLE THRU (E) & (N) RACEWAY FROM (E) "CP" 1][2][3](N) CABLE THRU (E) & (N) RACEWAY FROM (E) "CP" 1][2][3](N) CABLE THRU (E) & (N) RACEWAY FROM (E) "CP" 1][2][3](N) CABLE THRU (E) & (N) RACEWAY FROM (E) "CP" 1][2][3](N) CABLE THRU (E) & (N) RACEWAY FROM (E) "CP" 1][2][3](N) CABLE THRU (E) & (N) RACEWAY FROM (E) "CP" 1][2][3](N) CABLE THRU (E) & (N) RACEWAY FROM (E) "CP" 1][2][3](N) CABLE THRU (E) & (N) RACEWAY FROM (E) "CP" 2] 3] 3] 3] 3] 3]</td> <td>No. REVISION</td>	 (N) FOWER & BOX @ V=0=000 MOTORIZED VALVE (E) N16 PULL BOX (N) J BOX @ GAC FIT/FE=8=2A (N) J BOX @ GAC FIT/FE=8=2B (N) J BOX @ GAC PDIT=01 (N) N16 PULL BOX (N) J BOX @ GAC FIT/FE=8=1A (N) J BOX @ GAC FIT/FE=8=1B (N) N16 PULL BOX (N) N16 PULL BOX (N) N16 PULL BOX (N) SIGNAL J BOX @ MOTORIZED VALVES (N) SIGNAL J BOX @ V=8=05 MOTORIZED VALVE (N) SIGNAL J BOX @ V=8=06 MOTORIZED VALVE (N) SIGNAL J BOX @ V=8=06 MOTORIZED VALVE 	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	5 2c/16 STP [3 2c/16 STP [2 2c/16 STP [1 2c/16 STP [1 2c/16 STP [2 2c/16 STP [1 2c/16 STP [2 2c/16 STP [2 2c/16 STP [2 2c/16 STP [1][2][3](E) SPARE RACEWAY FROM (E) "CP" 1][2][3](N) CABLE THRU (E) & (N) RACEWAY FROM (E) "CP" 1][2][3](N) CABLE THRU (E) & (N) RACEWAY FROM (E) "CP" 1][2][3](N) CABLE THRU (E) & (N) RACEWAY FROM (E) "CP" 1][2][3](N) CABLE THRU (E) & (N) RACEWAY FROM (E) "CP" 1][2][3](N) CABLE THRU (E) & (N) RACEWAY FROM (E) "CP" 1][2][3](N) CABLE THRU (E) & (N) RACEWAY FROM (E) "CP" 1][2][3](N) CABLE THRU (E) & (N) RACEWAY FROM (E) "CP" 1][2][3](N) CABLE THRU (E) & (N) RACEWAY FROM (E) "CP" 1][2][3](N) CABLE THRU (E) & (N) RACEWAY FROM (E) "CP" 1][2][3](N) CABLE THRU (E) & (N) RACEWAY FROM (E) "CP" 1][2][3](N) CABLE THRU (E) & (N) RACEWAY FROM (E) "CP" 1][2][3](N) CABLE THRU (E) & (N) RACEWAY FROM (E) "CP" 1][2][3](N) CABLE THRU (E) & (N) RACEWAY FROM (E) "CP" 2] 3] 3] 3] 3] 3]	No. REVISION
 [1] = PROVIDE CONDUCTOR/CABLES IN ALL CONDUITS [2] = CONDUIT BELOW GRADE MAY BE PVC SCH40 [3] = PROVIDE LFAC CONNECTION W/SS FITTINGS [4] = STUB & CAP +6"AFF 	24" COVER SEE PLANS FEEDER TYPICAL PLANS SCH. 44 SIZE AS 1/2"X 1/2"X 1 GALV. WWF ROD SCREEN	DOWN BOLTS LABEL COVER	ELLS & RISERS ERIES OR EQUAL SSARY TO RAISE AND OTHER	PAVING BASE PER CIVIL- TYPICAL AT PAVED AREAS FINISHED GRADE FINISHED GRADE FINISHED GRADE GRADE FINISHED GRADE FINISHED GRADE GRADE HUNSHED GRADE FINISHED GRADE GRADE HUNSHED GRADE GRADE HUNSHED GRADE GRADE HUNSHED GRADE GRADE HUNSHED GRADE GRADE HUNSHED GRADE GRADE HUNSHED GRADE HUNSHED GRADE	



ND SWITCH/PILOT DEVICE ADA/HMI ACTION TAG	NO LOCAL-OFF- NO TEMOTE (LOR)	(ds) dols HSSP HASP	HSST HAST	HAND-OFF-AUTO (HOA) VOHYH	(00) NO-LLON HSOO HAOO	HSSEL HASEL	Close (osc) HSOSC HAOSC	PLRAI - dTOH-N-N-NOTO DOC BEN-HOLD- HSJHC HAJHC	A IDE - OTTO-AUTO-AUTO-AUTO-AUTO-AUTO-AUTO-AUTO-	LINIFIC Intervention Intervention HALS	ATION Solocopen-Jog Close (Jouc) HSJOJC HAJOJC		YS SC IVANUALI IVANUAL	HEDUL LEVEL RATE- LEVEL RATE HSELK HAELK HAELK	L B B B B B B B B B B B B B B B B B B B	(H) HOIH-MOT HSLH HALH	HSRST HARST	SPEED (SPD) HSSPD HASPD	HASS START-STOP (SS)	(EST) EMERGENCY HSEST HAEST	(d/g) BYPASS HSBAD HABAD	H H LEAD-LAG- STANDBY (LLS)	HSRDY HARDY	(SOd) NOLLISOd HSPOS HAPOS
					1				INSTR			TIFICAT	ION LE	TTERS	SCHE	DULE							1 1	
	-	IER, COMBUST DUCTIVITY ITY		AE BE CE DE FE	AT AT DT CT DT FT	AIT BIT CIT DIT FIT	AI BI CI DI FI	AR BR CR DR FR	AC BC CC DC FC	AIC DIC DIC FIC	ARC CONTROLLER BRC CRC DRC DRC FRC	HOLINS AS BS CS DS FS	ASLL ASLL CSLL DSLL FSLL	HOLING ASL BSL CSL DSL FSL	HOLHSH HOLHSH ASH ASH BSH CSH DSH FSH	HOIH-HOIH HOLINS ASHH BSHH CSHH DSHH FSHH	ASHL CSHL DSHL FSHL	MOT-MOT WAVTV AALL BALL CALL DALL FALL	AAL BAL CAL DAL FAL	AAH BAH CAH DAH FAH	H H H H H H H H H H H H H H H H H H H	ALVE	EG FG	AL AL CL DL FL
	G GAUG I CURR				IT	IIT	FFI	IR	IC	FFC IIC	FFIC IRC	IS	FFS	ISL	ISH	ISHH		IALL	IAL	IAH	IAHH			FFL
		- Ture, humidii		LE	LT MT	LIT MIT	KI LI MI	KR LR MR	KC LC MC	KIC LIC MIC	KRC LRC MRC	KS LS MS	KSLL LSLL MSLL	KSL LSL MSL	KSH LSH MSH	KSHH LSHH MSHH		KALL LALL MALL	KAL LAL MAL	KAH LAH MAH	KAHH LAHH MAHH	KCV LCV	LG	KL LL ML
	P PRES	SURE DIFFERE		PE QE	PT QT	PIT QIT	PI PDI QI	PR PDR QR	PC PDC	PIC PDIC	PRC PDRC	PS PDS QS	PSLL PDSLL QSLL	PSL PDSL QSL	PSH PDSH QSH	PSHH PDSHH QSHH	PSHL	PALL PDALL QALL	PAL PDAL QAL	PAH PDAH QAH	PAHH PDAHH QAHH	PCV PDCV		PL PDL
	TD TEMP		ERENTIAL	SE TE	ST TT TDT	SIT TIT TDIT	SI TI TDI UI	SR TR TDR UR	SC TC TDC UC	SIC TIC TDIC UIC	SRC TRC TDRC URC	SS TS TDS US	SSLL TSLL TDSLL	SSL TSL TDSL	SSH TSH TDSH	SSHH TSHH TDSHH	TSHL	SALL TALL TDALL	SAL TAL TDAL	SAH TAH TDAH	SAHH TAHH TDAHH	TCV TDCV		TL TDL UL
	V VISCO W WEIGH)SITY		VE WE XE	VT WT XT	VIT WIT XIT	VI WI XI	VR WR XR	VC XC	VIC XIC	VRC VRC XRC	VS VS XS XVS	VSLL WSLL XSLL	VSL WSL XSL	VSH WSH XSH XVSH	VSHH WSHH XSHH XVSHH		VALL WALL XALL	VAL WAL XAL	VAH WAH XAH	VAHH WAHH XAHH XVAHH	XCV	XG	VL VL WL XL XVL
GENERAL P	XV VIBRA Y STATL Z POSIT	ATION JS FION		XVE ZE	ZT RAM S			XVR			SCRIPTION	ZS	DESCRIPTION			IT DEV						FIELD (4)	DESCRIPTION	YL ZL
	Y STATU Z POSIT	ATION JS FION	HMI (HU PILOT L	XVE ZE T DIAGI JMAN MACHIN IGHT ED, A =AMBE	XVT ZT RAM S	YMBOI	YI ZI	XVR				ZS SYMBOL [(1) (3) (4) (2) (4)	(1) TAG (2) LOOP (3) FUNC ⁻ (4) DESCF	FIELDS		FIELD (1)		FIELD (2)	DESCRIPTION ACTION ALARM NUM =NUME SET =SET STATUS	SYMBO N FIELD (3) BER	DLS	FIELD (4)	DESCRIPTION	YL ZL
N R 1C		ATION JS FION	HMI (HU PILOT L R =RE	XVE ZE T DIAGI JMAN MACHIN IGHT ED, A =AMBE	XVT ZT RAM S	YMBOI	<u>YI</u> ZI -S HMI ХХ	XVR		SCA	ADA/HMI	ZS SYMBOL (1) (3) (4) (2) (5) (1) (3) (4) (3) (4) (4) (5) (3) (4) (4) (5) (5) (3) (4) (5) (5) (5) (5) (5) (5) (5) (5) (5) (5	(1) TAG (2) LOOP (3) FUNC ⁻ (4) DESCF (5) DESCF (1) TAG (2) LOOP (3) FUNC ⁻ (4) DESCF	FIELDS	TRUMEN DESCRIPTION I SEE INSTRUME DPERATOR DENTIFICATION	FIELD (1) NT & LETTERS	DESCRIPTION	FIELD (2) N NUMBER	DESCRIPTION ACTION ALARM NUM =NUME SET =SET	SYMBO SYMBO N FIELD (3) BER POINT	LS DESCRIPTION	FIELD (4)		YL ZL
IC		ATION JS FION	HMI (HU PILOT L R =RE FLOWME BLOWER	XVE ZE T DIAGI JMAN MACHIN IGHT ED, A =AMBE TER X/FAN	XVT ZT RAM S	YMBOI	YI ZI -S HMI XX ₩ ₩			SCA MCC ELE	ADA/HMI	$ \begin{array}{c c} \hline ZS \\ \hline \hline \\ \hline \\$	 TAG LOOP FUNC⁻ FUNC⁻ DESCF DESCF TAG LOOP FUNC⁻ FUNC⁻ LOOP FUNC⁻ LOCAT TAG LOOP FUNC⁻ LOOP FUNC⁻ LOOP FUNC⁻ LOOP FUNC⁻ LOOP FUNC⁻ FUNC⁻ FUNC⁻ FUNC⁻ FUNC⁻ FUNC⁻ FUNC⁻ FUNC⁻ FUNC⁻ 	FIELDS	TRUMEN DESCRIPTION DESCRIPTION DESCRIPTION DESCRIPTION DESCRIPTION DESCRIPTION DESCRIPTION DESCRIPTION	T DE FIELD (1) NT & LETTERS NT & LETTERS	DESCRIPTION IDENTIFICATIOI PER PLANS IDENTIFICATIOI PER PLANS	FIELD (2) N NUMBER	DESCRIPTION ACTION ALARM NUM =NUME SET =SET STATUS TREND ACTION ALARM NUM =NUME SET =SET STATUS LCP =LOCAL PANEL MCC =MOTO CENTE VCP =VENDO	SYMBO SYMBO N FIELD (3) BER POINT BER POINT CONTROL CONTROL R CONTROL R OR/3RD	DESCRIPTION	FIELD (4)	DESCRIPTION	YL ZL
HEET # (1) (2)		ATION JS FION	HMI (HU PILOT L R =RE FLOWME BLOWER VERTICA	XVE ZE T DIAGI JMAN MACHIN IGHT ED, A =AMBE TER	XVT ZT RAM S	YMBOI	YI ZI ■ HMI ★ ★			SCA MCC CON ELE OPE ACC INS ⁻ PRII	ADA/HMI	$ \begin{array}{c c} \hline ZS \\ \hline \hline \\ \hline \\$	(1) TAG (2) LOOP (3) FUNC ⁻ (4) DESCF (5) DESCF (1) TAG (2) LOOP (3) FUNC ⁻ (4) DESCF (5) LOCAT (1) TAG (2) LOOP (3) FUNC ⁻ (4) DESCF (5) DESCF (1) TAG (2) LOOP (3) FUNC ⁻ (1) TAG (2) LOOP (3) FUNC ⁻ (4) DESCF (3) FUNC ⁻ (4) DESCF	FIELDS	DESCRIPTION DESCRIPTION DESCRIPTION DESCRIPTION DENTIFICATION SCHEDULE DERATOR DENTIFICATION SCHEDULE DERATOR DENTIFICATION SCHEDULE	T DE FIELD (1) NT & LETTERS NT & LETTERS	DESCRIPTION IDENTIFICATION PER PLANS IDENTIFICATION PER PLANS IDENTIFICATION PER PLANS	FIELD (2)	DESCRIPTION ACTION ALARM NUM =NUME SET =SET STATUS TREND ACTION ALARM NUM =NUME SET =SET STATUS LCP =LOCAL PANEL MCC =MOTO CENTE VCP =VENDO	SYMBO SYMBO N FIELD (3) BER POINT BER POINT CONTROL R CONTROL R CONTROL	DESCRIPTION DESCRIPTION	FIELD (4)	DESCRIPTION	YL ZL
$H = \frac{1}{\sqrt{1}} \frac{1}{$		ATION JS FION	HMI (HU PILOT L R =RE FLOWME BLOWER VERTICA CENTRIF	XVE ZE T DIAGI JMAN MACHIN IGHT ED, A =AMBE TER X/FAN L PUMP	XVT ZT RAM S IE INTERFACE IR, G = GREE	YMBOI	YI ZI -S HMI XX ₩ ₩			SCA SCA MCC CON ELE OPE ACC INS [*] PRII ELE OPE	ADA/HMI	$\begin{array}{c c} ZS \\ \hline \\ $	(1) TAG (2) LOOP (3) FUNC ⁻ (4) DESCF (5) DESCF (1) TAG (2) LOOP (3) FUNC ⁻ (4) DESCF (5) LOCAT (1) TAG (2) LOOP (3) FUNC ⁻ (4) DESCF (1) TAG (2) LOOP (3) FUNC ⁻ (4) DESCF (1) TAG (2) LOOP (3) FUNC ⁻ (4) DESCF (1) TAG (2) LOOP (3) FUNC ⁻ (4) DESCF (1) TAG (2) LOOP (3) FUNC ⁻ (4) DESCF	FIELDS	TRUMEN DESCRIPTION I DESCRIPTION I DESCRIPTION DENTIFICATION SCHEDULE DERATOR DENTIFICATION SCHEDULE DENTIFICATION SCHEDULE DENTIFICATION SCHEDULE	T DE FIELD (1) NT & LETTERS LETTERS LETTERS	DESCRIPTION IDENTIFICATION PER PLANS IDENTIFICATION PER PLANS IDENTIFICATION PER PLANS IDENTIFICATION PER PLANS	FIELD (2)	DESCRIPTION ACTION ALARM NUM =NUME SET =SET STATUS TREND ACTION ALARM NUM =NUME SET =SET STATUS LCP =LOCAL PANEL MCC =MOTO CENTE VCP =VENDO PARTY INSTRUMENT	SYMBO SYMBO STR POINT BER POINT CONTROL CONTROL READING READING	DESCRIPTION DESCRIPTION DESCRIPTION DESCRIPTION	FIELD (4)	DESCRIPTION	YL ZL
N $ -$		ATION JS FION	HMI (HU PILOT L R =RE FLOWME BLOWER VERTICA CENTRIF	XVE ZE T DIAGI JMAN MACHIN IGHT ED, A =AMBE TER X/FAN L PUMP	XVT ZT RAM S IE INTERFACE IR, G = GREE	YMBOI				SCA SCA MCC CON ELE OPE ACC INS [*] PRII ELE OPE ACC INS [*] PRII ELE OPE ACC	ADA/HMI		(1) TAG (2) LOOP (3) FUNC [*] (4) DESCF (5) DESCF (1) TAG (2) LOOP (3) FUNC [*] (4) DESCF (1) TAG (2) LOOP (3) FUNC [*] (4) DESCF (1) TAG (2) LOOP (3) FUNC [*] (4) DESCF (1) TAG (2) LOOP (3) FUNC [*] (4) DESCF (1) TAG (2) LOOP (3) FUNC [*] (4) DESCF (1) TAG (2) LOOP (3) FUNC [*] (4) DESCF (1) TAG (2) LOOP (3) FUNC [*] (4) DESCF (1) TAG (2)	FIELDS	TRUMEN DESCRIPTION I DESCRIPTION I DESCRIPTION I DENTIFICATION SCHEDULE DERATOR DENTIFICATION SCHEDULE DEE INSTRUME DENTIFICATION SCHEDULE DENTIFICATION SCHEDULE DENTIFICATION SCHEDULE	T DE FIELD (1) NT & LETTERS LETTERS NT LETTERS NT LETTERS NT LETTERS	DESCRIPTION IDENTIFICATION PER PLANS IDENTIFICATION PER PLANS IDENTIFICATION PER PLANS IDENTIFICATION PER PLANS	FIELD (2)	DESCRIPTION ACTION ALARM NUM =NUME SET =SET STATUS TREND ACTION ALARM NUM =NUME SET =SET STATUS LCP =LOCAL PANEL MCC =MOTO CENTE VCP =VENDO PARTY INSTRUMENT VALUE/TYPE	SYMBO SYMBO STREED (3) BER POINT BER POINT CONTROL READING READING	DESCRIPTION DESCRIPTION DESCRIPTION DESCRIPTION DESCRIPTION	FIELD (4)	DESCRIPTION DESCRIPTION DESCRIPTION DESCRIPTION	YL ZL
N $ \begin{array}{c} $		ATION JS FION	HMI (HU PILOT L R =RE FLOWME BLOWER VERTICA CENTRIF	XVE ZE T DIAGI JMAN MACHIN IGHT ED, A =AMBE TER X/FAN L PUMP	XVT ZT RAM S IE INTERFACE IR, G = GREE	YMBOI				SCA SCA MCC CON ELE OPE ACC INS [*] PRII ELE OPE ACC INS [*] PRII ELE OPE ACC INS [*] PRII ELE OPE ACC	ADA/HMI	$ \begin{array}{c c} \hline ZS \\ \hline \hline \\ \hline \\$	(1) TAG (2) LOOP (3) FUNC [*] (4) DESCF (5) DESCF (1) TAG (2) LOOP (3) FUNC [*] (4) DESCF (1) TAG (2) LOOP (3) FUNC [*] (4) DESCF (1) TAG (2) LOOP (3) FUNC [*] (4) DESCF (1) TAG (2) LOOP (3) FUNC [*] (4) DESCF (1) TAG (2) LOOP (3) FUNC [*] (4) DESCF (1) TAG (2) LOOP (3) FUNC [*] (4) DESCF (1) TAG (2) LOOP (3) FUNC [*] (4) DESCF (1) TAG (2)	FIELDS	TRUMEN DESCRIPTION I DESCRIPTION I DESCRIPTION I DENTIFICATION DENTIFICATION SCHEDULE DEE INSTRUME DENTIFICATION SCHEDULE DEE INSTRUME DENTIFICATION SCHEDULE DEE INSTRUME DENTIFICATION SCHEDULE	IT DE FIELD (1) NT & LETTERS LETTERS NT & LETTERS NT LETTERS NT LETTERS NT LETTERS NT LETTERS	DESCRIPTION IDENTIFICATION PER PLANS IDENTIFICATION PER PLANS IDENTIFICATION PER PLANS IDENTIFICATION PER PLANS	FIELD (2)	DESCRIPTION ACTION ALARM NUM =NUME SET =SET STATUS TREND ACTION ALARM NUM =NUME SET =SET STATUS LCP =LOCAL PANEL MCC =MOTO CENTE VCP =VENDO PARTY INSTRUMENT VALUE/TYPE	SYMBO SYMBO SYMBO STR OR/3RD CONTROL READING READING	LS DESCRIPTION DESCRIPTION DESCRIPTION DESCRIPTION DESCRIPTION DESCRIPTION	FIELD (4)	DESCRIPTION DESCRIPTION DESCRIPTION DESCRIPTION DESCRIPTION	YL ZL
N H = H H = H H H H H H H H		ATION JS FION	HMI (HU PILOT L R =RE FLOWME BLOWER VERTICA CENTRIF	XVE ZE T DIAGI JMAN MACHIN IGHT ED, A =AMBE TER X/FAN L PUMP	XVT ZT RAM S IE INTERFACE IR, G = GREE	YMBOI				SCA SCA MCC MCC CON ELE OPE ACC INS ^T PRII ELE OPE ACC INS ^T PRII ELE OPE ACC INS ^T PRII ELE OPE ACC INS ^T PRII ELE OPE ACC	ADA/HMI		(1) TAG (2) LOOP (3) FUNC ¹ (4) DESCF (5) DESCF (1) TAG (2) LOOP (3) FUNC ¹ (4) DESCF (5) LOCAT (1) TAG (2) LOOP (3) FUNC ¹ (4) DESCF (1) TAG (2) LOOP (3) FUNC ¹ (4) DESCF (1) TAG (2) LOOP (3) FUNC ¹ (4) DESCF (1) TAG (2) LOOP (3) FUNC ¹ (4) DESCF (1) TAG (2) LOOP (3) FUNC ¹ (4) DESCF (1) TAG (2) LOOP (3) FUNC ¹ (4) DESCF (5) <t< td=""><td>FIELDS</td><td>Image: Construct of the set of the</td><td>T DE FIELD (1) NT & LETTERS LETTERS LETTERS NT & LETTERS NT & LETTERS NT & LETTERS NT & LETTERS NT & LETTERS</td><td>DESCRIPTION IDENTIFICATION PER PLANS IDENTIFICATION PER PLANS IDENTIFICATION PER PLANS IDENTIFICATION PER PLANS IDENTIFICATION PER PLANS</td><td>FIELD (2) N NUMBER N NUMBER N NUMBER N NUMBER</td><td>DESCRIPTION ACTION ALARM NUM =NUME SET =SET STATUS TREND ACTION ALARM NUM =NUME SET =SET STATUS LCP =LOCAL PANEL MCC =MOTO CENTE VCP =VENDO PARTY INSTRUMENT VALUE/TYPE INSTRUMENT VALUE/TYPE</td><td>SYMBO SYMBO SYMBO SYMBO SER POINT SER POINT CONTROL READING READING READING READING</td><td>LS DESCRIPTION DESCRIPTION DESCRIPTION DESCRIPTION DESCRIPTION DESCRIPTION</td><td>FIELD (4)</td><td>DESCRIPTION DESCRIPTION DESCRIPTION DESCRIPTION DESCRIPTION DESCRIPTION</td><td>YL ZL</td></t<>	FIELDS	Image: Construct of the set of the	T DE FIELD (1) NT & LETTERS LETTERS LETTERS NT & LETTERS NT & LETTERS NT & LETTERS NT & LETTERS NT & LETTERS	DESCRIPTION IDENTIFICATION PER PLANS IDENTIFICATION PER PLANS IDENTIFICATION PER PLANS IDENTIFICATION PER PLANS IDENTIFICATION PER PLANS	FIELD (2) N NUMBER N NUMBER N NUMBER N NUMBER	DESCRIPTION ACTION ALARM NUM =NUME SET =SET STATUS TREND ACTION ALARM NUM =NUME SET =SET STATUS LCP =LOCAL PANEL MCC =MOTO CENTE VCP =VENDO PARTY INSTRUMENT VALUE/TYPE INSTRUMENT VALUE/TYPE	SYMBO SYMBO SYMBO SYMBO SER POINT SER POINT CONTROL READING READING READING READING	LS DESCRIPTION DESCRIPTION DESCRIPTION DESCRIPTION DESCRIPTION DESCRIPTION	FIELD (4)	DESCRIPTION DESCRIPTION DESCRIPTION DESCRIPTION DESCRIPTION DESCRIPTION	YL ZL

LOCAL-OFF- REMOTE (LOR) STOP (SP)	START (ST)		HAND-OFF-AUTO (HOA)	0FF-ON (00)	SELECT (SEL)	OPEN-STOP- CLOSE (OSC)	PERATC -DTOH-NAU SOTS	SEMIAUTO-AUTO- MANUAL (SAM)	LEAD-STANDBY (LS)	CLOSE (JOJC)	ONLINE-OFFLINE (OLOL)	AUTO-MANUAL (AM) FIXED RATE-	(FLR) (FLR) OPEN-CLOSE		RESET (RST)	SPEED (SPD)	START-STOP (SS)	(EST) EMERGENCY STOP	BYPASS (BYP)	LEAD-LAG- STANDBY (LLS)	READY (RDY)	POSITION (POS)
HSLOR HSSF HALOR HASF			SHOA AHOA	HSOO HAOO	HSSEL HASEL	HSOSC HAOSC	HSJHC HAJHC	HSSAM HASAM	HSLS HALS	HSJOJC HAJOJC	HSOLOL HAOLOL		FLR HSC FLR HAC			HSSPD HASPD	HSSS HASS	HSEST HAEST	HSBYP HABYP	HSLLS HALLS	HSRDY HARDY	HSPOS HAPOS
								INSTRU				N LETTE	RS SCI									
ANALYSIS BURNER, COM CONDUCTIVITY	BUST.		ELEMENT GE CE	AT BT CT	TRANSMITTER UDICATING	L INDICATOR	AR BR CR	AC CONTROLLER	DID CONTROLLER DI E INDICATING	ARC CONTROLLER BLC CLC CLC	HOLINS AS BS CS	ASLL A BSLL B	SL ASI SL SL CSI	H ASHH H BSHH	I ASHL	AALL AALL BALL CALL	AAL BAL CAL	AAH BAH CAH	ALARM HIGH-HIGH CAHH	VALVE	GAUGE	AL BL CL
DENSITY FLOW FLOW RATIO			DE FE	DT FT	DIT FIT	DI FI FFI	DR FR	DC FC	DIC FIC FFC	DRC FRC FFIC	DS FS		SL DSI SL FSI			DALL FALL	DAL FAL	DAH FAH	DAHH FAHH	FCV	FG	DL FL FFL
GAUGE, DIMEN CURRENT POWER	SION			IT	IIT		IR	IC	IIC	IRC	IS		SL ISF			IALL	IAL	IAH	IAHH			IL
TIME LEVEL MOISTURE, HU EMERG. SHUTE			LE ME	LT MT	LIT MIT	KI LI MI	KR LR MR	KC LC MC	KIC LIC MIC	KRC LRC MRC	KS LS MS	LSLL L	SL KSI SL LSI SL MSI	I LSHF		KALL LALL MALL	KAL LAL MAL	KAH LAH MAH	KAHH LAHH MAHH	KCV LCV	LG	KL LL ML
PRESSURE PRESSURE DIF QUANTITY		-	PE QE	PT QT	PIT	PI PDI QI	PR PDR QR	PC PDC	PIC PDIC	PRC PDRC	PS PDS QS	PDSLL PI	SL PSI ISL PDS SL QSI	H PDSH	Η	PALL PDALL QALL	PAL PDAL QAL	PAH PDAH QAH	PAHH PDAHH QAHH	PCV PDCV		PL PDL
RADIATION SPEED TEMPERATURE TEMPERATURE			SE TE	ST TT TDT	SIT TIT TDIT	SI TI TDI	SR TR TDR	SC TC TDC	SIC TIC TDIC	SRC TRC TDRC	SS TS TDS	SSLL S TSLL T	SL SSI SL TSI SL TDS	I SSHF I TSHF	I TSHL	SALL TALL TDALL	SAL TAL TDAL	SAH TAH TDAH	SAHH TAHH TDAHH	TCV TDCV		TL TDL
MULTI-VARIABI VISCOSITY WEIGHT UNCLASSIFIED	_ <u>L</u>		VE WE XE	VT WT XT	VIT WIT XIT	UI VI WI XI	UR VR WR XR	UC VC XC		URC VRC XRC	US VS WS XS	WSLL W	SL VSI SL WSI SL XSI	H WSHF	1	VALL WALL XALL	VAL WAL XAL	VAH WAH XAH	VAHH WAHH XAHH	XCV	XG	UL VL WL XL
VIBRATION																						N // //
STATUS POSITION	FRUME		ze DIAGF	ZT ZT	ZIT YMBOL	XVI YI ZI	XVR				XVS ZS		NSTRUM					SYMBO				XVL YL ZL
STATUS	HMI PILC R	ENT D I (HUMAN OT LIGHT	ZE DIAGF MACHINE	ZT	YMBOL	YI ZI	XVR			CRIPTION S	XVS ZS YMBOL DE (1) (1) (3) (1) (4) (3) (4) (4)	SCRIPTION FIELDS TAG LOOP # FUNCTION DESCRIPTION	DESCRIPT	ENT DI	DESCRIPTION	FIELD (2)	DESCRIPTION ACTION ALARM NUM =NUMB SET =SET F STATUS	SYMBO FIELD (3) ER	DLS		DESCRIPTION	YL ZL
STATUS POSITION	HMI PILC R FLC	ENT D I (HUMAN OT LIGHT =RED, A	ZE DIAGF MACHINE =AMBER	ZT RAM S` E INTERFACE)	YMBOL	YI ZI .S HMI XX	XVR		SCAI		XVS ZS YMBOL DE (1) (3) (1) (4) (2) (5) (1) (4) (2) (5) (1) (4) (3) (1) (1) (4) (3) (1) (1) (3) (1) (4) (3) (4) (3) (4) (3) (4) (3) (4)	SCRIPTION FIELDS TAG LOOP # FUNCTION DESCRIPTION DESCRIPTION TAG LOOP # FUNCTION DESCRIPTION	1 2 SEE INSTR OPERATOR IDENTIFICA SCHEDULE OPERATOR IDENTIFICA SCHEDULE	ENT DI	DESCRIPTION DESCRIPTION IDENTIFICATIO PER PLANS	FIELD (2)	DESCRIPTION ACTION ALARM NUM =NUMB SET =SET F	FIELD (3) ER POINT	DLS DESCRIPTION			YL ZL
STATUS POSITION	HMI PILC R FLC BLC	ENT D	ZE DIAGF MACHINE =AMBER	ZT RAM S` E INTERFACE	YMBOL	YI ZI .S .HMI 	XVR		SCAL MCC ELEN OPER		XVS ZS YMBOL DE (1) (3) (1) (4) (2) (5) (1) (4) (2) (5) (1) (4) (1) (4) (1) (3) (1) (4) (2) (5) (1) (3) (1) (3) (1) (3) (1) (3) (1) (3) (1) (3) (1) (3) (1) (4) (2) (3) (1) (4) (2) (4)	SCRIPTION FIELDS TAG LOOP # FUNCTION DESCRIPTION DESCRIPTION TAG LOOP # FUNCTION DESCRIPTION LOCATION TAG LOOP # FUNCTION DESCRIPTION DESCRIPTION	Image: New York of the second seco	ENT DI	DESCRIPTION DESCRIPTION IDENTIFICATIO PER PLANS	FIELD (2) N NUMBER	DESCRIPTION ACTION ALARM NUM =NUMBI SET =SET F STATUS TREND ACTION ALARM NUM =NUMBI SET =SET F STATUS LCP =LOCAL PANEL MCC =MOTOF CENTE VCP =VENDO	ER POINT ER POINT ER POINT ER POINT CONTROL R CONTROL R CONTROL R POINT	DESCRIPTION		DESCRIPTION	YL ZL
STATUS POSITION	HMI PILC R FLC BLC VEF	ENT D I (HUMAN OT LIGHT =RED, A DWMETER	ZE DIAGF MACHINE =AMBER MP PUMP	ZT RAM S` E INTERFACE	YMBOL	YI ZI .S .HMI 	XVR		SCAL MCC, CON ELEN OPER ACCI	DA/HMI /PLC HMI /PLC HMI TROL MENT RATOR ESSIBLE	XVS ZS YMBOL DE (1) (3) (1) (1) (4) (3) (2) (5) (5) (1) (4) (3) (1) (4) (3) (1) (4) (3) (1) (4) (3) (1) (4) (3) (1) (4) (3) (1) (4) (3) (1) (4) (3) (1) (4) (3) (1) (4) (3) (1) (4) (4) (1) (4) (4) (1) (4) (4) (1) (4) (4) (1) (4) (4)	SCRIPTION FIELDS TAG LOOP # FUNCTION DESCRIPTION DESCRIPTION DESCRIPTION DESCRIPTION DESCRIPTION LOCATION TAG LOOP # FUNCTION DESCRIPTION DESCRIPTION TAG LOOP # FUNCTION DESCRIPTION DESCRIPTION DESCRIPTION	Image: New Year of the second seco	ENT DI ION FIELD (1) RUMENT & TION LETTERS RUMENT & TION LETTERS	EVICE & DESCRIPTION IDENTIFICATIO PER PLANS	FIELD (2) N NUMBER	DESCRIPTION ACTION ALARM NUM =NUMBI SET =SET F STATUS TREND ACTION ALARM NUM =NUMBI SET =SET F STATUS LCP =LOCAL PANEL MCC =MOTOF CENTE VCP =VENDO	ER POINT ER POINT ER POINT CONTROL R CONTROL R CONTROL R PANEL	DESCRIPTION DESCRIPTION DESCRIPTION		DESCRIPTION	YL ZL
STATUS POSITION	HMI PILC R FLC BLC VEF CEN SUE	ENT D I (HUMAN OT LIGHT =RED, A DWMETER DWER/FAN RTICAL PUM	ZE DIAGF MACHINE =AMBER MP PUMP E PUMP	ZT RAM S E INTERFACE R, G =GREEN	YMBOL	YI ZI .S .HMI 	XVR		SCAL SCAL MCC, CON ELEM OPEI ACCI INST PRIM ELEM OPEI	DA/HMI	$\begin{array}{c c} XVS \\ ZS \\ \hline \\ ZS \\ \hline \\ $	SCRIPTION FIELDS TAG LOOP # FUNCTION DESCRIPTION	Image: New Year of the second seco	ENT DI ION FIELD (1) RUMENT & TION LETTERS ATOR TION LETTERS RUMENT TION LETTERS	EVICE & DESCRIPTION IDENTIFICATIO PER PLANS IDENTIFICATIO PER PLANS	FIELD (2) N NUMBER N NUMBER	DESCRIPTION ACTION ALARM NUM =NUMBI SET =SET F STATUS TREND ACTION ALARM NUM =NUMBI SET =SET F STATUS LCP =LOCAL PANEL MCC =MOTOF CENTE VCP =VENDO PARTY INSTRUMENT	ER POINT ER POINT ER POINT CONTROL R CONTROL R PANEL READING	DESCRIPTION DESCRIPTION DESCRIPTION DESCRIPTION		DESCRIPTION DESCRIPTION	YL ZL
STATUS POSITION	HMI PILC R FLC BLC VEF CEN SUE	ENT D	ZE DIAGF MACHINE =AMBER MP PUMP E PUMP	ZT RAM S E INTERFACE R, G =GREEN	YMBOL		XVR		SCAL SCAL MCC, CON ELEM OPER ACCI INST PRIM ELEM OPER ACCI INST PRIM ELEM OPER ACCI	DA/HMI	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	SCRIPTION FIELDS TAG LOOP # FUNCTION DESCRIPTION DES	Image: Second science of the second	ENT DI ION FIELD (1) RUMENT & TION LETTERS ATOR TION LETTERS RUMENT TION LETTERS RUMENT TION LETTERS	EVICE & DESCRIPTION DESCRIPTION IDENTIFICATIO PER PLANS IDENTIFICATIO PER PLANS IDENTIFICATIO PER PLANS	FIELD (2) N NUMBER N NUMBER N NUMBER N NUMBER	DESCRIPTION ACTION ALARM NUM =NUMBI SET =SET F STATUS TREND ACTION ALARM NUM =NUMBI SET =SET F STATUS LCP =LOCAL PANEL MCC =MOTOF CENTE VCP =VENDC PARTY INSTRUMENT VALUE/TYPE	ER POINT ER POINT CONTROL R CONTROL R CONTROL R CONTROL R ADING READING	DESCRIPTION DESCRIPTION DESCRIPTION DESCRIPTION DESCRIPTION		DESCRIPTION DESCRIPTION DESCRIPTION	YL ZL
STATUS POSITION	HMI PILC R FLC BLC VEF CEN SUE	ENT D	ZE DIAGF MACHINE =AMBER MP PUMP E PUMP	ZT RAM S E INTERFACE R, G =GREEN	YMBOL				SCAL SCAL MCC, MCC, CON ELEM OPEI ACCI INST PRIM ELEM OPEI ACCI INST AUXI ELEM OPEI ACCI INST PRIM ELEM OPEI ACCI	DA/HMI	$\begin{array}{c c} XVS \\ \hline ZS \\ \hline \\ $	SCRIPTION FIELDS TAG LOOP # FUNCTION DESCRIPTION DES	Image: Second	ENT DI ION FIELD (1) RUMENT & TION LETTERS RUMENT & TION LETTERS RUMENT TION LETTERS RUMENT TION LETTERS	EVICE & DESCRIPTION DESCRIPTION IDENTIFICATIO PER PLANS IDENTIFICATIO PER PLANS IDENTIFICATIO PER PLANS IDENTIFICATIO PER PLANS	FIELD (2) N NUMBER N NUMBER N NUMBER N NUMBER N NUMBER	DESCRIPTION ACTION ALARM NUM =NUMBI SET =SET F STATUS TREND ACTION ALARM NUM =NUMBI SET =SET F STATUS LCP =LOCAL PANEL MCC =MOTOF CENTE VCP =VENDC PARTY INSTRUMENT VALUE/TYPE	ER POINT CONTROL R CONTROL R CONTROL R CONTROL READING READING	DESCRIPTION DESCRIPTION DESCRIPTION DESCRIPTION DESCRIPTION DESCRIPTION		DESCRIPTION DESCRIPTION DESCRIPTION DESCRIPTION	YL ZL
STATUS POSITION	HMI PILC R FLC BLC VEF CEN SUE	ENT D	ZE DIAGF MACHINE =AMBER MP PUMP E PUMP	ZT RAM S E INTERFACE R, G =GREEN	YMBOL				SCAL SCAL SCAL MCC, MCC, CON ELEM OPEL ACCI INST PRIM ELEM OPEL ACCI INST PRIM ELEM OPEL ACCI INST AUXI ELEM OPEL ACCI INST AUXI ELEM OPEL ACCI INST AUXI ELEM OPEL ACCI INST AUXI ELEM OPEL ACCI INST AUXI ELEM OPEL ACCI INST	DA/HMI DA/HMI PLC HMI /PLC HMI //PLC HMI //P	XVS ZS YMBOL DE (1) (3) (2) (1) (3) (2) (1) (4) (3) (2) (5) (5) (1) (4) (3)	SCRIPTION FIELDS TAG LOOP # FUNCTION DESCRIPTION	Image: Second	ENT DI ION FIELD (1) RUMENT & TION LETTERS RUMENT & TION LETTERS RUMENT TION LETTERS RUMENT TION LETTERS RUMENT & TION LETTERS	EVICE & DESCRIPTION DESCRIPTION IDENTIFICATIO PER PLANS IDENTIFICATIO PER PLANS IDENTIFICATIO PER PLANS IDENTIFICATIO PER PLANS IDENTIFICATIO PER PLANS	FIELD (2) N NUMBER N NUMBER N NUMBER N NUMBER N NUMBER	DESCRIPTION ACTION ALARM NUM =NUMBI SET =SET F STATUS TREND ACTION ALARM NUM =NUMBI SET =SET F STATUS LCP =LOCAL PANEL MCC =MOTOF CENTE VCP =VENDC PARTY INSTRUMENT VALUE/TYPE INSTRUMENT VALUE/TYPE	ER POINT CONTROL R CONTROL R CONTROL R CONTROL READING READING READING	DESCRIPTION DESCRIPTION DESCRIPTION DESCRIPTION DESCRIPTION DESCRIPTION DESCRIPTION DESCRIPTION		DESCRIPTION DESCRIPTION DESCRIPTION DESCRIPTION DESCRIPTION	YL ZL


MAIN PROCESS FLOW		HMI (HUMAN MACHINE INTERFACE)
SECONDARY PROCESS FLOW		
INSTRUMENT OR CONNECTION TO PROCESS		PILOT LIGHT R =RED, A =AMBER, G =GREEN
PNEUMATIC SYMBOL	——————————————————————————————————————	
ELECTRICAL SIGNAL		FLOWMETER
GUIDE ELECTROMAGNETIC OR SONIC SIGNAL	$\neg \neg $	BLOWER/FAN
NON-GUIDE ELECTROMAGNETIC OR SONIC SIGNAL	$\cdot \frown \cdot \frown$	BLOWERYTAN
FIBER OPTIC ETHERNET	—— FO —— FO ——	
COPPER ETHERNET	CU CU	VERTICAL PUMP
REMOTE I/O COMM BUS INTERNAL SYSTEM/PROGRAM LINK	——————————————————————————————————————	
ELECTRICAL FEED/CONNECTION	E>	CENTRIFUGAL PUMP
CONTINUATION TAG (1) UNIQUE I.D. (2) CONTINUATION FROM SHEET # (3) CONTINUATION TO SHEET #	(1) (2) (3)	SUBMERSIBLE PUMP
CONTINUATION TAG (1) CONTINUATION TO SHEET #	(1)	CHEMICAL FEED/DOSING PUMP
EQUIPMENT TAG	####	
VALVE (GENERAL)	\bowtie	
VALVE (GATE)	\boxtimes	
CHECK VALVE (GENERAL)	$\overline{\mathbb{N}}$	
SOLENOID VALVE	S X	

)	L	S



	DESCRIPTION	SYMBOL
	SCADA/HMI	(1) (3)
		(1)
	MCC/PLC HM	[(3)]
		(1)
_		(2) (5)
	CONTROL ELEMENT OPERATOR ACCESSIBLE	(1) (3) (4)
		(2) (5)
	INSTRUMENT PRIMARY ELEMENT	(1) (3) (4)
		(2) (5)
	INSTRUMENT PRIMARY ELEMENT OPERATOR	
	ACCESSIBLE	(2) (5)
	INSTRUMENT AUXILARY ELEMENT OPERATOR	(1) (4)
	ACCESSIBLE	(2) (5)
	INSTRUMENT PRIMARY ELEMENT OPERATOR	(1) (3) (4)
	INACCESSIBLE	(2) (5)
	INSTRUMENT AUXILARY ELEMENT OPERATOR INACCESSIBLE	$\underbrace{\begin{pmatrix} (1)\\ =\\ (2) \end{pmatrix}}^{(3)}_{(4)}$
·		(5)
	PLC I/O	$(4) \\ (1)(2) \\ (3)$

N	LETTE	<u>RS SCI</u>	HEDUL	<u> </u>			1		1			1	1
	(OLOL) (OLOL)	AUTO-MANUAL (AM)	FIXED RATE- LEVEL RATE (FLR)	OPEN-CLOSE (OC)	(нт) нон-мот	RESET (RST)	SPEED (SPD)	START-STOP (SS)	(EST) EMERGENCY STOP	BYPASS (BYP)	LEAD-LAG- STANDBY (LLS)	READY (RDY)	POSITION (POS)
DIC DIC	HSOLOL HAOLOL	HSAM HAAM	HSFLR HAFLR	HSOC HAOC	HSLH HALH	HSRST HARST	HSSPD HASPD	HSSS HASS	HSEST HAEST	HSBYP HABYP	HSLLS HALLS	HSRDY HARDY	HSPOS HAPOS
ΞΝΤ	IFICAT	TION LE	TTERS	SCHE	DULE		1			1		1	
RECORDING	SWITCH	SWITCH LOW-LOW	SWITCH LOW	SWITCH HIGH	SWITCH HIGH-HIGH	SWITCH HIGH-LOW	ALARM LOW-LOW	ALARM LOW	ALARM HIGH	ALARM HIGH-HIGH	VALVE	GAUGE	LIGHT
C C C C	AS BS CS DS	ASLL BSLL CSLL DSLL	ASL BSL CSL DSL	ASH BSH CSH DSH	ASHH BSHH CSHH DSHH	ASHL CSHL DSHL	AALL BALL CALL DALL	AAL BAL CAL DAL	AAH BAH CAH DAH	AAHH BAHH CAHH DAHH			AL BL CL DL
	FS	FSLL FFS ISLL	FSL ISL	FSH IISH	FSHH ISHH	FSHL	FALL IALL	FAL IAL	FAH IAH	IAHH	FCV	FG	FL FFL IL
C C C	KS LS MS	KSLL LSLL MSLL	KSL LSL MSL	KSH LSH MSH	KSHH LSHH MSHH		KALL LALL MALL	KAL LAL MAL	KAH LAH MAH	KAHH LAHH MAHH	KCV LCV	LG	KL LL ML
C २C	PS PDS QS	PSLL PDSLL QSLL	PSL PDSL QSL	PSH PDSH QSH	PSHH PDSHH QSHH	PSHL	PALL PDALL QALL	PAL PDAL QAL	PAH PDAH QAH	PAHH PDAHH QAHH	PCV PDCV		PL PDL
C C RC C	SS TS TDS US	SSLL TSLL TDSLL	SSL TSL TDSL	SSH TSH TDSH	SSHH TSHH TDSHH	TSHL	SALL TALL TDALL	SAL TAL TDAL	SAH TAH TDAH	SAHH TAHH TDAHH	TCV TDCV		TL TDL UL
C C	VS WS XS	VSLL WSLL XSLL	VSL WSL XSL	VSH WSH XSH	VSHH WSHH XSHH		VALL WALL XALL	VAL WAL XAL	VAH WAH XAH	VAHH WAHH XAHH	XCV	XG	VL WL XL
	XVS			XVSH	XVSHH				XVAH	XVAHH			XVL
										XVAHH			XVL YL ZL
-	XVS			XVSH	XVSHH	VICE &			XVAH				YL
	XVS ZS	DESCRIPTION	INST		XVSHH	VICE & DESCRIPTION	FUN	CTION S	XVAH	LS	FIELD (4)	DESCRIPTIO	YL
	XVS ZS (1) (1) (3) (4) (4) (2)	DESCRIPTION (1) TAG (2) LOOP (3) FUNCT (4) DESCF	FIELDS I # TION RIPTION 1		XVSHH		FUN FIELD (2)	CTION S DESCRIPTION ACTION ALARM NUM =NUMBE SET =SET F STATUS	XVAH SYMBO FIELD (3) ER	LS	FIELD (4)	DESCRIPTIO	YL ZL N FIELD (5)
	XVS ZS (1) (3) (4) (2) (5) (1) (4) (2) (4) (4) (4) (4) (4)	DESCRIPTION (1) TAG (2) LOOP (3) FUNCT (4) DESCR (5) DESCR (1) TAG (2) LOOP (3) FUNCT	FIELDS	XVSH TRUMEN DESCRIPTION F DESCRIPTION F DESCRIP	XVSHH IT DE FIELD (1) NT & LETTERS NT &	DESCRIPTION	FUN FIELD (2)	CTION S DESCRIPTION ACTION ALARM NUM =NUMBE SET =SET F STATUS TREND	XVAH SYMBO FIELD (3) ER POINT ER	LS DESCRIPTION			YL ZL N FIELD (5)
	XVS ZS (1) (3) (4) (2) (5) (1) (3) (4) (5) (1) (3) (4) (5) (1) (3) (4) (3) (4) (3) (4) (5) (1) (3) (4) (3) (4) (3) (4) (3) (4) (3) (4) (5) (3) (4) (3) (4) (5) (3) (4) (5) (3) (4) (5) (3) (4) (5) (3) (4) (5) (3) (4) (5)	Image: Construct of the sector of the sec	INST FIELDS # IION RIPTION 1 RIPTION 2 # IION RIPTION 1 RIPTION 1 IION # IION # IION # IION # IION # IION # IION	XVSH TRUMEN DESCRIPTION F DESCRIPTION F DESCRIP	XVSHH IT DE FIELD (1) NT & LETTERS NT & LETTERS	DESCRIPTION IDENTIFICATION PER PLANS IDENTIFICATION	FUN FIELD (2)	CTION S DESCRIPTION ACTION ALARM NUM =NUMBE SET =SET F STATUS TREND ACTION ALARM NUM =NUMBE SET =SET F STATUS LCP =LOCAL PANEL MCC =MOTOR CENTER VCP =VENDO	XVAH FIELD (3) FIELD (3) ER POINT ER POINT CONTROL R CONTROL R R/3RD	LS DESCRIPTION DESCRIPTION		DESCRIPTION	YL ZL N FIELD (5)
	XVS ZS (1) (3) (4) (2) (5) (1) (3) (4) (5) (1) (3) (4) (5) (1) (3) (4) (5) (1) (3) (4) (5) (1) (3) (4) (5) (1) (3) (4) (5) (1) (3) (4) (5) (1) (3) (4) (5) (1) (3) (4) (5) (1) (3) (4) (5) (1) (3) (4) (5) (1) (3) (4) (5) (1) (3) (4) (5) (1) (3) (4) (5) (1) (3) (4) (5) (1) (3) (4) (5) (1) (3) (4) (5) (1) (3) (4) (5) (1) (3) (4) (5) (3) (4) (5) (1) (3) (4) (5) (1) (3) (4) (5) (1) (3) (4) (5) (1) (3) (4) (5) (1) (3) (4) (5) (1) (3) (4) (5) (1) (3) (4) (5) (1) (3) (4) (5) (1) (3) (4) (5) (1) (3) (4) (5) (1) (3) (4) (5) (1) (5) (1) (5) (1) (2) (1) (2) (2) (2) (2) (3) (3) (3) (4) (3) (4) (5) (3) (4) (5)	Image: Construct of the sector of the sec	INST FIELDS # ION RIPTION RIPTION RIPTION II RIPTION II RIPTION III S III IIII IIII IIII IIII IIII IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	XVSH TRUMEN DESCRIPTION F DESCRIPTION F DESCRIP	XVSHH IT DE FIELD (1) NT & LETTERS LETTERS LETTERS NT & LETTERS	DESCRIPTION IDENTIFICATION PER PLANS IDENTIFICATION PER PLANS	FUN FIELD (2)	CTION S DESCRIPTION ACTION ALARM NUM =NUMBE SET =SET F STATUS TREND ACTION ALARM NUM =NUMBE SET =SET F STATUS LCP =LOCAL PANEL MCC =MOTOR CENTER VCP =VENDO	XVAH SYMBO FIELD (3) FIELD (3)	LS DESCRIPTION DESCRIPTION		DESCRIPTION	YL ZL N FIELD (5)
	$\begin{array}{c} XVS \\ \hline ZS \\ \hline \\ $	Image: Construct of the sector of the sec	INST FIELDS I # I ION 1 RIPTION 2 # S ION 1 RIPTION 1 RIPTION 2 # S IDN 2 # S RIPTION 1 RIPTION 2 # S IDN 2 # S IDN 2 # S	XVSH TRUMEN DESCRIPTION F DESCRIPTION F DESCRIP	XVSHH IT DE FIELD (1) NT & LETTERS LETTERS LETTERS NT LETTERS NT LETTERS	DESCRIPTION IDENTIFICATION PER PLANS IDENTIFICATION PER PLANS IDENTIFICATION PER PLANS	FUNC FIELD (2)	CTION DESCRIPTION ACTION ALARM NUM =NUMBE SET =SET F STATUS TREND ACTION ALARM NUM =NUMBE SET =SET F STATUS LCP =LOCAL PANEL MCC =MOTOR CENTER VCP =VENDO PARTY INSTRUMENT	XVAH SYMBO FIELD (3) FIELD (3) ER POINT CONTROL R CONTROL R R/3RD PANEL READING	LS DESCRIPTION DESCRIPTION DESCRIPTION		DESCRIPTION	YL ZL N FIELD (5)
	$\begin{array}{c} XVS \\ \hline ZS \\ \hline \\ $	Image: Construct of the sector of the sec	INST FIELDS I # I FIELDS I # I ION 1 RIPTION 1 RIPTION 1 RIPTION 1 ION 1 RIPTION 1 RIPTION 1 RIPTION 1 RIPTION 1 RIPTION 2 # I RIPTION 1 RIPTION 1 RIPTION 2 # I ION 1 RIPTION 2 # I ION 1 RIPTION 2 # I ION 1 RIPTION 1 RIPTION 1 RIPTION 1 RIPTION 2 # I ION 1 RIPTION 1 RIPTION 2 # I	XVSH TRUMEN DESCRIPTION F DESCRIPTION F DESCRIPTION F DESCRIPTION F DESCRIPTION DESCRIPTI	XVSHH IT DE FIELD (1) NT & LETTERS LETTERS NT LETTERS NT LETTERS NT LETTERS NT LETTERS	DESCRIPTION IDENTIFICATION PER PLANS IDENTIFICATION PER PLANS IDENTIFICATION PER PLANS IDENTIFICATION PER PLANS	FUNC FIELD (2)	CTION S DESCRIPTION ACTION ALARM NUM =NUMBE SET =SET F STATUS TREND ACTION ALARM NUM =NUMBE SET =SET F STATUS LCP =LOCAL PANEL MCC =MOTOR CENTER VCP =VENDO PARTY INSTRUMENT VALUE/TYPE	XVAH FIELD (3) FIELD	LS DESCRIPTION DESCRIPTION DESCRIPTION DESCRIPTION		DESCRIPTION	YL ZL N FIELD (5)
	XVS ZS (1) (1) (3) (1) (3) (4) (2) (5) (1) (3) (4) (5) (1) (5) (1) (5) (1) (5) (1) (5) (1) (5) (1) (5) (1) (5) (1) (5) (1) (1) (2) (2) (2) (3) (3) (4) (5) (1) (3) (4) (5) (1) (5) (1) (5) (1) (5) (1) (1) (2) (2) (1) (2) (2) (2) (3) (3) (3) (4) (5) (1) (5) (1) (5) (1) (1) (2) (1) (2) (1) (2) (2) (2) (2) (2) (3) (3) (3) (3) (3) (4) (5)	Image: Construct of the second sec	INST FIELDS I # S FIELDS I # S # <td>XVSH TRUMEN DESCRIPTION F DESCRIPTION F DESCRIP</td> <td>XVSHH IT DEV FIELD (1) NT & LETTERS NT & LETTERS NT LETTERS NT LETTERS NT LETTERS NT LETTERS NT LETTERS</td> <td>DESCRIPTION IDENTIFICATION PER PLANS IDENTIFICATION PER PLANS IDENTIFICATION PER PLANS IDENTIFICATION PER PLANS IDENTIFICATION PER PLANS</td> <td>FUNC FIELD (2)</td> <td>CTION S DESCRIPTION ACTION ALARM NUM =NUMBE SET =SET F STATUS TREND ACTION ALARM NUM =NUMBE SET =SET F STATUS LCP =LOCAL PANEL MCC =MOTOR CENTER VCP =VENDO PARTY INSTRUMENT VALUE/TYPE</td> <td>XVAH SYMBO FIELD (3) FIELD (3) ER POINT CONTROL RCONTROL RCONTROL RCONTROL READING READING READING</td> <td>LS DESCRIPTION DESCRIPTION DESCRIPTION DESCRIPTION DESCRIPTION</td> <td></td> <td>DESCRIPTION DESCRIPTION DESCRIPTION DESCRIPTION DESCRIPTION</td> <td>YL ZL N FIELD (5)</td>	XVSH TRUMEN DESCRIPTION F DESCRIPTION F DESCRIP	XVSHH IT DEV FIELD (1) NT & LETTERS NT & LETTERS NT LETTERS NT LETTERS NT LETTERS NT LETTERS NT LETTERS	DESCRIPTION IDENTIFICATION PER PLANS IDENTIFICATION PER PLANS IDENTIFICATION PER PLANS IDENTIFICATION PER PLANS IDENTIFICATION PER PLANS	FUNC FIELD (2)	CTION S DESCRIPTION ACTION ALARM NUM =NUMBE SET =SET F STATUS TREND ACTION ALARM NUM =NUMBE SET =SET F STATUS LCP =LOCAL PANEL MCC =MOTOR CENTER VCP =VENDO PARTY INSTRUMENT VALUE/TYPE	XVAH SYMBO FIELD (3) FIELD (3) ER POINT CONTROL RCONTROL RCONTROL RCONTROL READING READING READING	LS DESCRIPTION DESCRIPTION DESCRIPTION DESCRIPTION DESCRIPTION		DESCRIPTION DESCRIPTION DESCRIPTION DESCRIPTION DESCRIPTION	YL ZL N FIELD (5)
	XVS ZS (1) (1) (3) (1) (2) (5) (1) (3) (4) (2) (5) (1) (3) (4) (5) (1) (1) (2) (5) (1) (1) (2) (5) (1) (2) (5) (1) (5) (1) (5) (1) (5) (1) (5) (1) (1) (2) (5) (1) (1) (2) (5) (1) (1) (2) (5) (1) (1) (2) (5) (1) (1) (2) (2) (1) (2) (2) (2) (2) (2) (3) (3) (3) (3) (3) (3) (3) (3) (3) (3) (3) (4) (5) (5) (1) (5) (1) (5) (1) (5) (1) (1) (2) (2) (2) (2) (1) (2) (2) (2) (2) (2) (2) (2) (2) (3)	Image: Construct of the second sec	INST FIELDS I # S ION 1 # S ION 1 RIPTION 2 # S ION 1 R	XVSH CRUMEN DESCRIPTION F DESCRIPTION F DESCRIP	XVSHH IT DE FIELD (1) NT & LETTERS NT & LETTERS NT LETTERS NT LETTERS NT LETTERS NT LETTERS NT LETTERS NT & LETTERS NT & LETTERS	DESCRIPTION IDENTIFICATION PER PLANS IDENTIFICATION PER PLANS IDENTIFICATION PER PLANS IDENTIFICATION PER PLANS IDENTIFICATION PER PLANS IDENTIFICATION PER PLANS	FUNC FIELD (2) I NUMBER	CTION S DESCRIPTION ACTION ALARM NUM =NUMBE SET =SET F STATUS TREND ACTION ALARM NUM =NUMBE SET =SET F STATUS LCP =LOCAL PANEL MCC =MOTOR CENTEF VCP =VENDO PARTY INSTRUMENT VALUE/TYPE INSTRUMENT VALUE/TYPE	XVAH SYMBO FIELD (3) FIELD (3) ER POINT CONTROL RCONTROL RCONTROL RCONTROL RCONTROL READING READING READING	LS DESCRIPTION DESCRIPTION DESCRIPTION DESCRIPTION DESCRIPTION DESCRIPTION		DESCRIPTION DESCRIPTION DESCRIPTION DESCRIPTION DESCRIPTION DESCRIPTION	YL ZL N FIELD (5)






WARNING MARNING POWER LINES OVERHEAD	Know what's below. Call before you dig.	COPYRIGHT 2021 by PROVOST & PRITCHARD ENGINEERING GROUP. INC. ALL RIGHTS RESERVED The firm of Provost & Pritchard Engineering Group, Inc. expressly reserves its common law copyright and other applicable property rights in these plans. These plans are not to be reproduced, changed, or copied in any form or manner whatsoever, nor are they to be assigned to a third party without first obtaining the written permission and consent of Provost & Pritchard Engineering Group, Inc. In the event of unauthorized reuse of these plans by a third party, the third party shall hold the firm of Provost & Pritchard Engineering Group, Inc. harmless, and shall bear the cost of Provost & Pritchard Engineering Group, Inc.'s legal fees associated with defending and enforcing these rights.
		BID SET 1/31/2024 REVISION BY DATE
		NO. 14 COP CALIFOR
		WELL 8 TCP MITIGATION PROJECT CITY OF HUGHSON HUGHSON, CA ELECTRICAL INSTRUMENTAION COVER SHEET
		BESI 1308 BESI 1308 DESIGN ENGINEER: KLP LICENSE NO: 16269 DRAFTED BY: FR 280 MERI VENNE 16259 DRAFTED BY: FR KLP DATE: 1/31/2024 JOB NO: 21–675
ENG consult 1150 9 TH str PHONE: 20 HTTP://WW	ZONI INEERING, INC. ING ELECTRICAL ENGINEERS eet Suite #1415 Modesto, CA 95354 09 . 554 . 4602 WW.PEZENGR.COM	PHASE: - 0 ORIGINAL SCALE SHOWN IS ONE INCH. ADJUST SCALE FOR REDUCED OR ENLARGED PLANS. SHEET 10.00 34 OF 35

34 OF 35

PEZZONI ENGINEERING, INC. © Copyrighted 2022







CONTRACT DOCUMENTS FOR

CITY OF HUGHSON WELL 8 TCP MITIGATION PROJECT

Plans and Specifications Approved by the City:

TBD

CITY OF HUGHSON COMMUNITY DEVELOPMENT DEPARTMENT 7018 PINE STREET PO BOX 9 HUGHSON, CA 95326 Phone: (209) 883-4054 COMMUNITY DEVELOPMENT DEPARTMENT

PART I: BID

FOR

WELL 8 TCP MITIGATION PROJECT

IN HUGHSON, CALIFORNIA

		Bids to Be Opened On: TBD TBD	
	<u>CITY MANAGER</u> Dominique Romo	MAYOR George Carr	MAYOR PRO-TEM Randy Crooker
	Samuel Rush	COUNCIL MEMBERS Julie Strain	Alan McFadon
<u>Prepared By:</u> Provost & Prito Consulting Gro	chard	<u>Approved</u>	for Construction By:

Keith Mortensen, PE RCE#75865 Carla C. Jauregui COMMUNITY DEVELOPMENT DIRECTOR

For use in Connection with the 2018 Standard Specifications and Standard Plans of the California Department of Transportation, and the Labor Surcharge and Equipment Rental Rates in effect on the date the work is accomplished.

TABLE OF CONTENTS

Description	Page No.
BID	3
BID SCHEDULE	5
LIST OF SUBCONTRACTORS	
PUBLIC CONTRACT CODE	7
Public Contract Code Section 10285.1 Statement Public Contract Code Section 10162 Questionnaire Public Contract Code 10232 Statement NONCOLLUSION AFFIDAVIT	7
BIDDER'S BOND	11
SAMPLE CONTRACT	
SAMPLE PAYMENT BOND	
SAMPLE PERFORMANCE BOND	

(Some colored inks will not reproduce in copy machines, please use black ink to complete this bid.)

BID

BID TO THE CITY OF HUGHSON COMMUNITY

DEVELOPMENT DEPARTMENT

WELL 8 TCP MITIGATION PROJECT

NAME OF BIDDER		
BUSINESS P.O. BOX		
CITY, STATE, ZIP		
CITT, STATE, ZIF		
BUSINESS STREET ADDRESS		
(Please include even if P.O. Box used)		
CITY, STATE, ZIP		
TELEPHONE NO: AREA CODE ()	
FAX NO: AREA CODE ()	
CONTRACTOR LICENSE NO		
CONTRACTOR LICENSE NO.		
EMAILADDRESS:		

The work for which this bid is submitted is for construction in conformance with the special provisions (including less than the State general prevailing wage rates or Federal minimum wage rates), the project plans described below, including any addenda thereto, the contract annexed hereto, and in conformance with the California Department of Transportation Standard Plans, dated 2018, the Standard Specifications, dated 2018, and the Labor Surcharge and Equipment Rental Rates in effect on the date the work is accomplished.

The special provisions for the work to be done are dated TBD, and are entitled:

CITY OF HUGHSON COMMUNITY DEVELOPMENT DEPARTMENT NOTICE TO BIDDERS AND SPECIAL PROVISIONS FOR

WELL 8 TCP MITIGATION PROJECT

IN

HUGHSON, CALIFORNIA

The project plans for the work to be done were approved TBD, and are entitled:

CITY OF HUGHSON COMMUNITY DEVELOPMENT DEPARTMENT PROJECT PLANS FOR

WELL 8 TCP MITIGATION PROJECT

IN

HUGHSON, CALIFORNIA

City of Hughson Well 8 TCP Mitigation Project

Bids are to be submitted for the entire work. The amount of the bid for comparison purposes will be the total of all items.

The bidder shall set forth for each unit basis item of work a unit price and a total for the item, and for each lump sum item a total for the item, all in clearly legible figures in the respective spaces provided for that purpose. In the case of unit basis items, the amount set forth under the "Item Total" column shall be the product of the unit price bid and the estimated quantity for the item.

This is not a Federal-Aid project and therefore any Federal-Aid provisions do not apply.

In case of discrepancy between the unit price and the total set forth for a unit basis item, the unit price shall prevail, except as provided in (a) or (b), as follows:

(a) If the amount set forth as a unit price is unreadable or otherwise unclear, or is omitted, or is the same as the amount as the entry in the item total column, then the amount set forth in the item total column for the item shall prevail and shall be divided by the estimated quantity for the item and the price thus obtained shall be the unit price;

(b) (Decimal Errors) If the product of the entered unit price and the estimated quantity is exactly off by a factor of ten, one hundred, etc., or one-tenth, or one-hundredth, etc. from the entered total, the discrepancy will be resolved by using the entered unit price or item total, whichever most closely approximates percentage-wise the unit price or item total in the *CITY OF HUGHSON* Final Estimate of cost.

If both the unit price and the item total are unreadable or otherwise unclear, or are omitted, the bid may be deemed irregular. Likewise, if the item total for a lump sum item is unreadable or otherwise unclear, or is omitted, the bid may be deemed irregular unless the project being bid has only a single item and a clear, readable total bid been provided.

Symbols such as commas and dollar signs will be ignored and have no mathematical significance in establishing any unit price or item total or lump sums. Written unit prices, item totals and lump sums will be interpreted according to the number of digits and, if applicable, decimal placement. Cents symbols also have no significance in establishing any unit price or item total since all figures are assumed to be expressed in dollars and/or decimal fractions of a dollar. Bids on lump sum items shall be item totals only; if any unit price for a lump sum item is included in a bid and it differs from the item total, the items total shall prevail.

The foregoing provisions for the resolution of specific irregularities cannot be so comprehensive as to cover every omission, inconsistency, error or other irregularity which may occur in a bid. Any situation not specifically provided for will be determined in the discretion of the *CITY OF HUGHSON*, and that discretion will be exercised in the manner deemed by the *CITY OF HUGHSON* to best protect the public interest in the prompt and economical completion of the work. The decision of the *CITY OF HUGHSON* respecting the amount of a bid, or the existence or treatment of an irregularity in a bid, shall be final.

If this bid shall be accepted and the undersigned shall fail to enter into the contract and furnish the 2 bonds in the sums required by the Public Contract Code, with surety satisfactory to the *CITY OF HUGHSON*, within 8 days, not including Saturdays, Sundays and legal holidays, after the bidder has received notice from the *CITY OF HUGHSON* that the contract has been awarded, the *CITY OF HUGHSON* may, at its option, determine that the bidder has abandoned the contract, and thereupon this bid and the acceptance thereof shall be null and void and the forfeiture of the security accompanying this bid shall operate and the same shall be the property of the *CITY OF HUGHSON*.

The undersigned, as bidder, declares that the only persons or parties interested in this bid as principals are those named herein; that this bid is made without collusion with any other person, firm, or corporation; that he has carefully examined the location of the proposed work, the annexed proposed form of contract, and the plans therein referred to; and he proposes, and agrees if this bid is accepted, that he will contract with the *CITY OF HUGHSON*, in the form of the copy of the contract annexed hereto, to provide all necessary machinery, tools, apparatus and other means of construction, and to do all the work and furnish all the materials specified in the contract, in the manner and time therein prescribed, and according to the requirements of the Engineer as therein set forth, and that he will take in full payment therefor the following prices, to wit:

1	General Provisions, Mobilization	1	LS	\$ \$
2	Traffic Control	1	LS	\$ \$
3	Dust Control	1	LS	\$ \$
4	Worker Protection	1	LS	\$ \$
5	Demolition Clearing and Grubbing	1	LS	\$ \$
6	Site Grading	1	LS	\$ \$
7	Site Piping	1	LS	\$ \$
8	GAC Vessels	1	LS	\$ \$
9	GAC Vessel Foundation	1	LS	\$ \$
10	Site Concrete and Paving	1	LS	\$ \$
11	Washwater Disposal System	1	LS	\$ \$
12	Blockwall and Access Gates	1	LS	\$ \$
13	Electrical, Instrumentation and Controls	1	LS	\$ \$
ΤΟΤΑ	L BID SCHEDULE A			\$

BID SCHEDULE A

Bid Schedule A Total \$_____

Bid Schedule A (in words):

The Contractor shall be responsible for calculating and providing unit prices for the schedule. The proposal schedule shall include all costs for services, labor, materials, equipment, and installation associated with completing the work in place per the plans, specifications and details.

City of Hughson Well 8 TCP Mitigation Project

The City has the option to reject all bids with or without cause. The City also has the option to remove bid items at its discretion. If the City chooses to remove bid items, no bid price adjustment will be allowed.

For the purposes of determining the lowest responsible bidder, the Bid Schedule A Total shall be considered.

LIST OF SUBCONTRACTORS

The Bidder shall list the name and address of each subcontractor to whom the Bidder proposes to subcontract portions of the work, as required by the provisions in Section 2-1.33C, "General," of the special provisions.

Name and Address	Description of Portion of Work Subcontracted

(THE BIDDER'S EXECUTION ON THE SIGNATURE PORTION OF THIS BID SHALL ALSO CONSTITUTE AN ENDORSEMENT AND EXECUTION OF THOSE CERTIFICATIONS WHICH ARE A PART OF THIS BID)

PUBLIC CONTRACT CODE

Public Contract Code Section 10285.1Statement

In conformance with Public Contract Code Section 10285.1 (Chapter 376, Slats. 1985), the bidder hereby declares under penalty of perjury under the laws of the State of California that the bidder has ______, has not ______been convicted within the preceding three years of any offenses referred to in that section, including any charge of fraud, bribery, collusion, conspiracy, or any other act in violation of any state or Federal antitrust law in connection with the bidding upon, award of, or performance of, any public works contract, as defined in Public Contract Code Section 1101, with any public entity, as defined in Public Contract Code Section 1100, including the Regents of the University of California or the Trustees of the California State University. The term "bidder" is understood to include any partner, member, officer, director, responsible managing officer, or responsible managing employee thereof, as referred to in Section 10285.1.

Note: The bidder must place a check mark after "has" or "has not" in one of the blank spaces provided. The above Statement is part of the Bid. Signing this Bid on the signature portion thereof shall also constitute signature of this Statement. Bidders are cautioned that making a false certification may subject the certifier to criminal prosecution.

Public Contract Code Section 10162 Questionnaire

In conformance with Public Contract Code Section 10162, the Bidder shall complete, under penalty of perjury,

the following questionnaire:

Has the bidder, any officer of the bidder, or any employee of the bidder who has a proprietary interest in the bidder,

ever been disqualified, removed, or otherwise prevented from bidding on, or completing a federal, state, or local

government project because of a violation of law or a safety regulation?

Yes No

If the answer is yes, explain the circumstances in the following space.

Public Contract Code 10232 Statement

In conformance with Public Contract Code Section 10232, the Contractor, hereby states under penalty of perjury, that no more than one final unappealable finding of contempt of court by a federal court has been issued against the Contractor within the immediately preceding two-year period because of the Contractor's failure to comply with an order of a federal court which orders the Contractor to comply with an order of the National Labor Relations Board.

Note: The above Statement and Questionnaire are part of the Bid. Signing this Bid on the signature portion thereof shall also constitute signature of this Statement and Questionnaire. Bidders are cautioned that making a false certification may subject the certifier to criminal prosecution.

BIDDER:

"NONCOLLUSION" AFFIDAVIT TO BE EXECUTED BY BIDDER AND

SUBMITTED WITH BID

Public Contract Code § 7106

State of California
County of Stanislaus_____

I am the ______ of _____ of ______ , the party making the foregoing bid.

The bid is not made in the interest of, or on behalf of, any undisclosed person, partnership, company, association, organization, or corporation. The bid is genuine and not collusive or sham. The bidder has not directly or indirectly induced or solicited any other bidder to put in a false or sham bid. The bidder has not directly or indirectly colluded, conspired, connived, or agreed with any bidder or anyone else to put in a sham bid, or to refrain from bidding. The bidder has not in any manner, directly or indirectly, sought by agreement, communication, or conference with anyone to fix the bid price of the bidder or any other bidder, or to fix any overhead, profit, or cost element of the bid price, or of that of any other bidder. All statements contained in the bid are true. The bidder has not, directly or indirectly, submitted his or her bid price or any breakdown thereof, or the contents thereof, or divulged information or data relative thereto, to any corporation, partnership, company, association, organization, bid depository, or to any member or agent thereof, to effectuate a collusive or sham bid, and has not paid, and will not pay, any person or entity for such purpose.

Any person executing this declaration on behalf of a bidder that is a corporation, partnership, joint venture, limited liability company, limited liability partnership, or any other entity, hereby represents that he or she has full power to execute, and does execute, this declaration on behalf of the bidder.

I declare under penalty of perjury under	er the laws of the State of	California that the forego	ing is true and correct and that this
declaration is executed on	[date], at	[city],	[state].

(Signature)	(Date)
(Name and Title of Signatories)	
(Legal Name Bidder)	
(Address)	
(Phone Number)	

Accompanying this Bid is

(NOTICE: INSERT THE WORDS "CASH(\$," "CASHIER'S CHECK," "CERTIFIED CHECK," OR "BIDDER'S BOND," AS THE CASE MAY BE.)

in amount equal to at least ten percent (10%) of the total of the bid.

The names of all persons interested in the foregoing bid as principals are as follows:

IMPORTANT NOTICE

If bidder or other interested person is a corporation, state legal name of corporation, also names of the president, secretary, treasurer, and manager thereof; if a co-partnership, state true name of firm, also names of all individual copartners composing firm; if bidder or other interested person is an individual, state first and last names in full.

Licensed in conformance with an act providing for the registration of Contractors, License No. Classification(s)

ADDENDA

This Proposal is submitted with respect to the changes to the contract included in addenda number/s

(Fill in addenda numbers if addenda have been received and insert, in this Proposal, any Engineer's Estimate sheets that were received as part of the addenda.)

By my signature on this proposal I certify, under penalty of perjury under the laws of the State of California, that the foregoing questionnaire and statements of Public Contract Code Sections 10162, 10232 and 10285.1 are true and correct and that the bidder has complied with the requirements of Section 8103 of the Fair Employment and Housing Commission Regulations (Chapter 5, Title 2 of the California Administrative Code). By my signature on this proposal I further certify, under penalty of perjury under the laws of the State of California that the Noncollusion Affidavit, Public Contract Code Section 7106 is true and correct.

Date: _____

Sign Here: ______

Signature and Title of Bidder

Business Address _____

Place of Business _____

Place of Residence _____

CITY OF HUGHSON COMMUNITY DEVELOPMENT DEPARTMENT

BIDDER'S BOND WELL 8 TCP MITIGATION PROJECT

----- as Principal, and

as Surety are bound unto the City of Hughson, State of California, hereafter referred to as "Obligee", in the penal sum of ten percent (10%) of the total amount of the bid of the Principal submitted to the Obligee for the work described below, for the payment of which sum we bind ourselves, jointly and severally,

THE CONDITION OF THIS OBLIGATION IS SUCH THAT

Whereas, the Principal is submitted to the oblige for: demolition, clearing, grubbing, sidewalk construction, and pavement work.

for which bids are to be opened at the office of the City Clerk of the City of Hughson, in City Hall, 7018 Pine Street,

Hughson, CA 95326 on TBD at TBD.

NOW, THEREFORE, if the Principal is awarded the contract and, within the time and manner required under the specifications, after the prescribed forms are presented to him for signature, enters into a written contract, in the prescribed form, in conformance with the bid, and files two bonds with the Obligee, one to guarantee faithful performance of the contract and the other to guarantee payment for labor and materials as provided by law, then this obligation shall be null and void; otherwise, it shall remain in full force.

In the event suit is brought upon this bond by the Obligee and judgement is recovered, the Surety shall pay all costs incurred by the Obligee in such suit, including a reasonable attorney's fee to be fixed by the court.

Dated: _____, 20

Principal

Surety

Attorney-in-Fact

City of Hughson Well 8 TCP Mitigation Project CERTIFICATE OF ACKNOWLEDGEMENT City/County of _______ On this _____ day of _______ in the year 20____ before me _______, personally appeared __________ personally known to me (or proved to me on the basis of satisfactory evidence) to be the person whose name is subscribed to this instrument as the attorney-in-fact of _______, and acknowledged to me that he (she) subscribed the name of the said company thereto as surety, and his (her) own name as attorney-in-fact.

(SEAL)

Notary Public

SAMPLE CONTRACT CONSTRUCTION SERVICES AGREEMENT CONTRACT ID# _____ (City of Hughson/[contractor])

DATE:

PARTIES:

CITY:

City of Hughson Post Office Box 9 Hughson, CA 95326

CONTRACTOR:

[contractor name] [contractor address] [city, state zip]

THIS CONSTRUCTION SERVICES AGREEMENT ("Agreement") is entered into by and between the City of Hughson, a California municipal corporation ("City") and ("Contractor").

RECITALS

WHEREAS, the City has determined that it requires certain construction services provided as set forth in this Agreement.

WHEREAS, this Agreement is for the provision of those construction services by Contractor to City.

WHEREAS, the Contractor represents that it is qualified and able to perform the construction services by virtue of its experience and the training, education, and professional ability of its principals and employees.

WHEREAS, the Contractor further represents that it is willing to accept responsibility for performing such construction services in accordance with the terms and conditions set forth in this Agreement.

NOW, THEREFORE, for and in consideration of the mutual covenants and conditions herein contained, City and Contractor agree as follows:

1. Definitions

1.1. <u>"Chapter 1":</u> Division 2, Part 7, Chapter 1 (commencing with section 1720) of the California Labor Code.

- 1.2. "Contract Documents": It is mutually agreed and understood that the complete Contract shall consist of this Agreement, and the following component documents, all of which are fully a part hereof as if herein set out in full, or if not attached, as if attached, and which together constitute the Contract Documents:
 - 1.2.1. Notice to Bidders
 - 1.2.2. Bidding Contractor's Proposal
 - 1.2.3. Accepted Bid
 - 1.2.4. Faithful Performance Bond and Labor and Materials Bond (if applicable)
 - 1.2.5. Special provisions
 - 1.2.6. Project Plans
 - 1.2.7. Revised standard specifications
 - 1.2.8. Standard specifications including City of Hughson Improvement Standards
 - 1.2.9. Revised standard plans including City of Hughson Standard Plans
 - 1.2.10. Standard Plans
 - 1.2.11. Supplemental project information
 - 1.2.12. Disadvantaged Business Enterprise Program
- 1.3. "Contract Price": Price at which Contractor agrees to perform Scope of Services and City agrees to pay Contractor to perform Scope of Services.
- 1.4. "DIR": Department of Industrial Relations
- 1.5. "Project": SEWER IMPROVEMENTS ON TULLY ROAD AND SECOND STREET
- 1.6. <u>"Scope of Services"</u>: Such construction services as are set forth in the Contract Documents.
- 2. Scope of Construction Agreement

 - 2.2. Failure of the Contractor to include any scope of work identified in the Contract Documents will not excuse Contractor's liability to perform such work, unless Contractor provides written notice that Contractor's bid does not include the scope of work defined in the Contract Documents and City accepts Contractor's bid with the understanding that Contractor will not be providing construction services for the scope of work specifically identified in Contractor's written notice to the City.
 - 2.3. Contractor agrees to do all the work and furnish all the labor, material, equipment and appliances to complete the work in accordance with the Contract Documents.
 - 2.4. Contractor agrees to do and perform said work diligently as directed by the City until completion is evidenced by written acceptance by the City.
 - 2.5. Contractor agrees to do and perform the work contemplated hereby and furnish all labor, material, appliances, equipment, tools and pay all taxes therefore, at the bid price specified in the Bid form submitted by the Contractor.
 - 2.6. Contractor agrees to remedy, at his expense, any defects in the work which shall appear within a period of twelve (12) months from the date of the final acceptance of the work.
 - 2.7. Contractor shall comply with all Federal, State, and local laws, regulations and requirements necessary for the provision of contracted services.
 - 2.8. Contractor shall comply with all laws applicable to wages and hours of employment, occupational safety, and to fire safety, health and sanitation.

2.9. Contractor shall maintain current throughout the life of this Agreement, all permits, licenses, certificates, and insurances that are necessary for the provision of contracted services.

3. Term of Agreement

- 3.1. This Agreement shall commence on the date of execution by the City, and continue until [date], unless said work is completed on a date prior thereto or unless terminated earlier as provided herein.
- 3.2. Contractor agrees to commence work on its Scope of Services within 10 calendar days after receipt of Notice to Proceed and to complete said work within 30 calendar days from date established by the Notice to Proceed.
- 3.3. Should the Contractor fail to complete the work included in the Scope of Services within the time limit agreed upon or such extensions thereof as may be granted, a deduction of One Thousand dollars (\$1,000.00) per day will be made from amounts otherwise due the Contractor for each and every calendar day, or fraction thereof, that the work, or each stated portion, remains incomplete after the date set for its completion.

4. Hours Worked

- 4.1. Contractor shall comply with and be bound by the provisions of Labor Code section 1810 acknowledging that eight (8) hours labor constitutes a legal day's work.
- 4.2. Contractor shall comply with and be bound by the provisions of Labor Code section 1813 concerning penalties for workers who work excess hours. The Contractor, shall as a penalty to the City, forfeit twenty-five dollars (\$25) for each worker employed in the performance of this Agreement by the Contractor or by any subcontractor for each calendar day during which such worker is required or permitted to work more than eight (8) hours in any one (1) calendar day and forty (40) hours in any one (1) calendar week in violation of the provisions of Division 2, Part 7, Chapter 1, Article 3 of the Labor Code.
- 4.3. Pursuant to Labor Code section 1815, work performed by employees of Contractor in excess of eight (8) hours per day, and forty (40) hours during any one (1) week shall be permitted upon public work upon compensation for all hours worked in excess of 8 (eight) hours per day at not less than one and one-half (1-1/2) times the basic rate of pay.
- 5. Compensation

The compensation shall not exceed the amount of \$ _____ for construction services performed pursuant to this Agreement paid in accordance with the following bid schedule:

7

Item	F	Description	Quantity	Units	Unit Price	Total
1						
2						
Item	F	Description	Quantity	Units	Unit Price	Total
3						
4						
4						

[Bid Schedule to be inserted after award

6. Invoicing

- 6.1. Contractor shall submit one original and one copy of each invoice to the City, Post Office Box 9, Hughson, California 95326 by the end of each month. The invoice must include the value of all work completed as of the 20th day of the current month. All invoices must reference this Contract ID Number and the services performed.
- 6.2. On or about the tenth day of each month after the commencement of work, an amount equal to ninety-five percent (95%) of the value of all work completed as of the 20th day of the preceding month, based on the quantities of work completed, as determined by the Engineer at the unit prices stated, less the aggregate of all previous payments made to the Contractor, will be paid by City to Contractor.
- 6.3. Thirty (30) days after completion of the Contract and its acceptance by the City, the balance of the Contract Price will be paid. Such final payment will not be made until completion of the entire project and acceptance of the whole by the City.
- 6.4 Contractor may substitute securities in lieu of retained funds in accordance with Public Contract Code section 22300.
- 6.5. It is further agreed by the parties that before each payment is made as provided above, receipts and releases of liens of all kinds for all labor and materials and all other indebtedness connected with the work shall be presented to the City by the Contractor upon the request of the City.
- 7. Contractor's Status
 - 7.1. Prior to submitting a bid, the Contractor and subcontractors must be registered with the DIR and qualified to perform public work pursuant to Labor Code section 1725.5, subject to limited legal exceptions under Labor Code section 1771.1.
 - 7.2. No contractor or subcontractor may be awarded a contract for public work on a public works project unless registered with the DIR pursuant to Labor Code section 1725.5.
- 8. Contractor Responsibility for Employees and Subcontractors
 - 8.1. California Labor Code Sections 1860 and 3700 provide that every employer will be required to secure the payment of compensation to its employees. In accordance with the provisions of California Labor Code Section 1861, Contractor hereby certifies as follows:

"I am aware of the provisions of Section 3700 of the Labor Code which require every employer to be insured against liability for workers' compensation or to undertake self-insurance in accordance with the provisions of that code, and I will comply with such provisions before commencing the performance of the work of this contract."

- 8.2. For every subcontractor who will perform work on the Project, Contractor shall be responsible for such subcontractor's compliance with Chapter 1 and Labor Code Sections 1860 and 3700, and Contractor shall include in the written contract between it and each subcontractor a copy of those statutory provisions and a requirement that each subcontractor shall comply with those statutory provisions. Contractor shall be required to take all actions necessary to enforce such contractual provisions and ensure subcontractor's compliance, including without limitation, conducting a periodic review of the certified payroll records of the subcontractor and upon becoming aware of the failure of the subcontractor to pay his or her workers the specified prevailing rate of wages. Contractor shall diligently take corrective action to halt or rectify any failure.
- 8.3. By executing the Contract, the contractor certifies that every subcontractor who will perform work on the Project is not ineligible pursuant to Labor code Sections 1777.1 or 1777.7. In accordance with Public Contract Code Section 6109, any contactors who are ineligible to perform work on public works project pursuant to Labor Code Sections 1777.1 or 1777.7 may neither bid on, be awarded, or perform work on this Project. To the full extent permitted by law he Contractor shall hold harmless and indemnify the City from and against any and all damages, costs, and liability arising from or as a consequence of any violation of Public Contract Code Section 6109.
- 8.4. The City has full authority to compromise or otherwise settle any claim relating to the Project at any time. However, the City shall notify Contractor of the receipt of any third-party claim relating to the Project.

9. Bonding Requirements

If this total bid amount as set forth in the Bid is in excess of \$25,000, then Contractor shall provide a Faithful Performance Bond and a Labor and Materials Bond, in the sum of 100% of the contract price; the Faithful Performance Bond will be retained by the City for twelve (12) months following final acceptance by the City of the improvements constructed to guarantee correction of failures attributable to workmanship and materials. Upon the final acceptance by the City, the amount of the Faithful Performance Bond may be reduced to twenty percent (20%) of the actual improvement construction costs.

10. Public Work Acknowledgment

- 10.1. Contractor acknowledges that the project as defined in the Contract Documents between Contractor and City is a "public work" as defined in Division 2, Part 7, Chapter 1 (commencing with section 1720) of the California Labor Code ("Chapter 1"), and that this Agreement is subject to:
 - 10.1.1. Chapter 1, including without limitation Labor Code section 1771; and
 - 10.1.2. The rules and regulations established by the Director of Industrial Relations implementing such statutes. Contractor shall perform all work on the project as public work. Contractor shall comply with and be bound by all the terms, rules and regulations described in 10.1.1 and 10.1.2 as though set forth in full herein.
- 10.2. California law requires inclusion of specific Labor Code provisions in certain contracts. The inclusion of such specific provisions in this Agreement, whether or not required by California law, does not alter the meaning or scope of Section 10 of this Agreement.

11. Labor Compliance Monitoring

- 11.1. Pursuant to Labor Code section 1771.4, Contractor's services are subject to labor compliance monitoring and enforcement by the DIR. Contractor shall post job site notices, as prescribed by DIR regulations.
- 11.2. Contractor shall comply with and be bound by the provisions of Labor Code section 1776, which requires Contractor and each subcontractor to:
 - 11.2.1. Keep accurate payroll records and verify such records in writing under penalty of perjury, as specified in Section 1776; and
 - 11.2.2. Certify and make such payroll records available for inspection as provided by Section 1776; and
 - 11.2.3. Inform the City of the location of the records.
- 11.3. Payment to Contractor shall not be made when payroll records are delinquent or inadequate.

12. Prevailing Wage Requirements

- 12.1. Pursuant to Labor Code section 1773.2, copies of the prevailing rate of per diem wages for each craft, classification, or type of worker needed to perform the Scope of Services are on file at City Hall and will be made available to any interested party on request. Contractor acknowledges receipt of a copy of the DIR determination of such prevailing rate of per diem wages, and Contractor shall post such rates at each job site covered by this Contract.
- 12.2. Contractor shall comply with and be bound by the provisions of Labor Code sections 1774 and 1775 concerning the payment of prevailing rates of wages to workers and the penalties for failure to pay prevailing wages. The Contractor shall, as a penalty to the City, forfeit two hundred dollars (\$200) for each calendar day, or portion thereof, for each worker paid less than the prevailing rates as determined by the DIR for the work or craft in which the worker is employed for any public work done pursuant to this Contract by Contractor or by any subcontractor.
- 12.3. Contractor shall comply with and be bound by the provisions of Labor Code sections1777.5, 1777.6 and 1777.7 and California Administrative Code title 8, section 200 et seq. concerning the employment of apprentices on public works projects. Contractor shall be responsible for compliance with these aforementioned sections for all apprenticeable occupations. Prior to commencing work under this Agreement, Contractor shall provide City with a copy of the information submitted to any applicable apprenticeship program. Within sixty (60) days after concluding work pursuant to this Agreement, Contractor and each of its subcontractors shall submit to the City a verified statement of the journeyman and apprentice hours performed under this Agreement.
- 12.4. The statutory provisions for penalties for failing to comply with the State of California wage and labor laws will be enforced, as well as that for failing to pay prevailing wages.

13. Indemnification

To the maximum extent permitted by law, Contractor shall indemnify, hold harmless and defend (at Contractor's expense with counsel reasonably acceptable to the City) the City, its officials, officers, employees, agents and independent contractors serving in the role of City's

officials, and volunteers from and against any demand or claim for damages, compensation, fines, penalties or other amounts arising out of or incidental to any acts or omissions listed above by any person or entity (including Contractor, its subcontractors, and each of their officials, officers, employees and agents) in connection with any work undertaken or in connection with the Contract, including without limitation the payment of all consequential damages, attorneys' fees, and other related costs and expenses. This indemnity requirement applies to any claim, liability, compensation, fines, penalties, or other amounts arising from or incidental to any alleged defects in the content or manner of submission of the Contractor's bid for the Contract. All duties of Contractor under this Section shall survive termination of the Contract.

14. Assignment

Neither party may assign any of its rights or delegate any of its obligations hereunder without the prior written consent of the other party, which consent shall not be unreasonably withheld, conditioned or delayed. Any purported assignment or delegation in violation of this Section shall be null and void. No assignment or delegation shall relieve the assigning or delegating party of any of its obligations hereunder.

15. Insurance

- 15.1. Contractor, if required to work on City property during the contract period, shall submit proof of insurance to City showing City, its officers, agents, and employees named as Additional Insured and insurance policy shall contain provisions that such policy may not be cancelled except after thirty (30) days written notice to City, ten (10) day's notice if cancellation is due to nonpayment of premium.
- 15.2. Contractor agrees that Contractor is responsible to ensure that the requirements set forth in this section/paragraph are also met by Contractor's subcontractors/consultants who provide services pursuant to this Agreement. Copies of insurance certificates shall be filed with the City.

15.3. General Liability Limits	
15.3.1. BI & PD combined/per occurrence	\$1,000,000
/Aggregate	\$1,000,000
15.3.2. Personal Injury/Aggregate	\$1,000,000
15.3.3. Workers' Compensation and Employer's Liability	Statutory requirement

Contractor shall not discriminate against any individual based on race, color, religion, nationality, sex, age, or handicap condition.

17. Notices

Any notice required to be given pursuant to the terms and provisions hereof shall be in writing and shall be affected by personal delivery or by first class mail, registered or certified, postage prepaid, return receipt requested. Unless otherwise designated by either party in writing, such notices shall be mailed to Post Office Box 9, Hughson, California 95236.

18. Termination

If the Contractor breaches or habitually neglects the Contractor's duties under this Agreement without curing such breach or neglect upon fifteen (15) working days written notice, the City may, by written notices, immediately terminate this Agreement without prejudice to any other remedy to which the City may be entitled, either at law, in equity, or under this Agreement. In addition, either party may terminate this Agreement upon sixty (60) calendar days written notice to other party.

19. Conflict of Interest Statement

- 19.1. Contractor covenants that Contractor, its officers or employees or their immediate family, presently has no interest, including, but not limited to, other projects or independent contracts, and shall not acquire any such interest, direct or indirect, which would conflict in any manner or degree with the performance of services required to be performed under this Agreement.
- 19.2. Contractor further covenants that in the performance of this Agreement no person having any such interest shall be employed or retained by Contractor under this Agreement
- 19.3. Contractor shall not hire City's employees to perform any portion of the work or services provided for herein, including secretarial, clerical, and similar incidental services except upon the written approval of the City.
- 19.4. Performance of services under this Agreement by associates or employees of Contractor shall not relieve Contractor from any responsibility under this Agreement.

20. Drug Free Workplace

Contractor shall comply with the provisions of Government Code section 8350 et seq., otherwise known as the Drug-Free Workplace Act.

21. Force Majeure

It is agreed that neither party shall be responsible for delays in delivery or acceptance of delivery or failure to perform when such delay or failure is attributable to Acts of God, war, strikes, riots, lockouts, accidents, rules or regulations of any governmental agencies or other matters or conditions beyond the control of either the seller/contractor or the purchaser.

22. Forum Law

The Laws of the State of California shall govern this Agreement. Venue is Stanislaus County. The provision of this paragraph shall survive expiration or other termination of this Agreement regardless of the cause of such termination.

23. Entire Agreement and Modification

This Agreement supersedes all previous Agreements either oral or in writing and constitutes the entire understanding of the parties hereto. No changes, amendments, or alterations shall be effective unless in writing and signed by both parties.

24. Attorneys' Fees

In any litigation, arbitration, or other proceeding by which one party either seeks to enforce its rights under this Agreement (whether in contract, tort, or both) or seeks a declaration of any rights or obligations under this Agreement, the prevailing party shall be awarded reasonable attorney fees, together with any costs and expenses, to resolve the dispute and to enforce the final judgment.

IN WITNESS WHEREOF, City and Contractor have executed this Agreement on the day and year first written above.

Contractor

By: _____ [Official name] [Official title]

Date:

Approved as to Form:

By: _____

Tom Terpstra City Attorney

City

City of Hughson Post Office Box 9 Hughson, CA 95326

City of Hughson Well 8 TCP Mitigation Project

By: _____

Dominique Romo City Manager _____

Date: _____

City of Hughson Well 8 TCP Mitigation Project

CITY OF HUGHSON COMMUNITY DEVELOPMENT DEPARTMENT

SAMPLE PAYMENT BOND

(Section 3247, Civil Code)

WHEREAS, The City of Hughson, acting by and through the Community Development Department, hereafter referred to as hereafter designated as the "Principal", a

contract for the work described as follows:

The work generally consists of, but is not limited to, the following: a d j u s t water and sewer services, roadway excavation and grading, asphalt grinding/milling, roadway paving and street striping. The contractor shall include in his bid and provide all labor, tools and materials for a complete project in conformance with the intent shown on the drawings and specified herein.

AND WHEREAS, said Principal is required to furnish a bond in connection with said contract, to secure the payment of claims of laborers, mechanics, materialmen and other persons as provided by law.

NOW, THEREFORE, we the undersigned Principal and Surety are bound unto the Obligee in the sum of

dollars (\$), for which payment,

we bind ourselves, jointly and severally.

THE CONDITION OF THIS OBLIGATION IS SUCH,

That if said Principal or its subcontractors shall fail to pay any of the persons named in Civil Code Section 3181, or amounts due under the Unemployment Insurance Code with respect to work or labor performed by such claimant, or any amounts required to be deducted, withheld, and paid over to the Franchise Tax Board for the wages of employees of the Principal and his subcontractors pursuant to Section 18806 of the Revenue and Taxation Code, with respect to such work and labor, that the surety herein will pay for the same in an amount not exceeding the sum specified in this bond, otherwise the above obligation shall be void. In case suit is brought upon this bond, the surety will pay a reasonable attorney's fee to fixed by the court.

This bond shall inure to the benefit of any of the persons named in Civil Code Section 3181 as to give a right of action to such persons or their assigns in any suit brought upon this bond.

Correspondence or claims relating to this bond should be sent to the surety at the following address:

Dated: , 20

Principal

(SEAL)

By: Attorney-in-Fact

Surety

NOTE: Signatures of those executing for the surety must be properly acknowledged.

CERTIFICATE OF ACKNOWLEDGEMENT

State of California		
City / County of		
· · ·		

On this day of	, 20	_before me	 		_ per	rsonally appear	ed	
		11 1	 4	.1 1		0	• •	

______ personally known to me (or proved to me on the basis of satisfactory evidence) *Attorney-in-Fact*

to be the person whose name is subscribed to this instrument as the attorney-in-fact of

and acknowledged to me that he/she subscribed the name of the said company thereto as surety, and his/her own name as attorney-in-fact.

CITY OF HUGHSON COMMUNITY DEVELOPMENT DEPARTMENT SAMPLE PERFORMANCE BOND

(To Accompany Contract)

Bond No.

WHEREAS, the City of Hughson, acting by and through the Community Development Department, has awarded to Contractor ______

designated as the "Contractor", a contract for the work described as follows:

The work generally consists of, but is not limited to, the following: a d d i n g GAC treatment to the existing Well 8 treatment system, demolition and grading, and, paving. The contractor shall include in his/her bid and provide all labor, tools and materials for a complete project in conformance with the intent shown on the drawings and specified herein.

AND WHEREAS, the Contractor is required to furnish a bond in connection with said contract, guaranteeing the faithful performance thereof:

NOW, THEREFORE, we the undersigned Contractor and Surety are held firmly bound to the City of Hughson in the sum of \$ dollars, to be paid to said City or its certain attorney, its successors and assigns: for which payment, well and truly to be made, we bind ourselves, our heirs, executors and administrators, successors or assigns, jointly and severally, firmly by these presents.

THE CONDITION OF THIS OBLIGATION IS SUCH,

That if the above bound Contractor, its heirs, executors, administrators, successors or assigns, shall in all things stand to and abide by, and well and truly keep and perform the covenants, conditions and agreements in the foregoing contract and any alteration thereof made as therein provided, on his or their part to be kept and performed at the time and in the manner therein specified, and in all respects according to their intent and meaning, and shall indemnify and save harmless the City *I* County of ________, its officers and agents, as therein stipulated, then this obligation shall become

and be null and void; otherwise it shall be and remain in full force and virtue.

IN WITNESS WHEREOF, We have hereunto set our hands and seals on this _____ day of _____, 20____

Correspondence or claims relating to this bond should be sent to the surety at the following address:		
	Contractor	
	Name of Surety	(SEAL)
	By: Attorney-in-Fact	

NOTE: Signatures of those executing for the surety must be properly acknowledged.

CERTIFICATE OF ACKNOWLEDGEMENT

State of California, City / County of	
On this day of in the year 20 notary public in and for the City / County of	_ before me , a personally appeared
	known to me to be the person whose name is subscribed to this
Attorney-in-fact	
instrument and known to me to be the attorney-in-fact of	and
acknowledged to me that he/she subscribed the name of $\overline{\text{the}}$ attorney-in-fact.	said company thereto as surety, and his/her own name as

(SEAL) Notary Public



CITY OF HUGHSON COMMUNITY DEVELOPMENT DE PARTMENT

PART II: NOTICE TO BIDDERS & SPECIAL PROVISIONS

FOR

WELL 8 TCP MITIGATION PROJECT

BID OPENING- TBD, IMMEDIATELY AFTER TBD.

For use in Connection with federally funded Local Assistance construction projects administered under the Standard Specifications Dated 2018 and Standard Plans Dated 2018 of the California Department of Transportation; and the Labor Surcharge and Equipment Rental Rates in effect on the date the work is accomplished; and the City of Hughson Improvement Standards dated October 10, 2007, insofar as the same may apply and in accordance with the Special Provisions.

This Page Intentionally Blank

DOCUMENT ORGANIZATION

STANDARD PLANS LIST

NOTICE TO BIDDERS

SPECIAL PROVISIONS

ORGANIZATION

DIVISION I GENERAL PROVISIONS

- 1. GENERAL
- 2. BIDDING
- 3. CONTRACT AWARD AND EXECUTION
- 4. SCOPE OF WORK
- 5. CONTROL OF WORK
- 6. CONTROL OF MATERIALS
- 7. LEGAL RELATIONS AND RESPONSIBILITY TO THE PUBLIC
- 8. PROSECUTION AND PROGRESS
- 9. PAYMENT

CALTRANS 2018 STANDARD PLANS LIST

The standard plan sheets applicable to this Contract include those listed below. The applicable revised standard plans (RSPs) listed below are included in the project plans.

ABBREVIATIONS, LINES, SYMBOLS AND LEGEND

- A10A Abbreviations (Sheet 1 of 2)
- RSP A10B Abbreviations (Sheet 2 of 2)
- A10C Lines and Symbols (Sheet 1 of 3)
- A10D Lines and Symbols (Sheet 2 of 3)
- A10E Lines and Symbols (Sheet 3 of 3)

PAVEMENT MARKERS, TRAFFIC LINES, AND PAVEMENT MARKINGS

A2.0A	Pavement Markers and Traffic Lines, Typical Details
A2.0B	Pavement Markers and Traffic Lines, Typical Details
RSP A20C	Pavement Markers and Traffic Lines, Typical Details
A2.0D	Pavement Markers and Traffic Lines, Typical Details
RSP A2.4A	Pavement Markings - Arrows
A2.4B	Pavement Markings - Arrows and Symbols
RSP A2.4C	Pavement Markings - Symbols and Numerals
A2.4D	Pavement Markings- Words
RSP A2.4E	Pavement Markings- Words, Limit and Yield Lines

RSP A24F Pavement Markings- Crosswalks

CURBS, DRIVEWAYS, DIKES, CURB RAMPS AND ACCESSIBLE PARKING

- RSPA87A Curbs and Driveways
- RSPA87B Hot Mix Asphalt Dikes
- RSPABBA Curb Ramp Details
- RSPABBB Curb Ramp and Island Passageway Details

TEMPORARY WATER POLLUTION CONTROL Temporary Water

- Pollution Control Details (Temporary Silt Fence)
- T51 Temporary Water Pollution Control Details (Temporary Fiber Roll)
- T56 Temporary Water Pollution Control Details (Temporary Drainage Inlet T61 Protection)
- Temporary Water Pollution Control Details (Temporary Drainage Inlet Protection)
- Temporary Water Pollution Control Details (Temporary Drainage Inlet Protection)
- Temporary Water Pollution Control Details (Temporary Drainage Inlet Protection)

CITY OF HUGHSON COMMUNITY DEVELOPMENT DEPARTMENT

NOTICE TO BIDDERS

Sealed bids will be received at the Office of the City Clerk of the City of Hughson, in City Hall, 7018 Pine Street, Hughson, CA 95326 until TBD on TBD, for WELL 8 TCP MITIGATION **PROJECT**, at which time they will be publicly opened and read.

The work generally consists of, but is not limited to the following: demolition, clearing, grubbing, drainage improvements, concrete flatwork, roadway excavation and grading, roadway paving, and striping. The contractor shall include in his bid to provide all labor, tools and materials for a complete project in conformance with the intent shown on the drawings and specified herein.

Procurement of Plans and Special Provisions: The contract documents are entitled **WELL 8 TCP MITIGATION PROJECT**. All contract documents, plans, and specifications must be obtained electronically from the City of Hughson's XXXXXXX, (Contact: XXXXX (XXX)xxx-xxxx. Plans and specifications will be available for electronic download at no cost. Contact XXXX at XXXxxxXX.com for access to electronic documents. Upon contacting, XXXXX will add the contractor to the Registered Plan Holders List. Only registered plan holders will be permitted to submit a bid for the project.

Plans and special conditions are based on the use of the 2018 Caltrans Standard Specifications and all supplements.

Bid Bond: Bids, accompanied by a cash deposit or a certified check or a bid bond payable to the City of Hughson in the amount of ten percent (10%) of the total amount of the bid, must be in the hands of Community Development Director, City Hall, 7018 Pine Street, Hughson, CA 95326, prior to the hour advertised for the opening of bids. All bids will be opened at the noticed hour.

Pre-Bid Meeting: A non-mandatory pre-bid meeting is scheduled for TBD, location will be the Well 8 Project Site in Hughson, CA 95326.

Required Contractor's License(s): Under Public Contract Code section 3300 and Business and Professions Code section 7028.15(e), the City of Hughson requires that the contractor possess a valid **Class A** contractor's license at the time that the contract is awarded. Failure to possess the specified license will render the bid non-responsive and will bar the award of the contract to any bidder not possessing such license at the time of the award.

Required Contractor and Subcontractor DIR Registration: The City of Hughson will accept bids only from bidders that (along with all subcontractors listed) are currently registered and qualified to perform public work pursuant to Labor Code section 1725.5; provided, however, that if a bidder is a joint venture (Business & Professions Code § 7029.1) then City of Hughson may accept a non-complying bid provided that the bidder and all listed subcontractors are registered at the time the contract is awarded. Please provide a State issued Department of Industrial Relations (DIR) registration number with the bid proposal. Information on registration with the DIR is available at: https://efiling.dir.ca.gov/PWCR. This is a separate requirement from the Contractors State License Board licensing requirement.

City of Hughson Well 8 TCP Mitigation Project

Form of Bid: Each bid must be submitted on the Bid Proposal and bid forms furnished by the City of Hughson, and each bid must include all the items shown on these forms. Substitute forms may be used if specified in this Notice. All bids must be submitted in conformance with this Notice and with the instructions contained in Caltrans Standard Specifications for Construction, which by this reference is made a part of the Notice Inviting Bids.

Substitution of Securities: In accordance with Public Contract Code section 22300, substitution of eligible and equivalent securities for any moneys withheld to ensure performance under the contract for the work to be performed will be permitted at the request and expense of the successful bidder. Such equivalent securities must be deposited with City of Hughson or with a state or federally chartered bank as the escrow agent who will then pay such moneys to the contractor. Upon satisfactory completion of the contract, the securities will be returned to the contractor. Securities eligible for investment include those listed in Government Code section 16430, bank or savings and loan certificates of deposit, interest bearing demand deposit accounts, standby letters of credit, or any other security mutually agreed to by the contractor and City of Hughson. The contractor will be the beneficial owner of any securities used to secure its performance. Any escrow agreement will be substantially similar to the form set forth in Public Contract Code section 22300.

Labor Code Compliance: Any contract entered into pursuant to this Notice will incorporate the applicable provisions of the California Labor Code.

Prevailing Wage Laws: The successful bidder must comply with all prevailing wage laws applicable to the project, and related requirements contained in the contract documents. Copies of the general prevailing rates of per diem wages for each craft, classification, or type of worker needed to execute the contract, as determined by Director of the State of California Department of Industrial Relations, are on file at the City of Hughson, and may be obtained from the DIR website: http://www.dir.ca.gov/OPRL/DPreWageDetermination.htm. Upon request, City of Hughson will make available copies to any interested party. Also, the successful bidder must post the applicable prevailing wage rates at the work site.

Payroll Records and Prevailing Wage Monitoring: This project is subject to prevailing wage compliance monitoring and enforcement by the Department of Industrial Relations. (Labor Code § 1771.4.). Each contractor and subcontractor must keep an accurate payroll record, showing the name, address, social security number, work classification, straight time and overtime hours worked each day and week, and actual per diem wages paid to each journeyman, apprentice, worker, or other employee employed by the contractor or subcontractor in connection with the public work. These records must be certified and made available for inspection at all reasonable hours at the principal place of the contractor as required by Labor Code section 1776. In the case of state-funded public works projects, certified payroll reports must be provided to City of Hughson on a weekly basis.

Reservation of Rights: The City Board reserves the right to reject any or all bids, waive any irregularities in the bids, and to make an award or any rejection in what it alone considers to be in the best interest of the City.

Bid Protest Procedure: Any bid protest must be in writing and received by City at 7018 Pine Street, Hughson California, before 5:00 p.m. no later than two working days following bid opening (the "Bid Protest Deadline") and must strictly comply with the requirements set forth in this Bid Protest Procedure.

1. **General.** Only a bidder who has actually submitted a responsive bid proposal is eligible to submit a bid protest against another bidder. Subcontractors are not

eligible to submit bid protests. A bidder may not rely on the bid protest submitted by another bidder, but must timely pursue its own protest.

- 2. **Protest Contents.** The bid protest must contain a complete statement of the basis for the protest and all supporting documentation. Material submitted after the Bid Protest Deadline will not be considered. The protest must refer to the specific portion or portions of the Bid Form, Contract Documents, or bidding documents upon which the protest is based. The protest must include the name, address, email address, and telephone number of the person representing the protesting bidder if different from the protesting bidder.
- 3. **Copy to Protested Bidder.** A copy of the protest and all supporting documents must be concurrently transmitted by fax or by email, by or before the Bid Protest Deadline, to the protested bidder and any other bidder who has a reasonable prospect of receiving an award depending upon the outcome of the protest.
- 4. **Response to Protest.** The protested bidder may submit a written response to the protest, provided the response is received by City before 5:00 p.m., within two working days after the Bid Protest Deadline or after actual receipt of the bid protest, whichever is sooner (the "Response Deadline"). The response must include all supporting documentation. Material submitted after the Response Deadline will not be considered. The response must include the name, address, email address, and telephone number of the person representing the protested bidder if different from the protested bidder.
- 5. **Copy to Protesting Bidder.** A copy of the response and all supporting documents must be concurrently transmitted by fax or by email, by or before the Response Deadline, to the protesting bidder and any other bidder who has a reasonable prospect of receiving an award depending upon the outcome of the protest.
- 6. City's Decision. The scope of the bid protest considered by the City shall be limited to the issues set forth in the bid protest timely filed pursuant to this Policy. The City may take any action on the bid protest that is authorized by law, including adoption of City staff's recommended determination of the bid protest, adoption of a determination different from that recommended by City staff, or the rejection of all bids without deciding the bid protest. The decision of the City on a bid protest shall be the final administrative action on the protest and shall exhaust the protesting bidder's administrative remedies.
- 7. **Exclusive Remedy.** The procedure and time limits set forth in this Bid Protest Procedure are mandatory and are the bidder's sole and exclusive remedy in the event of bid protest. A bidder's failure to comply with these procedures will

constitute a waiver of any right to further pursue a bid protest, including filing a Government Code Claim or initiation of legal proceedings.

- 8. **Right to Award.** The City Council reserves the right to award the Contract to the bidder it has determined to be the responsible bidder submitting the lowest responsive bid, and to issue a notice to proceed with the Work notwithstanding any pending or continuing challenge to its determination.
- 9. **Rejection of All Bids.** The filing of a bid protest shall not preclude the City from rejecting all bids. Rejecting all bids shall render a protest moot and terminate all protest proceedings.

The Number of Working Days for this project is <u>120</u>. Bids are required for the entire work described herein

Date

Ashton Gose City Clerk City of Hughson This Page Intentionally Blank

CITY OF HUGHSON COMMUNITY DEVELOPMENT DEPARTMENT

SPECIAL PROVISIONS

ORGANIZATION

Special provisions are under headings that correspond with the main-section headings of the *Standard Specifications.* A main-section heading is a heading shown in the table of contents of the *Standard Specifications.*

Each special provision begins with a revision clause that describes or introduces a revision to the *Standard Specifications* as revised by any revised standard specification.

Any paragraph added or deleted by a revision clause does not change the paragraph numbering of the *Standard Specifications* for any other reference to a paragraph of the *Standard Specifications*.

DIVISION I GENERAL PROVISIONS

^^^^

1 GENERAL

• Add to section 1-1.05:

Whenever in the Standard Specifications, Special Provisions, Notice to Contractor, Proposal, Contract, or other contract documents the following terms are used, the intent and meaning shall be interpreted as follows:

State	City of Hughson
Department	City of Hughson
Director	City Council, City of Hughson
Engineer	City Engineer, City of Hughson, acting either directly or through properly authorized agent or consultants.
City	The Community Development Department, City of Hughson

• Add to Section 1-1.01

The following abbreviations apply to this list:

City denotes City of Hughson Improvement Standards

SP denotes Project Special Provisions

^^^^

2 BIDDING

• Add to Section 2-1.06B

The Department makes the following supplemental project information available:

<u>Means</u> n/a <u>Description</u> n/a

- Delete Section 2.15 Disadvantaged Veteran Business Enterprise
- Delete Section 2.18 Small Business and Non-Small Business Subcontractor Preferences

~~~~~

#### **3 CONTRACT AWARD AND EXECUTION**

• Replace Submit Any Bid Protest To The Office Engineer section 3-1.04 with:

Any bid protest must follow the Bid Protest Procedure identified within the "Notice to Bidders" section above.

# • Replace the table in the third paragraph (Contract Award Period) of section 3-1.04 with:

The City will award the contract within 60 days of the bid opening.

- Replace the provisions of Section 3-1.07 Insurance Policies with:
- 1. Contractor shall submit proof of insurance to City showing City, its officers, agents, and employees named as Additional Insured and insurance policy shall contain provisions that such policy may not be cancelled except after thirty (30) days written notice to City, ten (10) days' notice if cancellation is due to nonpayment of premium.
- Contractor agrees that Contractor is responsible to ensure that the requirements set forth in this section/paragraph are also met by Contractor's subcontractors/consultants who provide services pursuant to this Agreement. Copies of insurance certificates shall be filed with the City.
- 3. General Liability Limits BI & PD combined/per occurrence/Aggregate Personal Injury/Aggregate Workers' Compensation and Employer's Liability \$1,000,000 \$1,000,000 \$1,000,000 \$1,000,000 \$1,000,000

#### ^^^^

### 4 SCOPE OF WORK

• Delete the provisions of Section 4-1.07 – Value Engineering

```
^^^^
```

### 5 CONTROL OF WORK

- Delete the provisions of Section 5-1.13C Disabled Veterans Business Enterprise:
- Delete the provisions of Section 5-1.13D Non-Small Businesses

### • Modify the provisions of Section 5-1.23A as follows:

Each submittal must have a unique identifying number. Any resubmittals or clarification use the original number with an appended letter starting with A for the first resubmittal (i.e.  $1^{st}$  resubmittal = 001A,  $2^{nd}$  resubmittal = 001B, etc.). Provide three (3) complete copies including one complete electronic copy.

• Replace section 5-1.26 with:

5-1.26 CONSTRUCTION SURVEYS

5-1.26A General

#### 5-1.26A (1)

#### Summary

Section 5-1.26 includes specifications for furnishing and setting construction stakes and markers to establish the lines and grades required for the completion on the work and as necessary for the Engineer to check lines, grades, alignment and elevations.

You must perform and coordinate construction staking as necessary to control the work and maintain a complete and accurate log of control and survey work as it progresses. You must establish and maintain baselines and field control points as required and furnish and set construction stakes and marks with accuracy adequate to assure that the completed work conforms to the lines, grades, and section. Vertical alignment and the coordinates of centerlines and layout lines will be furnished to you at the pre- construction conference for use in in performing the construction staking.

The Survey Plan, surveying calculations, survey notes, and other records submitted to establish the exact position of the work must be completed under the direction of and signed by a Professional Land Surveyor who is registered in the State of California.

City of Hughson Well 8 TCP Mitigation Project

#### 5-1.26A (2)

#### Definitions

You must follow all procedures, methods, and typical stake markings under Chapter 12, Construction Surveys, of the Caltrans publication "Surveys Manual." Copies of the "Survey Manual" may be purchased from Caltrans Publications Unit 1900 Royal Oaks Drive, Sacramento, California 95815, (916) 445-3520.

#### 5-1.26A (3) Submittals

You must submit all computations necessary to establish the exact position of the work from the control points on the plans. All computations, survey notes, and other records necessary to accomplish the work must be neat, legible, and accurate. Copies of such computation, notes and other records must be furnished to the Engineer prior to beginning work that requires their use. Upon completion of construction staking and prior to acceptance of the contract, all computations, survey notes, and other data used to accomplish the work must be submitted to the Engineer and will become the property of the City.

Before starting any surveying work, you must submit the name and professional history of the land surveyor designated by you as its project surveyor.

#### 5-1.26B MATERIALS

Not used.

#### 5-1.26C CONSTRUCTION

Construction stakes and marks (including paint marks) must be removed from the site of work when no longer needed.

You are responsible for generating the grades for the work as required for the completion of this work.

You are responsible for the preservation of all Survey Monuments within the project limits. Any Survey Monuments that potentially may be disturbed by construction activity must be located and referenced by a Licensed Land Surveyor, and a Corner Record or Record of Survey filed with the County Surveyor. Any Survey Monuments disturbed during the course of construction must be reestablished by a Licensed Land Surveyor, a new monument set, and another Corner Record or Record of Survey filed with the County Surveyor. (Land Surveyors' Act Section 8771).

#### 5-1.26D PAYMENT

The Department pays you for construction staking as follows:

1. A total of 90 percent of the item total over the life of the contract

2. A total of 100 percent of the item upon submission of final computations, notes and other data.

- Delete paragraphs 2 through 5 of Section 5-1.27E.
- Delete Section 5-1.43E

#### ^^^^

#### 6 CONTROL OF MATERIALS

- Delete the provisions of Section 6-2.03 Department-Furnished Materials
- Delete the provisions of Section 6-2.05 Buy America

• **Replace the footnote to the table in the 2nd paragraph of section 6-3.05B with:** Distance is air-line miles from Sacramento to the inspection source.

~~~~~

7 LEGAL RELATIONS AND RESPONSIBILITY TO THE PUBLIC

• Replace the fifth paragraph of Section 7-1.02K (3) with:

Submit payroll forms electronically to the Engineer and to the Department of Industrial Relations Electronic Certified Payroll Reporting System.

• Replace the table (Liability Limits) in Section 7-1.06D (2) with:

1.1. General Liability Limits	
1.1.1. BI & PD combined/per	\$1,000,000
occurrence/Aggregate	
1.1.2. Personal Injury/Aggregate	\$1,000,000
1.1.3. Workers' Compensation and	\$1,000,000
Employer's Liability	Statutory requirement

^^^^

8 PROSECUTION AND PROGRESS

• Replace the paragraphs and subsections in section 8-1.02C (3) with:

Use Microsoft Project for scheduling.

~~~~~

#### 9 PAYMENT

#### • Delete section 9-1.07.

#### • Add to section 9-1.16C:

The following items are eligible for progress payment even if they are not incorporated into the work:

None

#### • Replace section 9-1.16F:

The City retains 5% of all progress payments subject to the provisions of Public Contract Code § 9203. The City releases retention not sooner than 30 days after filing of the Notice of Completion with the Stanislaus County Recorder.

#### • Add to section 9-1.17D(1):

The City will pay the final estimate, subject to the other conditions in this section, within 30 days following final acceptance by the City of Hughson City Council. The Notice of Completion is filed after acceptance by the City Council.

#### • Replace the paragraphs in section 9-1.22 with:

Claims are processed following the requirements found in Public Contract Code § 10204 et seq.

#### DIVISION II GENERAL CONSTRUCTION CONSTRUCTION SPECIAL PROVISIONS

#### STANDARD SPECIFICATIONS AND STANDARD PLANS

Where the term "Standard Specifications" is used, it refers to the Standard Specifications of the California Department of Transportation, 2018 edition. "Standard Plans" means the Standard Plans of the same Agency, 2018 edition.

#### **REVISED STANDARD SPECIFICATIONS**

Revised Standard Specifications set forth in these special provisions shall be considered as part of the Standard Specifications for the purposes set forth in Section 5-1.02, "Contract Components," of the Standard Specifications. Whenever either the term "Standard Specifications is amended" or the term "Standard Specifications are amended" is used in the special provisions, the text or table following the term shall be considered an amendment to the Standard Specifications. In case of conflict between such amendments and the Standard Specifications, the amendments shall take precedence over and be used in lieu of the conflicting portions.

A copy of the current amendments is available at <u>http://ppmoe.dot.ca.gov/hq/esc/oe/construction%20contract%20standards/std%20specs/2018%2</u> 0StdSpecs/2018 Std Specs.pdf. Or by contacting the City of Hughson.

#### SECTION 9. (BLANK)

#### SECTION 10. CONSTRUCTION DETAILS

#### 10-1.01 GENERAL

The Contractor's attention is directed to Section 5-1.36, "Property and Facility Preservation," of the Standard Specifications and these Special Provisions.

The Contractor will be required to work around public utility facilities and other improvements that are to remain in place within the construction area or that are to be relocated and relocation operations have not been completed, and in accordance with the provisions of Sections 5-1.36 and 7-1.02 of the Standard Specifications, he will be liable to owners of such facilities and improvements for any damage or interference with service resulting from his/her operations. The Contractor shall ascertain the exact locations of underground facilities and improvements within the construction area before using equipment that may damage such facilities or interfere with the services. Other forces may be engaged in moving or removing utility facilities or other improvements or maintaining services of utilities and the Contractor shall cooperate with such forces and conduct his/her operations in such a manner as to avoid any unnecessary delay or hindrance to the work being performed by such other forces.

The Contractor is required to notify all property owners, businesses, residences, etc. in letter form in both English and Spanish of the construction dates and times, at least 5 days prior to the beginning of work. This public notification must be submitted to the City and Engineer for review and approval prior to distribution. A copy of this notification letter must also be sent to the City Engineer. Contractor shall also post "Temporary No Parking" signs, a <u>minimum</u> of 72 hours prior to the commencing removals, cold milling, and paving operations of the street adjacent to their property. The notification shall be by posting visible signs at the edge of the curbs and gutters. The signs which will be posted must be on their own lath or attached to delineator cones, or pylons, and <u>not</u> stapled or nailed to any tree, utility pole or street signs. Trees must be protected from being scarred or broken during construction and must be repaired or replaced at Contractor's expense if damage is done.

In the event that vehicles are on the street at the time construction is to begin, the contractor shall take appropriate action to notify the owner/s of said vehicle to have it moved. If this is not possible, or the vehicle is inoperable and the owner is not capable of moving the vehicle, the contractor shall inform the Project Engineer, who will notify the County Sheriff's Office to have the vehicle towed at the owner's expense. Note: The above action may take place only if the "Temporary No Parking" signs have been in place, and placement has been verified by the Project Engineer, for the required 48 hour time period. Removal of said signs by the property owners or vandals will not constitute Non-compliance with this section.

The Contractor will be held responsible for any damage he may do to existing installations that are to remain in place.

The Contractor shall ensure that all striping and road markings are repainted as specified on the PLANS.

All property to remain shall be properly protected from injury or damage. Should any such property be damaged, it shall be repaired and/or replaced with material, fixtures, or equipment of the same kind, quality and size or better.

Full compensation for performing all of the work required under these Special Provisions shall be considered as included in the prices paid for the various Contract items of work involved and no separate payment will be made therefore

#### 10-1.02 ORDER OF WORK

Order of work shall conform to the provisions in Section 5, "Control of Work," of the Standard Specifications and these special provisions.

The Contractor shall phase the work according to the following:

1) Per the Plans and Technical Specifications

#### 10-1.03 MOBILIZATION/DE-MOBILIZATION

The scope of the work for Mobilization shall include moving onto the site of all equipment; and the furnishing and erecting of plants, temporary buildings, and other construction facilities; all as required for the proper performance and completion of the Work. Mobilization shall include, but not be limited to, the following principal items:

- 1. Moving on to the site of all Contractor's equipment required for first month's operations.
- 2. Installing temporary construction power, wiring, and lighting facilities per Section entitled "Temporary Utilities."
- 3. Establishing fire protection system per Section entitled "Temporary Utilities."
- 4. Developing and installing construction water supply per Section entitled "Temporary Utilities."
- 5. Providing on-site sanitary facilities and potable water facilities as specified per Section entitled "Temporary Utilities."
- 6. Furnishing, installing, and maintaining all storage buildings or sheds required for temporary storage of products, equipment, or materials that have not yet been installed in the Work. All such storage shall meet manufacturer's specified storage requirements, and the specific provisions of the specifications, including temperature and humidity control, if recommended by the manufacturer, and for all security per Section entitled "Materials and Equipment," and Section entitled "Delivery, Storage, and Handling," as applicable.
- 7. Arranging for and erection of Contractor's work and storage yard per Section entitled "Site Access and Parking."
- 8. Obtaining and paying for all required permits.
- 9. Posting all OSHA required notices and establishment of safety programs.
- 10. Coordination with utility agencies.
- 11. Have the Contractor's superintendent at the job site full time.
- 12. Submittal of required Construction Schedule as specified in Section entitled "Contractor Submittals."

In addition to the requirements specified above, all submittals shall conform to the applicable requirements of Section entitled "Contractor Submittals."

De-mobilization shall consist of the completion of all final construction and administration work required to secure the project for termination and acceptance by the Engineer, including but not limited to the following:

- 1. Removal of all temporary facilities, construction office, temporary utilities, plant, equipment, and similar from project limits and adjacent property, as required and as directed by the Engineer.
- 2. Completion of record drawings (as-builts), to the satisfaction of the Engineer.
- 3. Completion of the requirements of permits issued by other agencies.
- 4. Submission of signed 1-year material and workmanship guarantee.
- 5. Satisfactory completion of all other contractually and legally required construction and administrative items of work.

De-mobilization shall include the satisfactory completion of all items of work, but shall not be

constructed as being a separate payment for work that is paid under separate contract items. The contract item for De-Mobilization is intended for proper close-out activities.

#### Mobilization bid cost is not to exceed 10% of the total bid.

Measurement for payment for Mobilization/De-mobilization will be based upon completion of such work as a lump sum pay item and shall require completion of all the listed items in this Section.

Payment for Mobilization/De-mobilization will be made at the lump sum allowance named in the Bid Sheets, which price shall constitute full compensation for all such work.

Payment for Mobilization will be made in the form of a single, lump sum equal to 50% of the contract lump sum price for Mobilization/De-mobilization, no part of which will be approved for payment under the Contract until all mobilization items listed herein have been completed as specified.

Payment for De-mobilization will be made in the form of a single, lump sum equal to 50% of the contract lump sum price for Mobilization/De-mobilization, no part of which will be approved for payment under the Contract until all de-mobilization items listed herein have been completed as specified. Payment for De-Mobilization will be included in the final pay estimate and payment.

#### 10-1.04 NOT USED

#### 10-1.05 CONTRACTOR SUBMITTALS

#### GENERAL

Wherever submittals are required hereunder, all such submittals by the Contractor shall be submitted to the Engineer through the Resident Project Representative for recording and forwarding to the Engineer. A Submittal is defined as any drawing, calculation, specification, product data, samples, manuals, requests for substitutes, spare parts, photographs, survey data, traffic control plans, record drawings, bonds, or similar items required to be submitted to the City or the Engineer under the terms of the contract.

<u>Submittals Required Within 7 Days After Notice to Proceed:</u> Within 7 days after the date of commencement as stated in the Notice to Proceed, the Contractor shall submit the following items to the Engineer for review:

- 1. A Preliminary Construction Schedule indicating the starting and completion dates of the various stages of the Work, and in accordance the Contract Documents.
- 2. A preliminary schedule of Shop Drawing and Sample submittals.
- 3. A list of all permits and licenses the Contractor shall be obtained indicating the agency required to grant the permit and the expected date of submittal for the permit and required date for receipt of the permit.

<u>Submittals of Substitutes Required Prior to Award</u> As provided under Section 3400 of the California Public Contracts Code, the Contractor shall, within 10 days prior to award of the contract,

submit to the Engineer all proposed Substitutes or "Or Equal" products for the Engineer's review and approval. All such submittals shall be in conformance with the requirements of this Section.

The Contractor hereby agrees that failure to submit alternative product requests within the stipulated time period shall act as a waiver of any future rights to offer such substitutes, and the Contractor hereby agrees to provide one of the specific products called for in the Contract Documents.

#### CONTRACTOR'S SCHEDULE

<u>Time of Submittals:</u> Within 7 days of the commencement date stated in the Notice to Proceed, the Contractor shall submit for acceptance by the Engineer, a Preliminary Construction Schedule for the Work, showing its general plan for orderly completion of the Work and showing in detail its planned mobilization of equipment, sequence of early operations, and timing of procurement of materials and equipment. The Preliminary Construction Schedule produced and submitted shall indicate a project completion date on or before the contract completion date. The Engineer within 7 days after receipt of the Preliminary Construction Schedule, shall meet with a representative of the Contractor to review the preliminary plan and construction schedule.

Within 7 days after the conclusion of the Engineer's review period, the Contractor shall revise the Preliminary Construction Schedule as required, and resubmit to the Engineer for review. The Preliminary Construction Schedule will be revised and/or approved or rejected by the Engineer within 7 calendar days after receipt. Said schedule, when accepted by the Engineer shall constitute the Initial Construction Schedule until later revised schedules are submitted due to delays beyond the control and without the fault or negligence of the Contractor.

<u>Acceptance:</u> When the Initial Construction Schedule has been accepted, the Contractor shall submit to the Engineer 4 copies of the accepted schedule.

<u>Schedule Updates with Progress Payment Applications:</u> The Contractor shall submit updated construction schedules with each payment application.

<u>Additional Revised Construction Schedules:</u> The Contractor, if requested by the Engineer, shall provide a Revised Construction Schedule if, at any time, the Engineer considers the completion date to be in jeopardy because of any portion of the work falling behind schedule. The Revised Construction Schedule shall show how the Contractor intends to accomplish the Work to meet the completion date. The form and method employed by the Contractor shall be the same as required for the Initial Construction Schedule.

<u>Construction Schedule Revisions:</u> The Contractor shall modify any portions of the construction schedule that becomes unfeasible because of portions of the Work falling behind schedule, or for any other valid reason. Any portion of the work that cannot be completed by its originally-scheduled completion date shall be deemed to be behind schedule.

#### PROPOSED SUBSTITUTES OR "OR-EQUAL" ITEMS

For convenience in designation in the Contract Documents, any material, product, or equipment to be incorporated in the Work may be designated under a brand or trade name or the name of a

manufacturer and its catalog information. The use of any substitute material, product, or equipment which is equal in quality and utility and possesses the required characteristics for the purpose intended will be permitted, subject to the following requirements:

- 1. The burden of proof as to the quality and utility of any such substitute material, product, or equipment shall be upon the Contractor.
- 2. The Engineer will be the sole judge as to the quality and utility of any such substitute material, product, or equipment and its decision shall be final.

Wherever in the Contract Documents the name or the name and address of a manufacturer or supplier is given for a material, product, or equipment, or if any other source of a material, product, or equipment is indicated therefore, such information is given for the convenience of the Contractor only, and no limit, restriction, or direction is indicated or intended thereby, nor is the accuracy or reliability of such information guaranteed. It shall be the responsibility of the Contractor to determine the accurate identity and location of any such manufacturer, supplier, or other source of any material, product, or equipment called for in the Contract Documents.

The Contractor may offer any material, product, or equipment that it considers equal to those specified. Unless otherwise provided by law or authorized in writing by the Engineer, the substantiation of any proposed substitute or "or equal" material, product, or equipment must be submitted prior to award of the contract. The Contractor, at its sole expense, shall furnish data concerning items it has offered as substitute or "or equal" to those specified. The Contractor shall provide the data required by the Engineer to determine that the quality, strength, physical, chemical, or other characteristics, including durability, finish, efficiency, dimensions, service, and suitability are such that the substitute or "or equal" item will fulfill its intended function.

The Contractor's attention is further directed to the requirement that its failure to submit data substantiating a request for a substitution of an "or equal" item during the time between the opening of bids and the date of award shall be deemed to mean that the Contractor intends to furnish one of the specific brand or trade-named material, product, or equipment specified in the Contract Documents and the Contractor does hereby waive all rights to offer or use substitute materials, products, or equipment in each such case. Wherever a proposed substitute material, product, or equipment has not been submitted within the time specified above, or wherever the submission of a proposed substitute material, product, or equipment fails to meet the requirements of the Specifications and an acceptable resubmittal is not received by the Engineer within said specified time period, the Contractor shall furnish only one of the materials, products, or equipment originally-named in the Contract Documents. Approval by the Engineer of a substitute item proposed by the Contractor shall not relieve Contractor of the responsibility for full compliance with the Contract Documents and for adequacy of the substituted item. The Contractor shall also be responsible for resultant changes and all additional costs which the substitution requires in its work, the work of its subcontractors and of other contractors and shall effect such changes without cost to City.

#### **RECORD DRAWINGS**

<u>General:</u> The Contractor shall keep and maintain, at the job site, one record set of Contract Drawings. On these Contract Drawings, Contractor shall mark all project conditions, locations,

configurations, and any other changes or deviations which may vary from the details represented on the original Contract Drawings, including buried or concealed construction and utility features which are revealed during the course of construction.

Special attention shall be given to recording the horizontal and vertical location of all buried utilities that differ from the locations indicated, or which were not indicated on the Contract Drawings. Said Record Drawings shall be supplemented by any detailed sketches as necessary or directed to fully indicate the Work as actually constructed.

These master Record Drawings of the Contractor's representation of "as-built" conditions, including all revisions made necessary by addenda, change orders, and the like, shall be maintained up-to-date during the progress of the Work.

In the case of those drawings which depict the detail requirement for equipment to be assembled and wired in the factory, the record drawings shall be updated by indicating those portions which are superseded by change order drawings or final shop drawings, and by including appropriate reference information describing the change orders by number and the shop drawings by manufacturer, drawing, and revision numbers.

Record Drawings prepared by the Contractor shall be accessible to the Engineer at all times during the construction period and shall be delivered to the Engineer upon completion of the work.

<u>Effect on Progress Payments:</u> Requests for partial payments will not be approved if the record drawings are not kept current. All such Record Drawings will be inspected by the Engineer each month, showing all variations between the Work as actually constructed and as originally shown on the Contract Drawings or other Contract Documents, and the City will not process monthly payment requests until such drawings are made current each month.

<u>Final Record Drawings:</u> Upon substantial completion of the Work and prior to final acceptance by the City, the Contractor shall complete and deliver the completed set of Record Drawings to the Engineer for transmittal to the City, conforming to the construction records of the Contractor. This set of drawings shall consist of corrected plans showing the reported location of the Work. The information submitted by the Contractor and incorporated by the Engineer into the Record Drawings will be assumed to the reliable, and the Engineer will not be responsible for the accuracy of such information, or for any errors or omissions, which may appear on the Record Drawings as a result.

<u>Effect on Final Payment:</u> Final payment will not be approved until the Contractor-prepared Final Record Drawings have been delivered to the Engineer. Said up-to-date, Record Drawings may be in the form of a set of prints with carefully plotted information overlaid in pencil.

Full compensation for Contractor Submittals shall be considered as included in the prices paid for the various items of work and no separate payment will be made therefore.

#### 10-1.06 MATERIALS AND EQUIPMENT

The word "Products," as used herein, is defined to include purchased items for incorporation into the Work, regardless of whether specifically purchased for project or taken from Contractor's stock

of previously purchased products. The word "Materials," is defined as products which must be substantially cut, shaped, worked, mixed, finished, refined, or otherwise fabricated, processed, installed, or applied to form units of work. The word "Equipment" is defined as products with operational parts, regardless of whether motorized or manually operated, and particularly including products with service connections (wiring, piping, etc.). Definitions in this paragraph are not intended to negate the meaning of other terms used in Contract Documents, including "specialties," "systems," "structure," "finishes," "accessories," "furnishings," "special construction," and similar terms, which are self-explanatory and have recognized meanings in the construction industry.

<u>Source Limitations:</u> To the greatest extent possible for each unit of work, the Contractor shall provide products, materials, or equipment of a singular generic kind from a single source.

<u>Compatibility of Options:</u> Where more than one choice is available as options for Contractor's selection of a product, material, or equipment, the Contractor shall select an option which is compatible with other products, materials, or equipment already selected. Compatibility is a basic general requirement of product/material selections.

All equipment designated to be installed in the Work, whether temporarily stored at the site or installed in place, shall be serviced on a regularly scheduled basis, and a written log of services shall be maintained and submitted as a record document to the Engineer.

Full compensation for Materials and Equipment shall be considered as included in the prices paid for the various items of work and no separate payment will be made therefore.

#### 10-1.07 DELIVERY, STORAGE, AND HANDLING

The Contractor shall confine all operations (including storage of materials) on City premises to areas authorized or approved by the City. The Contractor shall hold and save the City, its officers and agents, free and harmless from liability of any nature occasioned by the Contractor's performance.

Temporary buildings (e.g., storage sheds, shops, offices) and utilities may be erected by the Contractor only with the approval of the City and shall be built with labor and materials furnished by the Contractor without expense to the City. The temporary buildings and utilities shall remain the property of the Contractor and shall be removed by the Contractor at its expense upon completion of the Work. With the written consent of the Engineer, the buildings and utilities may be abandoned and need not be removed.

The Contractor shall make its own arrangements for any necessary off-site storage or shop areas necessary for the proper execution of the Work.

The Contractor shall deliver, handle, and store products in accordance with manufacturer's written recommendations and by methods and means that will prevent damage, deterioration, and loss including theft. Delivery schedules shall be controlled to minimize long-term storage of products at site and overcrowding of construction spaces. In particular, the Contractor shall provide delivery/installation coordination to ensure minimum holding or storage times for products recognized to be flammable, hazardous, easily damaged, or sensitive to deterioration, theft, and other sources of loss.

Products shall be transported by methods to avoid product damage and shall be delivered in undamaged condition in manufacturer's dry, unopened containers or packaging.

The Contractor shall provide equipment and personnel to handle products, materials, and equipment including those provided by City by methods to prevent soiling and damage.

The Contractor shall provide additional protection during handling to prevent marring and otherwise damaging products, packaging, and surrounding surfaces.

Products shall be stored in accordance with manufacturer's written instructions, with seals and labels intact and legible. Sensitive products shall be stored in weather-tight enclosures and temperature and humidity ranges shall be maintained within those required by the manufacturer's written instructions.

Storage shall be arranged to provide access for inspection. The Contractor shall periodically inspect to assure products are undamaged and are maintained under required conditions.

Products subject to discoloration or deterioration from exposure to the elements shall be covered with impervious sheet material. Ventilation shall be provided to avoid condensation.

Loose granular materials shall be stored on clean, solid surfaces such as pavement, or on rigid sheet materials to prevent mixing with foreign matter.

Surface drainage shall be provided to prevent erosion and ponding of water.

Full compensation for Delivery, Storage, and Handling shall be considered as included in the prices paid for the various items of work and no separate payment will be made therefore.

#### 10-1.08 COOPERATION

It is anticipated that work by another various utility owners will need to be conducted in coordination with the construction of the designation improvement to adjust existing manholes and valve covers to new grades. The contractor shall furnish access and coordinate construction operations to accommodate this work.

It shall be the responsibility of the contractor to work with the local utility companies to locate all underground utility service lines within the project limits prior to any excavation work. The Contractors attention is directed to the Section entitled "Compliance With One Call Underground Service Alert," elsewhere in these Specifications

#### Underground Service Alert-Northern California (USA) Telephone: 1 (800) 422-4133 or 1 (800) 227-2600

Comply with Section 5-1.20, "Coordination with Other Entities," of the Standard Specifications.

Full compensation for Cooperation shall be considered as included in the prices paid for the various items of work and no separate payment will be made, therefore.

#### 10-1.09 PROGRESS SCHEDULE (Not Used)

#### 10-1.10 TEMPORARY UTILITIES

It shall be the Contractor's responsibility to provide equipment that is adequate for the performance of the Work under this Contract within the time specified. All equipment shall be kept in satisfactory operating condition, shall be capable of safely and efficiently performing required Work, and shall be subject to inspection and approval by the City's representative at any time within the duration of the Contract. All work hereunder shall conform to the applicable requirements of Cal-OSHA Construction Safety Orders.

All Work conducted at night or under conditions of deficient daylight when authorized by the Engineer, shall be suitably lighted to ensure proper Work and to afford adequate facilities for inspection and safe working conditions

All temporary connections for electricity shall be subject to approval of the Engineer and the power company representative and shall be removed in like manner at the Contractor's expense prior to final acceptance of the Work by the City.

Unless otherwise permitted by the Engineer, circuits separate from lighting circuits shall be used for all power purposes.

All wiring for temporary electric light and power shall be properly installed and maintained and shall be securely fastened in place.

Contractor shall be responsible for providing construction water. If the Contractor intends to use water from the Water Provider's fire hydrants, the Contractor will be required to apply for a water construction meter and pay for all charges required by the Water Provider. The Contractor shall provide all facilities necessary to convey the water from the water source to the points of use in accordance with the requirements of the Contract Documents.

The Contractor will be responsible for all water charges from the Water Provider's fire hydrants during construction.

The Contractor shall not make connection to, or draw water from, any fire hydrant or pipeline without first obtaining permission of the Water Provider for the use of said fire hydrant or pipeline. For each such connection made, the Contractor shall first attach to the fire hydrant or pipeline a valve and a meter of a size and type acceptable to the Water Provider. The Contractor shall contact the Water Provider for specific requirements for water usage and charges.

Contractor shall be solely responsible for the adequate functioning of its water supply system and shall be solely liable for any claims arising from the use of same, including discharge or waste of water therefrom.

Before final acceptance of the Work on the project, all temporary connections and piping installed by the Contractor shall be entirely removed, and all affected improvements shall be restored to their original condition, or better, to the satisfaction of Engineer, the City, and/or other agency owning the affected utility.

Fixed or portable chemical toilets shall be provided wherever needed for the use of employees.

The Contractor shall establish a regular daily collection of all sanitary and organic wastes. All wastes and refuse from sanitary facilities provided by the Contractor or organic material wastes from any other source related to the Contractor's operations shall be disposed of away from the site in a manner satisfactory to the Engineer and in accordance with all laws and regulations pertaining thereto.

Full compensation for providing, maintaining, and removing Temporary Utilities shall be considered as included in the contract price paid for under the lump sum Contract bid item for Mobilization/De-Mobilization, and no separate payment will be made, therefore.

#### 10-1.11 NOT USED

#### 10-1.12 DUST CONTROL

Dust control shall conform to the provisions of Section 10-5, "Dust Control", of the Standard Specifications and these special Provisions.

Full compensation for dust control shall be considered as included in the prices paid for the various items of work and no separate payment will be made therefore.

#### 10-1.13 SITE ACCESS AND PARKING

The Contractor shall take all necessary precautions for the protection of the Work and the safety of the public. All barricades and obstructions shall be illuminated at night, and all lights shall be kept burning from sunset until sunrise. The Contractor shall station such guards or flaggers and shall conform to such special safety regulations relating to traffic control as may be required by the public authorities within their respective jurisdictions. All signs, signals, and barricades shall conform to the requirements of Article 11 of Cal-OSHA Construction Safety Orders.

The Contractor shall make its own investigation of the condition of available public and private roads and of clearances, restrictions, bridge load limits, and other limitations affecting transportation and ingress and egress to and from the site of the Work. It shall be the Contractor's responsibility to construct and maintain any access or haul roads required for its construction operations.

Nothing herein shall be construed to entitle the Contractor to the exclusive use of any public street, alley, way, or parking area during the performance of the Work hereunder, and it shall so conduct its operations so as not to interfere unnecessarily with the authorized work of the City, utility companies, or other agencies in such streets, alleys, ways, or parking areas.

No street shall be closed to the public without first obtaining the permission of the Engineer, the

City, and other proper governmental authority, where applicable. Where excavation is being performed in primary streets or highways, one lane of traffic shall be kept open in each direction at all times unless otherwise provided in the Contract Documents or under the terms of the permits issued by the City, County, State, or other public agencies, as required.

Toe boards shall be provided to restrict movement of excavated material if required by the Engineer, the City, or other Agency having jurisdiction over the affected street or highway.

Fire hydrants on or adjacent to the Work shall be kept accessible to firefighting equipment at all times.

Temporary provisions shall be made by the Contractor to assure the use of sidewalks and the proper functioning of all gutters, sewer inlets, and other drainage facilities.

Wherever necessary or required for the convenience of the public or individual residents or business places at street or highway crossings, private driveways, or elsewhere, the Contractor shall provide suitable temporary bridges or steel plates over unfilled excavations, except in such cases as the Contractor shall secure the written consent of the individuals or authorities concerned to omit such temporary bridges or steel plates, which written consent shall be delivered to the Engineer prior to beginning the excavation. All such bridges or steel plates shall be maintained in service until access is provided across the backfilled excavation.

For the protection of traffic in public or private streets and ways, the Contractor shall provide, place, and maintain all necessary barricades, traffic cones, warning signs, lights, and other safety devices in accordance with the requirements of the current edition of California Manual of Uniform Traffic Control Devices as published by State of California, Department of Transportation. Traffic control shall be subject to the requirements of Article 11 of Cal-OSHA Construction Safety Orders and these Contract Documents.

If closure of any street is required during construction, a formal application for a street closure shall be made to the City at least 30 days prior to the required street closure in order for the City to determine the necessary signing and detour requirements to be provided by the Contractor.

Full compensation for site access and parking shall be considered as included in the contract price paid for under the lump sum Contract bid item for Mobilization/De-Mobilization, and no separate payment will be made therefore.

#### **10-1.14 WATER POLLUTION CONTROL**

#### **GENERAL**

#### SUMMARY

Contractor shall be responsible for preparation and implementation of a BMP (Best Management Practices) List, subject to approval by the City Engineer. The list shall include practices to protect areas receiving storm water runoff from the project site or construction support facilities. The plan may utilize the practices recommended in the latest California Storm Water Best Management Practices Construction Handbook available at <u>www.casqa.com</u>.

City of Hughson Well 8 TCP Mitigation Project

#### SUBMITTALS

If you operate construction support facilities, protect storm water systems or receiving waters from the discharge of potential pollutants by using WPC Best Management Practices (BMPs).

Construction support facilities include:

- 1. Staging areas
- 2. Storage yards for equipment and materials
- 3. Mobile operations
- 4. Batch plants for PCC and HMA
- 5. Crushing plants for rock and aggregate
- 6. Other facilities installed for your convenience such as haul roads

#### **IMPLEMENTATION REQUIREMENTS**

#### **BMP IMPLEMENTATION**

Monitor the National Weather Service Forecast Office on a daily basis.

Whenever you or the Engineer identifies a deficiency in the implementation of the approved BMP list:

- 1. Correct the deficiency immediately, unless the Engineer agrees to a later date for making the correction
- 2. Correct the deficiency before precipitation occurs

If you fail to correct the deficiency by the agreed date or before the onset of precipitation, the Department may correct the deficiency and deduct the cost of correcting the deficiency from payment.

Continue BMP implementation during any temporary suspension of work activities.

Install BMP practices within 15 days or before predicted precipitation, whichever occurs first.

#### INSPECTION

The BMP Manager must prepare BMP status reports that include the following:

- 1. Location and quantity of installed BMP practices
- 2. Location and quantity of disturbed soil for the active or inactive areas

Within 24 hours of finishing the weekly inspection, the BMP Manager must submit:

- 1. Copy of the completed site inspection report
- 2. Copy of the BMP status report

#### PAYMENT

Full compensation for water pollution control shall be considered as included in the prices paid for

the various items of work and no separate payment will be made, therefore.

#### 10-1.15 CONSTRUCTION AREA TRAFFIC CONTROL DEVICES

Flagging, signs, and temporary traffic control devices furnished, installed, maintained, and removed when no longer required shall conform to the provisions of the latest edition of the California Manual of Uniform Traffic Control Devices (CAMUTCD) and these special provisions.

All traffic control devices including cones, barricades, signs, etc. shall be new or unblemished.

Category 1 temporary traffic control devices are defined as small and lightweight (less than 45 kg) devices. These devices shall be certified as crashworthy by crash testing, crash testing of similar devices, or years of demonstrable safe performance. Category 1 temporary traffic control devices include traffic cones, plastic drums, portable delineators, and channelizers.

If requested by the Engineer, the Contractor shall provide written self-certification for crashworthiness of Category 1 temporary traffic control devices at least 5 days before beginning any work using the devices or within 2 days after the request if the devices are already in use. Self-certification shall be provided by the manufacturer or Contractor and shall include the following:

- A. Date,
- B. Federal Aid number (if applicable),
- C. Contract number, City, county, route and kilometer post of project limits,
- D. Company name of certifying vendor, street address, city, state and zip code,
- E. Printed name, signature and title of certifying person; and
- F. Category 1 temporary traffic control devices that will be used on the project.

The Contractor may obtain a standard form for self-certification from the Engineer.

Category 2 temporary traffic control devices are defined as small and lightweight (less than 45 kg) devices that are not expected to produce significant vehicular velocity change, but may cause potential harm to impacting vehicles. Category 2 temporary traffic control devices include barricades and portable sign supports.

Category 2 temporary traffic control devices shall be on the Federal Highway Administration's (FHWA) list of Acceptable Crashworthy Category 2 Hardware for Work Zones.

Category 2 temporary traffic control devices that have not received FHWA acceptance shall not be used. Category 2 temporary traffic control devices in use that have received FHWA acceptance shall be labeled with the FHWA acceptance letter number and the name of the manufacturer. The label shall be readable and permanently affixed by the manufacturer. Category 2 temporary traffic control devices without a label shall not be used.

If requested by the Engineer, the Contractor shall provide a written list of Category 2 temporary traffic control devices to be used on the project at least 5 days before beginning any work using the devices or within 2 days after the request if the devices are already in use.

Full compensation for providing self-certification for crashworthiness of Category 1 temporary

traffic control devices and for providing a list of Category 2 temporary traffic control devices used on the project shall be considered as included in the contract price paid for Traffic Control Plan and Implementation System, and no additional compensation will be allowed therefore.

#### 10-1.16 TRAFFIC CONTROL PLAN AND IMPLEMENTATION

Please note that all Flagging Costs for Traffic Control will be paid solely by the Contractor and full compensation for performing this work will be paid under the lump sum bid item for TRAFFIC CONTROL PLAN AND IMPLEMENTATION and no additional compensation will be allowed therefore.

#### CONSTRUCTION AREA SIGNS

Construction area signs for temporary traffic control shall be furnished, installed, maintained, and removed when no longer required in conformance with the provisions of California Manual of Uniform Traffic Control Devices (CAMUTCD) and these special provisions.

All construction area signs shall be new or unblemished.

One C18 sign and One C13 sign shall be posted on each approach/departure from the construction work area. Locations of the signs shall be approved by the Engineer.

Signs may be ported on temporary post supported by cross braces, rather than by digging holes for posts. Where such cross braces are used, no braces shall extend into the traveled way or a sidewalk.

Unless otherwise shown on the plans or specified in these special provisions, the color of construction area warning and guide signs shall have black legend and border on orange background, except W10-1 or W47(CA) (Highway-Rail Grade Crossing Advance Warning) sign shall have black legend and border on yellow background.

Orange background on construction area signs shall be fluorescent orange.

Repair to construction area sign panels will not be allowed, except when approved by the Engineer. At nighttime under vehicular headlight illumination, sign panels that exhibit irregular luminance, shadowing or dark blotches shall be immediately replaced at the Contractor's expense.

The Contractor shall notify the appropriate regional notification center for operations of subsurface installations at least 2 working days, but not more than 14 calendar days, prior to commencing any excavation for construction area sign posts. The regional notification centers include but are not limited to the following:

Underground Service Alert-

Northern California (USA) Telephone

Telephone: 1 (800) 227-2600

All excavation required to install construction area signs shall be performed by the hand methods without the use of power equipment; except that power equipment may be used if it is determined there are no utility facilities in the area of the proposed post holes.

The Contractor shall maintain accurate information on construction area signs. Signs that are no longer required shall be immediately covered or removed. Signs that convey inaccurate

information shall be immediately replaced or the information shall be corrected. Covers shall be replaced when they no longer cover the signs properly. The Contractor shall immediately restore to the original position and location any sign that is displaced or overturned, from any cause, during the progress of work.

Construction area signs shown on the plans, unless otherwise specified in the special provisions, will be paid for on a lump sum basis, which lump sum price shall include full compensation for furnishing all labor, materials, tools, equipment, and incidentals, and for doing all the work involved in furnishing construction area signs required for the direction of public traffic through or around the work and for erecting or placing, maintaining (including covering and uncovering as needed) and, when no longer required, removing construction area signs at locations shown on the plans.

Full compensation for furnishing, erecting, maintaining and removing any additional construction area signs the Contractor may deem necessary will be considered as included in the **lump sum** price paid for **Traffic Control Plan and Implementation System** and no additional compensation will be allowed therefore.

#### 10-1.17 MAINTAINING TRAFFIC

Attention is directed to Sections 7-1.03, "Public Convenience," 7-1.04, "Public Safety," and Section 12" Temporary Traffic Control," of the Standard Specifications and to the Section entitled, "Public Safety," elsewhere in these special provisions, and these special provisions. Nothing in these special provisions shall be construed as relieving the Contractor from his responsibility as provided in said Section 7-1.04.

The Contractor will not be allowed to close streets. One lane of through traffic shall be maintained at all times with appropriate Signage, Personnel and safety equipment to safely direct traffic through the construction area, unless the contractor submits to the City Engineer a proposed detour plan.

Detour plan shall meet the criteria for detour plans as shown in the latest edition of the California Department of Transportation Manual of Traffic Controls for Construction and Maintenance Zones. The City Engineer, and the Director of Public Works; shall approve Detour Plan, copies shall be sent to the Sheriff's Department and Local Fire Agencies and Emergency Organizations, i.e. Hospitals and Ambulance services. Said Detour Plan shall clearly state the dates and times of closure. Closures shall only be allowed during working hours, and the roadway shall be made passable for passenger type vehicles at the close of the work each day.

The Contractor shall be responsible for all barricades, delineators, cones, reflective media, signs and other traffic control measures necessary for the safe control of traffic and protection of the work. by the construction, 5 days prior to the beginning of construction. The public notice shall be submitted to the City and Engineer for review and approval prior to distribution.

The Contractor shall also place "TEMPORARY NO PARKING" signs, in the areas of construction a minimum of 48 hours prior to beginning work for, AC Paving, and Curb and Gutter Replacement, as necessary for striping and placement of signs.

The Contractor shall notify in writing all residents, commercial establishments and others affected

The Contractor is responsible for the repair of any damage done by emergency or other vehicles, inadvertent or not.

The Contractor shall review with the City Engineer, Project Engineer and the Chief of Police, his/her proposed method of barricading and signing in the field and shall comply with any request they may make. Said review shall be at least 48 hours in advance of construction. Contractor shall also notify in writing the City Engineer, the County Fire Departments, and Sheriffs Department of his/her proposed construction schedule.

Personal vehicles of the Contractor's employees shall not be parked on the traveled way or shoulders including any section closed to public traffic.

The Contractor shall notify local authorities of the Contractor's intent to begin work at least 5 days before work is begun. The Contractor shall cooperate with local authorities relative to handling traffic through the area and shall make arrangements relative to keeping the working area clear of parked vehicles.

Whenever work vehicles or equipment are parked on the shoulder within 1.8 m (6 ft) of a traffic lane, the shoulder area shall be closed with fluorescent orange traffic cones or portable delineators placed on a taper in advance of the parked vehicles or equipment and along the edge of the pavement at 7.5-meter (24-ft) intervals to a point not less than 7.5 m (24 ft) past the last vehicle or piece of equipment. A minimum of 9 traffic cones or portable delineators shall be used for the taper. A W20-1 (ROAD WORK AHEAD) or W21-5b (RIGHT/LEFT SHOULDER CLOSED AHEAD) or C24(CA) (SHOULDER WORK AHEAD) sign shall be mounted on a portable sign stand with flags. The sign shall be placed where designated by the Engineer. The sign shall be a minimum of 1200 mm x 1200 mm (48in x 48in) in size. The Contractor shall immediately restore to the original position and location a traffic cone or delineator that is displaced or overturned, during the progress of work.

The Contractor shall use new flashing barricades where work is to be delineated or protected during nights and weekends.

A minimum of one traffic lane, not less than **10 ft wide**, shall be open for use by public traffic in each direction of travel.

The contractor shall provide a traffic control plan for approval prior to be beginning work on the project. Traffic control plans shall be specific to the project area, showing appropriate lane usage, turn pockets and side streets, and shall conform to the provisions of the CAMUTCD.

Full compensation for performing all of the work required under these Special Provisions shall be paid under the lump sum bid item for **Traffic Control Plan and Implementation System** and no additional compensation will be allowed, therefore.

#### 10-1.18 EXISTING HIGHWAY FACILITIES

The work performed in connection with various existing facilities shall conform to the provisions in Section 15, "Existing Facilities," of the Standard Specifications and these special provisions.

#### **PROTECTION OF EXISTING UTILTIES**

The Contractor shall be responsible for the protection of existing pipelines, manholes, catch basins, valve boxes and other utility structures that are to remain within the roadway work area. Any such utility facilities that are damaged from roadway excavation work performed by the Contractor shall be either repaired or replaced to the satisfaction of the Engineer at no cost to the City, in accordance with Section 7-1.11, "Preservation of Property." of the State Standard Specifications.

#### PROTECT MISCELLANEOUS FACILITIES

All existing facilities that are located outside of the limits of new construction, including adjacent facilities or facilities to be joined to, and all existing facilities called out to "Protect" on the construction drawings, shall be protected in place as indicated. All existing miscellaneous facilities shall be protected in place or relocated to nearby locations appropriate for accommodating pedestrian traffic through the newly constructed facilities. All buildings and store fronts, including miscellaneous facilities that are a part of the store frontages, shall be protected in place unless otherwise noted on the construction drawings. All existing trees shall be protected in place, unless otherwise noted on the plans.

Full compensation for furnishing all labor, materials, tools equipment, and incidentals required to protect miscellaneous facilities shall be considered as included in the contract price paid per the various items of work involved and no additional compensation will be allowed therefore.

#### **REMOVE MISCELLANEOUS FACILITIES**

All existing facilities that are located within the limits of new construction and are called out to "Remove" on the construction drawings, or will require removal in order to install new improvements and is not designated for protection or relocation, shall be removed and disposed of by the contractor.

Full compensation for all work under this section shall be considered as included in the prices paid for the various items of work and no separate payment will be made, therefore.

#### 10-1.19 PRESERVATION OF PROPERTY

Attention is directed to the provisions in Section 5-1.36, "Property and Facility Preservation," of the Standard Specifications and these special provisions.

#### PROTECTION

The Contractor shall protect all private and public property and shall replace, repair, or pay for any damage thereto.

#### NOTICE TO PROPERTY OWNERS AND TENANTS

The Contractor shall give a written notice to all property owners adjacent to and affected by his/her work at least five (5) working days in advance of beginning the work, indicating the work to be performed and the approximate length of time that the property owner or tenant will be affected by his/her operations.

#### ACCESS

Access shall be provided to all businesses and residences at all times. The Contractor shall conduct his/her operations so as to cause the least inconvenience to both vehicular and pedestrian access.

Existing trees, shrubs and other plants, that are not to be removed as shown on the plans or specified elsewhere in these special provisions and are injured or damaged by reason of the Contractor's operations, shall be replaced by the Contractor. Damaged or injured plants shall be removed and disposed of.

Replacement planting of injured or damaged trees, shrubs and other plants shall be completed not less than 20 working days prior to acceptance of the contract. Replacement plants shall be watered as necessary to maintain the plants in a healthy condition.

Full compensation for all work under this section shall be considered as included in the prices paid for the various items of work and no separate payment will be made, therefore.

#### 10-1.20 UTILITIES

It shall be the obligation of the Contractor to notify the various utility companies at least three (3) days in advance of closing and/or tearing up of the street affecting said utility companies.

It shall be the obligation of the Contractor to immediately notify the affected utility company if relocation of any utilities will be required.

Refer to Section 5-1.36C, "Nonhighway Facilities," of the Standard Specifications and these special provisions (including Utilities) for utility coordination scheduling details.

Full compensation for providing utility notifications, potholing, and coordination shall be considered as included in the prices paid for the various items of work and no separate payment will be made therefore.

#### 10-1.21 DEMOLITION, CLEARING AND GRUBBING

Demolition, Clearing and Grubbing shall conform to the provisions in Section 16, "Clearing and Grubbing," of the Standard Specifications and these special provisions.

Vegetation shall be cleared and grubbed only within the excavation and embankment slope lines.

Existing vegetation outside the areas to be cleared and grubbed shall be protected from injury or damage resulting from the Contractor's operations.

Activities controlled by the Contractor, except cleanup or other required work, shall be confined within the graded areas of the roadway.

Nothing herein shall be construed as relieving the Contractor of the Contractor's responsibility for final cleanup of the street as provided in Section 4-1.13, "Cleanup," of the Standard Specifications.

Full compensation for demolition, clearing and grubbing, and site demolition of the facilities specified herein shall be considered as included in the prices paid for the various items of work and no separate payment will be made therefore.

## APPENDIX A STANDARD PLANS